IMP. INST. ENT.
— LIBRARY —
- 6 JUL 1942
U.S.A. 69

INDEX
TO
TECHNICAL BULLETINS
Nos. 501–750

UNITED STATES
DEPARTMENT OF AGRICULTURE

1941

Digitized by the Internet Archive
in 2025

https://archive.org/details/technical-bulletin-us-department-of-agriculture_1941_index-501-750

IMP. INSTMENT.
— LIBRARY —
6 JUL 1942
U.S.A. 69

INDEX

TO

TECHNICAL BULLETINS

Nos. 501–750

UNITED STATES
DEPARTMENT OF AGRICULTURE

1941

UNITED STATES
DEPARTMENT OF AGRICULTURE

INDEX

TO

TECHNICAL BULLETINS

Nos. 501–750

By
MABEL HUNT DOYLE
In Charge of Indexing Section
Division of Publications, Office of Information

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1941

INDEX

	Technical Bulletins No	Page
ABBOTT, E. V.: Red Rot of Sugarcane	641	1–96
Abortion, infectious—		
communicability between swine and cattle. W. E. Cotton, J. M. Buck, and H. E. Smith	629	1–8
See also Bang's disease.		
Acanthoscelides obtectus—		
synonymy	593	4–5
See also Bean(s) weevil.		
Acarina, collections made by airplane in Louisiana	673	4, 5, 10, 16, 19, 88–89
Achromobacter coadunatum, cause of stickiness of shelled lima beans, and characteristics	625	20–21
Acid, adding to silage, effect	611	19–20, 28, 29
Acidic properties of peat and muck. Irvin C. Feustel	690	1–42
Acidity, effect on growth of waterfowl food plants	634	128–129
ADAMS, CAROLINE L.: Anatomical Structure of the Cottonseed Coat as Related to Problems of Germination. With D. M. Simpson and G. M. Stone	734	1–24
ADAMS, J. E.: Effect of Fertilizers on Composition of Soybean Hay and Seed and of Crop Management on Carbon, Nitrogen, and Reaction of Norfolk Sand. With H. M. Boggs and E. M. Roller	586	1–35
ADAMS, R. L.: Cost of Producing Extracted Honey in California. Frank E. Todd	656	1–35
Adapsilia flaviseta, biology, parasitism, rearing, and shipment	738	7–8
Aenoplex spp., parasitism in oriental fruit moth cocoon in Japan	728	10, 35–36
Agricultural—		
adjustment programs, influence in Yazoo-Mississippi Delta area	682	89–90
credit corporations, regional, operations	539	52–59
loans. *See* Loans, agricultural.		
rehabilitation, relation to Federal seed-loan financing. Norman J. Wall	529	1–60
Agricultural Economics, Bureau of, land purchases in Forest County, Wis	687	74–75, 80–85, 88–89
Agriculture—		
northern New England, characteristics	709	5–10
relation to pocket mice of Washington and Oregon. Theo. H. Scheffer	608	1–16
Agropyron smithii—		
drought survival in Great Plains, 1935	549	7, 11, 12, 17, 28
grazing, effects	547	2–18
See also Wheatgrass, western.		
Air—		
currents, effect upon distribution of insects, airplane studies	673	108–122
mass(es)—		
classification and cycle	589	4–8
invasions, relation to precipitation, studies	589	26–38
Aircraft as insect carriers, need for control	673	141–142
Airplane, use—		
in dusting peas against weevil infestation	599	40
to collect insects, experiments in Louisiana	673	3–146
Alaska, selenium samples	702	52
Alberta, barley varieties, yields, 1932–36	735	54–56

	Technical Bulletins No.	Page
Alcohols, removal from wood turpentine	596	23–24
Aldehydes, removal from wood turpentine	596	22–23
ALDERMAN, W. H.: Studies of the Culture and Certain Varieties of the Jerusalem-Artichoke. With Victor R. Boswell, C. E. Steinbauer, M. F. Babb, W. L. Burlison, and H. A. Schoth	514	1–70
ALEXANDER, LUCY M.: Beef Production and Quality as Affected by Method of Feeding Supplements to Steers on Grass in the Appalachian Region. With W. H. Black, R. L. Hiner, L. B. Burk, and C. V. Wilson	717	1–32
Shrinkage and Cooking Time of Rib Roasts of Beef of Different Grades as Influenced by Style of Cutting and Method of Roasting. With Nancy Griswold Clark	676	1–36
ALEXANDER, LYLE T.: A Chemical Study of Some Soils Derived From Limestone. With Horace G. Byers and Glen Edgington	678	1–27
Alfalfa—		
crops preceding, at Stoneville, Miss., tests	701	8–9
cultivation, tests at Stoneville, Miss., 1932–37	701	21
cutting time at Stoneville, Miss	701	17–18
cuttings at different stages, quality and yield of hay	739	14–23
experiments at Stoneville, Miss., 1935–37. Paul R. Henson and H. L. Westover	701	1–24
growth at three stages of maturity	739	9–14
injury caused by potato leafhopper	618	12–13
inoculation, recommendations for Stoneville, Miss	701	10–11
insects and diseases, Mississippi Delta	701	22–23
leaf meals fed to chickens, loss of vitamin A during storage. Burt W. Heywang and Rudolph B. Morgan	632	1–8
leafhopper, seasonal history and abundance in Idaho	607	8–9, 24–25, 28–33
plant, location of *Lygus* eggs in	741	16–17
rotations at Huntley Field Station, experiments	571	2–7, 14–17, 31–35
seed—		
injury by *Lygus*, character	741	5–7
production, at Stoneville, Miss	701	21–22
production, relation to three species of genus *Lygus* in southern Arizona and California. Loyd L. Stitt	741	1–19
seedbed, preparation at Stoneville, Miss	701	11
seeding at Stoneville, Miss., date, method, and rate	701	11–14
silage—		
feeding value, experiments	611	24–26
influence on flavor and odor of milk, experiments	611	26–28
making, experiments	611	16–21, 22–23, 28–30
soil, lime, and drainage requirements in Mississippi Delta	701	3–8
storing in large silos, experiments	611	23–24
tillage methods, effect on yields in rotation	536	65–68
varietal tests at Stoneville, Miss	701	14–17
yields from irrigated rotations at Scotts Bluff, 1912–34	512	15–19, 31–36
Algae—		
damage to game duck food plants, and control	634	130–131
marine, arsenic content	732	16–17
value as food of game ducks	634	19–20
Alkali salts, tolerance of aquatic duck food plants to	634	124–128
ALLARD, H. A.: Further Observations of the Response of Various Species of Plants to Length of Day. With W. W. Garner	727	1–64
Allegheny hardwood region—		
description	651	9–10
fire insurance rating schedule, construction	651	39–41

	Technical Bulletins No.	Page
ALLEN, R. H.: Supply Responses in Milk Production in the Cabot-Marshfield Area, Vermont. With Erling Hole and R. L. Mighell	709	1–60
Alternaria—		
rot, of muskmelons, history, symptoms, causes, and control	573	18–21
solani, development, temperature studies	520	23–26
spp., cause of rot of muskmelons	573	19–20
tomato, development, temperature studies	520	26–29
Alumina content of sugarcane juices, comparison of varieties	688	42–43
Ammo-Phos, double-strength mixtures, placement for potatoes, experiments	669	7, 17–19, 34–35
Ammonia, anhydrous liquid, application to Caloro rice, experiments	718	18
Ammonium sulfate—		
application—		
rate for Caloro rice, experiments	718	6–9
rate for Colusa rice, experiments	718	9–10
time for Caloro rice, experiments	718	10–11
to rice, experiments	718	11–13
costs and returns from applications to rice in California, 1925–37	718	8, 10
placement for potatoes, experiments	669	19–46
ANDERSON, M. S.: Neutralization Curves of the Colloids of Soils Representative of the Great Soil Groups. With Horace G. Byers	542	1–39
Anemia, production by goats' milk and cows' milks, experiments	671	50–55
Anemometers, electrical, use in shipping apples and pears	550	8
Animal(s)—		
damage to game duck food plants, and control	634	138–139
foods of—		
game ducks in United States and Canada	634	97–101
North American diving ducks	643	7–135
fur, specimens of reproductive tracts, collection	616	1
meat, farm prices—		
1869–1937	703	148–149
indices, 1869–1937	703	149–150
wild, damage to—		
seed and seedlings on cut-over Douglas-fir lands of Oregon and Washington. A. W. Moore	706	1–28
seedlings in Douglas-fir region of Oregon and Washington	706	18–27
Anions, displacement of boron from soil, experiments	696	47–51
Anomala spp., larvae, parasites in Far East, investigations	738	20–27
Anthocyanin in lettuce, factors, genetic relations	620	9–10, 24–27
Anthracnose rot of muskmelons, importance, symptoms, cause, and temperature relations	573	39–41
Antibodies, presence in colostrum	661	2, 5, 16–17, 29
Antrocephalus n. sp., parasitism in oriental fruit moth cocoons in Japan	728	10, 31–32
Apanteles spp., parasitism in oriental fruit moth larvae in Japan and Chosen	728	10, 11–14
Apiaries—		
distribution and size in California	656	8, 23, 26
maintenance cost in California	656	11–17
size, relation to yields	656	23
Appalachian Mountains, southern, reservoir silting, examination	524	116–118
Appalachian region—		
beef production and quality, effects of method of feeding supplements to steers on grass. W. H. Black, R. L. Hiner, L. B. Burk, Lucy M. Alexander, and C. V. Wilson	717	1–32
calves, creep-fed, feeder, and lot-fattened, relative merits of producing. E. W. McComas and C. V. Wilson	664	1–12
decay in merchantable oak, yellow poplar, and basswood. George H. Hepting and George G. Hedgcock	570	1–30

	Technical Bulletins No.	Page
Apple(s)—		
barreled—		
for export, condition, influence of packing and handling methods. Paul L. Harding, J. M. Lutz, and Dean H. Rose	559	1–26
size, influence on condition of fruit, tests	559	8
cold storage, effect on condition for export, tests	559	15–17
diseases, effect of carbon dioxide treatments	519	7–9
from Shenandoah-Cumberland section, transportation to overseas markets. Paul L. Harding and Charles L. Powell	523	1–27
Grimes Golden, handling, effects, tests	559	21–24, 25
grown in Shenandoah-Cumberland Valley, lead-spray residues, removal. M. H. Haller, C. C. Cassil, C. W. Murray, J. H. Beaumont, and Edwin Gould	622	1–32
handling methods, influence on condition when barreled for export. Paul L. Harding, J. M. Lutz, and Dean H. Rose	559	1–26
in storage, development of scab on, studies	563	4–26
inoculation with *Venturia inaequalis*, studies	563	26–43
Jonathan, handling, effects, tests	559	18–21, 25
lead spray residue, quantity at harvest and after washing, factors influencing	622	8–16
marketing overseas, transportation from Shenandoah-Cumberland section. Paul L. Harding and Charles L. Powell	523	1–27
packing methods—		
effect on condition after storage, tests	559	12, 15–17
influence on condition upon arrival in England, tests	559	6–7
influence on condition when barreled for export. Paul L. Harding, J. M. Lutz, and Dean H. Rose	559	1–26
relation to gross weight of barrels, tests	559	21, 23
relation to number in barrels, tests	559	17–18, 21, 23
protection—		
during loading in refrigerator cars	550	45–47
in transit from Pacific Northwest during winter months. E. D. Mallison, E. A. Gorman, Jr., and W. V. Hukill	550	1–55
Rome Beauty, packing and handling for export, tests	559	12–18, 24–25
scab, incidence and development on fruit during late summer and in storage. Cyril O. Bratley	563	1–46
shipments—		
protection with heaters in refrigerator cars	550	21–47
protection without heaters	550	15–21
softening before and after storage, tests	559	18, 24
spray-residue removal, influence of washing treatments and storage	622	16–25
spraying treatments, relation to weather conditions	622	2–6
storage—		
effect on condition for export, tests	559	15–17
influence upon spray-residue removal	622	24–25
scab, characteristics, study	563	21–26
scab, position on fruit, records	563	19–20
transportation—		
effect of temperature upon condition of fruit	523	19–22, 23, 24
from Shenandoah-Cumberland section to overseas markets. Paul L. Harding and Charles L. Powell	523	1–27
trees, boron injury, experiments	746	52, 55
washing—		
for removal of lead spray residue	622	1–30
relation to keeping quality	622	25–27
treatment, effect upon spray-residue removal	622	16–25
treatments, description	622	7
York Imperial, packing and handling for export, tests	559	6–12, 24

	Technical Bulletins No	Page
Appling—		
sandy loam—		
analyses, mechanical and chemical	609	34–35
colloid, chemical analyses and derived data	609	35–37, 46
description	609	10
soil series, description	609	9–10
Apricot(s)		
diseases, effect of carbon dioxide treatments	519	5–6
trees—		
boron accumulation, effect of fruit on	746	53–54
boron injury, symptoms	746	51
Aquatic plants. *See* Plant(s), aquatic.		
Arancida, collections made by airplane in Louisiana	673	4, 5, 10, 16, 17–19, 58, 87–88
Arch(es)—		
glued laminated construction—		
advantages and disadvantages	691	3
moisture content of material	691	60–61
strength tests	691	9–51
uses	691	4–5
wooden—		
T. R. C. Wilson	691	1–123
construction; durability	691	95–96
construction in Europe	691	87–94
curved members, effect of shrinkage or swelling on shape	691	119–121
deformation and secondary stresses	691	108–116
design—		
and analysis	691	96–116
limitation	691	58–60
stresses	691	65–67
for buildings, strength tests	691	34–48
members, material and construction, specifications	691	61–65
nailing members as substitute for pressing or clamping	691	81–86
strength, relation to stresses for use in design, discussion	691	51–58
strength under end thrust, tests	691	14–33
transverse tests on curved and straight members	691	10–12
Ardmore Field Station, South Dakota—		
feeding steers with range supplements, experiments	628	1–15
weather, records for 1912–36	628	2
Arizona—		
barley varieties, yields, 1932–36. R. S. Hawkins, A. T. Bartel, and C. J. King	735	3–4
desert milkweed, *Asclepias erosa*, rubber content and habits. R. E. Beckett, R. S. Stitt, and E. N. Duncan	604	1–12
lettuce production	714	8–11
Sacaton, cottonseed farm, occurrence of crazy top	515	3
sewage-irrigation policy	675	28
soils and vegetation, selenium content, investigations	601	9–11
southern, alfalfa seed production, relation to three species of genus *Lygus*. Loyd L. Stitt	741	1–19
Arkansas—		
barley varieties, yields, 1932–36. C. K. McClelland	735	4–5
tractor logging in southern pine, costs	700	3–63
Arlington Experiment Farm, Virginia, grapes, quality in storage, factors, experiments	606	1–25
Armillaria mellea, cause of butt rot in unburned sprout oak stands	684	33
Arrow-arum, food value for game ducks	634	67
Arrowgrass—		
leaves, toxicity to sheep—		
effect of age, drying, and heating	580	11–14
effect of varying conditions of moisture	580	5–11
toxicity for sheep and remedial treatment. A. B. Clawson and E. A. Moran	580	1–16
value as game duck food	634	16, 38

	Technical Bulletins No.	Page
Arrowheads, value as game duck foods, and propagation	634	12, 14, 17, 18, 40
Arsenic—		
content of—		
marine algae	732	16–17
soils and vegetation, determination	732	6–13
distribution in soils and its presence in certain plants. Kenneth T. Williams and Richard R. Whetstone	732	1–20
occurrence in soils of erosion experiment stations, determination	552	2–3, 6–7, 12, 13, 14–15, 16–17, 19–20
presence in certain plants and distribution in soils. Kenneth T. Williams and Richard R. Whetstone	732	1–20
Arsenicals, contamination of soils	732	13–16, 17–18
Artemisia tridentata. *See* Sagebrush.		
Artichoke, Jerusalem. *See* Jerusalem-artichoke.		
Asclepias—		
erosa—		
description, distribution, and habitat	604	2
leaves, rubber content in storage	604	7
propagation and culture	604	8–9
rubber content and habits in southern California and Arizona. R. E. Beckett, R. S. Stitt, and E. N. Duncan	604	1–12
rubber content, comparison with various milkweeds and other plants	604	9–10
seasonal growth and rubber content	604	5–7
selection for rubber-yielding capacity	604	9
wild plants, rubber content, determination	604	5
spp., rubber content	604	10
Asparagus, diseases, effect of carbon dioxide treatments	519	16–17
Aspergillus rot of Honey Dew melons, symptoms and temperature relations	573	42–43
Asters, response to length of day	727	30–33
Astragalus spp., indication of seleniferous soils, study	702	7–42, 54, 56
Atkins, I. M.: Yields of Barley Varieties, 1932–36: Texas. With P. M. Mangelsdorf and P. B. Dunkle	735	43–44
Atlanta, lettuce market, description	712	61
Atlantic Ocean, north, selenium samples, importance	702	52–53, 54
Atlantic States—		
Middle, forests, description	651	3–5
lumber consumed, source, specified years	623	154
Atmosphere—		
conditions affecting distribution of insects in upper air of Louisiana	673	93–130
depth of water in, calculation	589	18–19
electrical state, effect upon insects in upper air	673	129–130
moisture in, seasonal relationships	589	19–38
Aune, Beyer: Yields of Barley Varieties, 1932–36: South Dakota. With S. P. Swenson, K. H. Klages, and A. N. Hume	735	40–42
Austria, tobacco statistics, specified years	587	11, 14, 54–56, 113–114
Autoserica castanea—		
larvae, parasites in Far East, investigations	738	21, 23–24
occurrence and importance in Far East	738	19–20
Avocados, treatment by carbon dioxide, effects	519	18
Ayers, T. T.: Bacterial Wilt of Lespedeza. With C. L. Lefebvre and H. W. Johnson	704	1–23

	Technical Bulletins No.	Page
BABB, M. F.: Studies of the Culture and Certain Varieties of the Jerusalem-Artichoke. With Victor R. Boswell, C. E. Steinbauer, W. L. Burlison, W. H. Alderman, and H. A. Schoth	514	1–70
Bacillus—		
carotovorus, treatment by carbon dioxide, results	519	15, 16, 23
mesentericus, inoculation of wool for sterilizing treatments	588	4–6
Bacteria—		
content of goat's milk, determination	671	43–46
inoculation of lima beans, experiments	625	2–4, 19–21
Bacterial—		
soft rot of muskmelons, symptoms, causes, and control	573	38–39
wilt of lespedeza. T. T. Ayers, C. L. Lefebvre, and H. W. Johnson	704	1–23
Badlands silt loam—		
analyses, mechanical and chemical	502	20–23
description	502	5
BAILEY, T. L. W., Jr.: Methods for the Measurement of Certain Character Properties of Raw Cotton. With Howard B. Richardson and Carl M. Conrad	545	1–77
BAKER, A. L.:		
Comparison of Alfalfa and Western Wheatgrass Hays for Wintering Yearling Heifers in the Northern Great Plains and Their Influence on Summer Gains	635	1–8
Effect of Different Methods of Grazing on Native Vegetation and Gains of Steers in Northern Great Plains. With W. H. Black, V. I. Clark, and O. R. Mathews	547	1–19
Effect of Different Methods of Wintering Beef Calves, in the Northern Great Plains, on Winter Gains and Feed Costs and on Subsequent Summer Gains. With W. H. Black and J. R. Quesenberry	529	1–11
Wintering Beef Cows on the Range With and Without a Supplement of Cottonseed Cake. With W. H. Black and J. R. Quesenberry	603	1–22
Wintering Steers on Different Planes of Nutrition From Weaning to 2½ Years of Age. With W. H. Black and J. R. Quesenberry	667	1–20
BALCH, R. T.: Windrowing and Storing of Sugarcane in Louisiana Following Injury by Freezing Temperatures. With J. I. Lauritzen and Charles A. Fort	736	1–44
Baldcypress, value as game duck food	634	13, 22–23
Bananas, treatment by carbon dioxide, effects	519	18
Bang's disease—		
vaccination of calves and yearlings against. J. M. Buck, W. E. Cotton, and H. E. Smith	658	1–7
See also Abortion, infectious.		
Banking Act of 1935, provisions for demand deposits	575	3
Bank(s)—		
commercial—		
agricultural loans. Norman J. Wall	521	1–56
country, agricultural loans, December 31, 1934	575	6–8
numbers having agricultural loans, December 31, 1934	575	4
country—		
as source of agricultural credit, relative importance	575	3–8
demand deposits—		
Norman J. Wall	575	1–27
as a measure of agricultural purchasing power	575	16–19
index of, construction	575	9–14
seasonal movement, factors influencing	575	19–27
deposits, effect of loans from federally sponsored agencies	575	21–27
suspensions, numbers and effects, 1921–34	521	21–24
type, classification of agricultural loans for	521	49–56
BARBEE, O. E.: Yields of Barley Varieties, 1932–36: Washington. With E. G. Schafer and H. D. Jacquot	735	46–48

	Technical Bulletins No.	Page
BARBER, G. W.:		
Orius insidiosus (Say), an Important Natural Enemy of the Corn Ear Worm	504	1–24
The Effectiveness of Cultivation as a Control for the Corn Earworm. With F. F. Dicke	561	1–16
Barium, occurrence in soils of erosion experiment stations, determination	552	3, 10–11, 13, 14, 15, 17, 18, 20
Barley—		
breeding—		
evaluation of variety	720	8–12
methods, study. H. V. Harlan, M. L. Martini, and Harland Stevens	720	1–25
hybrids—		
selecting from pedigree populations, methods	720	17–18
selections from pedigree crosses, comparison with composite	720	18–19
six-rowed × two-rowed, behavior	720	13–17
income, gross, ratio to farm value, 1909–36	703	41
little, value as game duck food	634	15, 46
pedigreed crosses, planting for selective growth experiments	720	2–8
plant characters, desirable, study	720	19–23
prices, farm, 1869–1937	703	143
production—		
entering into gross income, 1869–1937	703	127, 129
price, and gross income, 1869–1937	703	44–45
price, and income, estimation methods and sources of data	703	41
seed, treatment for control of smuts, experiments	513	1–10
smuts, control, further experiments. R. W. Leukel	513	1–12
susceptibility to sodium chlorate injury, experiments	648	3–14
tillage methods, effects on yields in rotation	536	54–57, 74
varieties—		
highest yielding in United States and Canada, 1932–36	735	69–73
yields in Canada, 1932–36	735	54–69
yields in United States and Canada, 1932–36. G. A. Wiebe, P. R. Cowan, and Lucille Reinbach-Welch	735	1–78
Barn(s)—		
glued laminated arch members—		
comparison with common types of curved rafters	691	77–81
framing, protection	691	79–81
rafters, curved, common types, comparison with glued laminated members	691	77–79
BARNES, F. F.: Effect of Accelerated Erosion on Silting in Morena Reservoir, San Diego County, Calif. With C. J. Kraebel and R. S. LaMotte	639	1–22
Barnyard grass, value as game duck food	634	50–51
Barometric pressure, relation to distribution of insects in upper air of Louisiana	673	104–108
BAROTT, H. G.: Effect of Temperature, Humidity, and Other Factors on Hatch of Hens' Eggs and on Energy Metabolism of Chick Embryos	553	1–46
BARTEL, A. T.: Yields of Barley Varieties, 1932–36: Arizona. With R. S. Hawkins and C. J. King	735	3–4
Bassus spp., parasitism in oriental fruit moth larvae in Japan and Chosen	728	10, 14–15
Basswood—		
cull studies, important considerations	570	23–26
merchantable—		
cull estimation, method based on wounding	570	20–23
cull, percentage in Appalachian region	570	7–20
decay in Appalachian region. George H. Hepting and George G. Hedgcock	570	1–30

	Technical Bulletins No.	Page
BATEMAN, GEORGE Q.: Milk and Butterfat Production by Dairy Cows on Four Different Planes of Feeding. With R. R. Graves, J. B. Shepherd, and George B. Caine	724	1–36
Bayberry, food of game ducks, and propagation	634	71
Beakrush, food of game ducks, and propagation	634	64
Beams—		
laminated wooden, strength properties, relation to curvature, tests	691	49–51
See also Boards.		
BEAN, LOUIS H.: Gross Farm Income and Indices of Farm Production and Prices in the United States 1869–1937. With Frederick Strauss	703	1–154
Bean(s)—		
beetle, Mexican—		
hyperparasites	721	7–9
tachinid parasite, *Paradexodes epilachnae*. B. J. Landis and N. F. Howard	721	1–32
diseases, effect of carbon dioxide treatments	519	15
dry edible, production, price—		
and gross income, 1869–1937	703	73
and income, estimation methods and source of data	703	72–73
field, rotations at Huntley Field Station, experiments	571	2–7, 13–14, 16–17, 31–33
green. *See* Bean(s), snap.		
injury by potato leafhopper	618	10–11
kidney, seed, rapid deterioration and methods for its prevention, study	708	4–47
leaves, sprayed with bordeaux mixture, sap of, chemical analyses	740	29
lima—		
freezing preservation, comparative studies	731	1–69
grown under eastern conditions, varietal suitability for freezing preservation. Joseph S. Caldwell, J. M. Lutz, H. H. Moon, and C. W. Culpepper	731	1–72
seed, rapid deterioration and methods for its prevention, study	708	3–47
shelled—		
disinfection against stickiness and spotting, effectiveness	625	14–19, 23
green, stickiness and spotting. Charles Brooks and L. McColloch	625	1–24
spotting, characteristics of causal organism	625	21–22
spotting, control methods	625	23
stickiness, characteristics of causal organisms	625	4, 19–21
stickiness, control methods	625	23
market conditions, effect on weevil infestation	593	62–63
mosaic, effect on yield, pod length, and pod weight of snap beans, experiments	647	21–26
pest, *Empoasca fabae*, leafhopper—		
biological studies. Dwight M. DeLong	618	1–60
control, studies of methods and materials. Dwight M. DeLong	740	1–64
plant—		
effect of various strengths of bordeaux mixture	740	22
sap from plants sprayed with bordeaux mixture and unsprayed, refractometer readings	740	26–29
sap, toxicity to potato leafhopper caused by bordeaux spray	740	15–19
tissue, penetration by copper in bordeaux mixture	740	22–23
potato leafhopper on—		
insecticides, efficiency tests	740	2–3, 5–58
populations, estimation methods	740	34–35
seed, deterioration, rapid, and methods for its prevention, study	708	3–47

	Technical Bulletins No.	Page
Bean(s)—Continued.		
snap—		
damping-off, control by seed treatment	647	14–21
damping-off, description and cause	647	16–17
development, effect of mosaic infection	647	21–26
diseases in Southeast, field studies. W. D. Moore	647	1–28
dry root rot development, effects of cultural methods	647	1–10
freezing preservation, comparative studies	731	1–69
grown under eastern conditions, varietal suitability for freezing preservation. Joseph S. Caldwell, J. M. Lutz, H. H. Moon, and C. W. Culpepper	731	1–72
seed treatment for damping-off	647	14–21
varietal resistance or susceptibility to dry root rot and effect on yield	647	10–14
weevil—		
adult, emergence and activities	593	29–43
control, problems and recommendations	593	63
dispersal, opportunity for, discussion	593	60–62
dispersal, rate and time	593	57–60
food, effect on oviposition and length of life, experiments	593	43–48
history and distribution	593	3
in California. A. O. Larson and C. K. Fisher	593	1–71
life cycle, effect of temperature and humidity	593	49–52
life history and description	593	16–23
number of generations and seasonal abundance	593	52–54
spread of infestations	593	54–57
synonymy, economic importance, and host plants	593	4–13
Beaumont, J. H.: Removal of Lead Spray Residues From Apples Grown in the Shenandoah-Cumberland Valley. With M. H. Haller, C. C. Cassil, C. W. Murray, and Edwin Gould	622	1–32
Becker, George G.: Fumigation of Baled Cotton With Hydrocyanic Acid for the Pink Bollworm. With George G. Becker and Lon A. Hawkins	623	1–46
Beckett, R. E.: Rubber Content and Habits of a Second Desert Milkweed (*Asclepias erosa*) of Southern California and Arizona. With R. S. Stitt and E. N. Duncan	604	1–12
Beef—		
calves. *See* Calf(ves), beef.		
carcasses—		
characteristics, relation to carcass grade	665	34–36
dressed, grades, effect of feeding concentrates	717	12–14
dressing percentages, effect of feeding supplements to bluegrass	717	16
fatness, effect of feeding concentrates	717	14–15
cattle. *See* Cattle, beef.		
chemical composition, effect of feeds, experiments	717	19–21
color, effect of feeds, comparisons	717	21–23
cooking—		
losses, effect of methods of feeding concentrates	717	24–25
quality, effect of feeding supplements to bluegrass, experiments	717	24–25
different grades, shrinkage and cooking time, influence of style of cutting and methods of roasting. Lucy M. Alexander and Nancy Griswold Clark	676	1–36
eight-rib cut, shrinkage and cooking time of different portions, experiments	676	11
grade and production factors, relationships. O. G. Hankins and L. B. Burk	665	1–40
palatability, effect of feeds, comparisons	717	24, 25–27
physical composition, effect of feeds, experiments	717	16–19
production—		
and grade factors, relationships. O. G. Hankins and L. B. Burk	665	1–40
effects of method of feeding supplements to steers on grass in Appalachian region. W. H. Black, R. L. Hiner, L. B. Burk, Lucy M. Alexander, and C. V. Wilson	717	1–32

	Technical Bulletins No.	Page
Beef—Continued.		
production—continued.		
recent trend	564	1–2
relation to method and rate of grazing at Beltsville, Md. M. A. Hein and A. C. Cook	538	1–35
quality, effects of method of feeding supplements to steers on grass in Appalachian region. W. H. Black, R. L. Hiner, L. B. Burk, Lucy M. Alexander, and C. V. Wilson	717	1–32
ribs, cutting style, influence on shrinkage and cooking time, experiments	676	16–19
roast(s)—		
cooking time, effect of—		
temperature of cut when put into oven	676	13
weight of raw cut, experiments	676	12–13
palatability, effect of feeding concentrates	717	25–27
searing and constant-temperature methods, comparison	676	20–23, 24–25
shrinkage and cooking time, effect of length of rib bones	676	13–16
shrinkage determination	676	9
roasting methods—		
experiments	676	7–9
for different grades, influence on shrinkage and cooking time. Lucy M. Alexander and Nancy Griswold Clark	676	1–36
influence on shrinkage and cooking time, experiments	676	19–28
shrinkage and cooking time according to grade, experiments	676	28–32
See also Calf(ves); Cattle; Steers.		
Beekeeping—		
areas of California, survey	656	4–8
costs in California, 1933	656	11–17, 18–29
improvement, measures recommended	656	30–32
investments in California	656	10
migratory and nonmigratory, costs, comparison	656	29
Bees, charge for use in California, 1933	656	17
Beeswax—		
bloom, description and cause	716	22
collection, preparation, and analysis	716	2–6
color, spectrographic observations	716	22–23
coloration, factors	716	6–10
contaminating materials, description	716	6–10
crude—		
clarification	716	10
properties, comparison with refined	716	15–22
decolorizing processes	716	10–15
properties, physical and chemical, investigations. Charles S. Bisson, George H. Vansell, and Walter B. Dye	716	1–24
refined, properties, comparison with crude	716	15–22
sun bleaching, experiments	716	12–13
Beet(s)—		
leafhopper—		
in San Joaquin Valley of California, relation to vegetation types. R. L. Piemeisel and F. R. Lawson	557	1–28
insects associated with, occurrence on secondary plant successions in southern Idaho. D. E. Fox	607	1–44
occurrence on secondary plant successions in southern Idaho. D. E. Fox	607	1–44
population, effect of reduction of weedy areas in San Joaquin Valley	557	24–27
seed, rapid deterioration and methods for its prevention, study	708	3–47
treatment by carbon dioxide, experiments	519	18
See also Sugar Beet(s).		

	Technical Bulletins No.	Page
Beggarticks, food of game ducks, value, environment, and propagation	634	96
Belgium—		
Government regulation of grain and milling industries	535	48–49
tobacco statistics, specified years	587	11, 23–25, 63–67, 113–114
wheat quality and type, and milling and baking practices	535	46–53
BELL, M. A.: Yields of Barley Varieties, 1932–36: Montana. With Clyde McKee, W. B. Nelson, J. L. Sutherland, and Dan Hansen	735	23–25
BENNETT, CHARLES A.:		
Effect of Artificially Drying Seed Cotton Before Ginning on Certain Quality Elements of the Lint and Seed and on the Operation of the Gin Stand. With Francis L. Gerdes	508	1–62
Effect of Cleaning Seed Cotton on Lint Quality and Ginning Efficiency. With Francis L. Gerdes and Arvid J. Johnson	663	1–64
Effects of Gin-Saw Speed and Seed-Roll Density on Quality of Cotton Lint and Operation of Gin Stands. With Francis L. Gerdes	503	1–40
BENNETT, H. H., foreword to Soil Erosion and Stream Flow on Range and Forest Lands of the Upper Rio Grande Watershed in Relation to Land Resources and Human Welfare	567	1–2
Bentonite, boron fixation, experiments	696	42–43
BESLEY, A. K.: Composition and Properties of Goat's Milk as Compared With Cow's Milk. With J. A. Gamble and N. R. Ellis	671	1–72
Bicarbonate content of irrigation water, effect on soil	746	10
Big-eyed bug, habits and abundance in Idaho	607	9–10, 24–31, 33, 37–38, 40–42
Biggs Rice Field Station, Calif., fertilizer experiments	718	2–19
Birds—		
control of pocket mice	608	5
seed-eating, importance in Douglas-fir region of Oregon and Washington	706	11–12
upper digestive tract, species of *Capillaria* parasitic in. Eloise B. Cram	516	1–28
BISSON, CHARLES S.: Investigations on the Physical and Chemical Properties of Beeswax. With George H. Vansell and Walter B. Dye	716	1–24
Bivalves, food of game ducks	634	97–98
BJORKA, KNUTE: Shrinkage and Dressing Yields of Hogs	621	1–22
BLACK, W. H.:		
Beef Production and Quality as Affected by Method of Feeding Supplements to Steers on Grass in the Appalachian Region. With R. L. Hiner, L. B. Burk, Lucy M. Alexander, and C. V. Wilson	717	1–32
Comparison of Feeds for Fattening Beef Calves Before and After Weaning. With E. A. Trowbridge	564	1–12
Comparison of Feeds for Wintering Steers in the Northern Great Plains. With O. R. Mathews	565	1–10
Comparison of Various Forms of Milo Grains for Fattening Steers in the Southern Great Plains. With J. M. Jones and F. E. Keating	581	1–16
Effect of Different Methods of Grazing on Native Vegetation and Gains of Steers in Northern Great Plains. With A. L. Baker, V. I. Clark, and O. R. Mathews	547	1–19
Effect of Different Methods of Wintering Beef Calves, in the Northern Great Plains, on Winter Gains and Feed Costs and on Subsequent Summer Gains. With J. R. Quesenberry and A. L. Baker	529	1–11

	Technical Bulletins No.	Page
BLACK, W. H.—Continued.		
Effect of Supplementing Winter and Summer Range on Gains of Steers in the Northern Great Plains. With V. I. Clark	628	1–16
Wintering Beef Cows on the Range With and Without a Supplement of Cottonseed Cake. With J. R. Quesenberry and A. L. Baker	603	1–22
Wintering Steers on Different Planes of Nutrition From Weaning to 2½ Years of Age. With J. R. Quesenberry and A. L. Baker	667	1–20
BLACK HILLS, S. Dak.—		
ponderosa pine forests, minor vegetation, list	630	6
soils adjacent to, selenium content	530	5–19
Blackberries, diseases, effect of carbon dioxide treatments	519	10–11
Bladderworts, food of game ducks	634	95
Bladen—		
loam and colloid, characteristics and analyses	594	19–21
soil series, colloid, molecular ratios and composition	594	27–31
soil series, distribution and description	594	6
BLAISDELL, DOROTHY J.: Differences in Growth Characters and Pathogenicity of Fusarium Wilt Isolations Tested on Three Tomato Varieties. With Frederick L. Wellman	705	1–29
Blankets—		
made from four blends of wool, serviceability test. Margaret B. Hays, Ruth E. Elmquist, and J. I. Hardy	572	1–24
wool—		
fabrics, physical and chemical tests	572	5–22
serviceability tests	572	1–22
Blast furnace, process for production of phosphatic and potassic fertilizer materials. P. H. Royster, K. G. Clark, T. P. Hignett, L. E. Bowe, H. I. Lansdon, J. C. Southard, and J. W. Turrentine	543	1–75
Blasting for eradication of ribes	692	44
BLEDSOE, R. P.: Yields of Barley Varieties, 1932–36: Georgia. With R. R. Childs	735	8–9
Blood serum, use in rearing foals and lambs. J. A. Gamble, I. P. Earle, and Paul E. Howe	661	1–35
Blue mold of tobacco, (downy mildew), control by spraying. Edward E. Clayton, John G. Gaines, T. E. Smith, W. M. Lunn, and K. J. Shaw	650	1–23
Blue stain in sapwood—		
and sapwood products, studies	714	2–123
description and hosts	714	7–8
Bluegrass—		
Kentucky, silage, experiments in making	611	15–16
plains, grazing methods, effects	547	3–18
supplements to, feeding to steers, effect of method on beef production and quality	717	1–31
BLUMENSTOCK, DAVID I.: Rainfall Characteristics as Related to Soil Erosion	698	1–44
Boards—		
curved—		
and straight, transverse strength tests for glued laminated arch	691	10–12
strength tests under end thrust	691	14–33
Douglas-fir, strength in glued laminated arches, tests	691	32–33
eastern hemlock, strength in glued laminated arches, tests	691	31–32
southern yellow pine, strength in glued laminated arches, tests	691	16–31
BOGGS, H. M.: Effect of Fertilizers on Composition of Soybean Hay and Seed and of Crop Management on Carbon, Nitrogen, and Reaction of Norfolk Sand. With J. E. Adams and E. M. Roller	586	1–35
Boise River watershed—		
characteristics	528	5–7
erosion on, conditions influencing. F. G. Renner	528	1–32

	Technical Bulletins No.	Page
Bollworms, pink—		
fumigation, low-temperature experiments	623	37–38
in baled cotton, control by fumigation with hydrocyanic acid. A. C. Johnson, George G. Becker, and Lon A. Hawkins	623	1–46
in cotton bales fumigated under commercial conditions, experiments	623	30–37
larvae, fumigation with hydrocyanic acid, experiments	623	27–38
Booher, Lela E.: The Vitamin B_1 Content of Foods in Terms of Crystalline Thiamin. With Eva R. Hartzler	707	1–20
Book papers, deterioration. T. D. Jarrell, J. M. Hankins, and F. P. Veitch	541	1–20
Bordeaux mixture—		
effects on—		
bean plant, studies	740	8–9, 12–19, 22
changes in potato plant physiology	740	29–32
history and previous work performed, résumé	740	6–11
use against—		
blue mold of tobacco, experiments	650	3–4, 18, 19, 21
potato leafhopper on beans, experiments	740	2, 4–32, 34–37, 39–41, 43–53
Boron—		
accumulation in—		
apricot trees, effect of fruit on	746	53–54
lemon leaves and association with soil-solution concentrations	696	34–38
plants and injurious effects	746	48–55
availability to plants in tourmaline-quartz minerals, experiments	696	45–46
behavior in soils. Frank M. Eaton and L. V. Wilcox	696	1–58
chemistry	696	5–7
concentrations—		
ground waters of Hollister area, Calif	746	37–38
in soil solutions and associated accumulation in lemon leaves	696	34–38
content of irrigation water, effect on plants, Central Valley of California	746	9–10
deficiency—		
occurrence and symptoms	746	56–57
symptoms on field-grown tobacco	612	20–21, 27
displacement from soil by phosphate, oxalate, and other anions, experiments	696	47–51
distribution in soils	696	1–2
fixation—		
and release by soils continuously saturated with water, experiments	696	22–23
by materials other than soils	696	39–45
by soils, discussion	696	8–28, 51–52
effect of grinding soil and kaolin on, experiments	696	46–47
relation to soil texture	696	38–39
in sewage effluents, toxicity	675	40
in soil(s)—		
solutions, studies	696	28–33
studies	746	45–48
injury to plants, amelioration	746	55–56
origin, and source of ground waters, Hollister area, Calif.	746	39–44
recovery from soils by water, acid, and alkali extraction	696	25–28
soil, dissolution rate	696	21–22
solubility—		
effect of temperature on	696	20–21
effect of time and of drying on, experiments	696	12–13
in soils, relation to hydrogen-ion concentration	696	15–20
toxicity studies	746	52–53

	Technical Bulletins No.	Page
Boston, lettuce market, description	712	54–55
BOSWELL, VICTOR R.:		
A Study of Rapid Deterioration of Vegetable Seeds and Methods for Its Prevention. With E. H. Toole, Vivian K. Toole, and D. F. Fisher	708	1–48
Studies of the Culture and Certain Varieties of the Jerusalem-Artichoke. With C. E. Steinbauer, M. F. Babb, W. L. Burlison, W. H. Alderman, and H. A. Schoth	514	1–70
Botrytis cinerea, cause of gray mold rot of Honey Dew melons	573	43
Botulism, damage to wildfowl	643	39–40
Bouteloua spp., drought survival in Great Plains, 1935	549	7–50
BOWE, L. E.: Blast-Furnace Processes for the Production of Phosphatic and Potassic Fertilizer Materials. With P. H. Royster, K. G. Clark, T. P. Hignett, H. I. Lansdon, J. C. Southard, and J. W. Turrentine	543	1–75
Boxes, storage, for cherries, value of iodine linings	631	4, 7–8, 11–14
Brachymeria—		
excarinata, parasitism in oriental fruit moth cocoon in Japan	728	10, 32
spp., parasitism on *Paradexodes epilachnae*	721	7
Brassua—		
sandy loam—		
analyses, mechanical and chemical	609	11–13
colloid, chemical analyses and derived data	609	13–15, 45
description	609	4
soil series, description	609	3–4
BRATLEY, CYRIL O.:		
Incidence and Development of Apple Scab on Fruit During the Late Summer and While in Storage	563	1–46
Transit and Storage Diseases of Fruits and Vegetables as Affected by Initial Carbon Dioxide Treatments. With Charles Brooks and L. P. McColloch	519	1–24
Bread(s)—		
consumption in Europe	535	15–23, 70, 100–102, 112–113
European, types, characteristics, marketing practices, and prices	535	20–25
prices in Europe	535	24–25
Bridges, wooden, glued laminated arches for, construction	691	4, 90, 93–94
BRINDLEY, T. A.: Biology of the Pea Weevil in the Pacific Northwest With Suggestions for Its Control on Seed Peas. With A. O. Larson and F. G. Hinman	599	1–48
BRINSMADE, JOHN C., JR.: Yields of Barley Varieties, 1932–36: North Dakota. With T. E. Stoa and Ralph W. Smith	735	32–34
British Columbia, barley varieties, yields, 1932–36	735	56–57
British Isles—		
Government regulation of grain and milling industries	535	56–57
wheat, quality and type, and milling and baking practices. *See also* United Kingdom.	535	53–65
Broccoli, diseases, effect of carbon dioxide treatments	519	17
Brome, mountain—		
carbohydrate content, relation of variation to growth, Edward C. McCarty	598	1–24
chemical analyses	598	4–5
growth—		
from stored food, discussion	598	16–17
measurements and stages	598	5
relation to carbohydrate storage	598	16–19
relation to varying carbohydrate content. Edward C. McCarty	598	1–24
stages, relation to movement of carbohydrates	598	10–16
stages, temperature relations	598	8–10
rest period, carbohydrate activities	598	19–20

	Technical Bulletins No.	Page
Bromegrass, tillage methods, effect on yields in rotation	536	68–69
BROOKS, CHARLES:		
Stickiness and Spotting of Shelled Green Lima Beans. With L. McColloch	625	1–24
Transit and Storage Diseases of Fruits and Vegetables as Affected by Initial Carbon Dioxide Treatments. With C. O. Bratley and L. P. McColloch	519	1–24
Broomcorn—		
Black Spanish, description, history, distribution, and synonyms	506	80
Black Spanish Dwarf, description, history, and distribution	506	81
California Golden, description, history, distribution, and synonym	506	80
Evergreen, description, history, distribution, and synonyms	506	79–80
Evergreen Dwarf, description, history, distribution, and synonyms	506	80–81
Japanese Dwarf, description, history, distribution, and synonyms	506	81
Scarborough, description, history, distribution, and synonyms	506	81
BROWN, IRVIN C.:		
Chemical and Physical Properties of Certain Soils Developed From Granitic Materials in New England and the Piedmont, and of Their Colloids. With Horace G. Byers	609	1–56
The Chemical and Physical Properties of Dry-Land Soils and of Their Colloids. With Horace G. Byers	502	1–56
BROWNING, G. M.: Relative Infiltration and Related Physical Characteristics of Certain Soils. With G. R. Free and G. W. Musgrave	729	1–52
Brucella abortus—		
control by vaccination of calves and yearlings	658	1–6
porcine type, susceptibility of pregnant cattle to, experiments	629	1–8
vaccine—		
effects on agglutination reactions	658	4
preparation and use	658	3
Brush, removal for ribes eradication, recommendations	692	41–44
BUCHANAN, T. S.: Decay and Other Volume Losses in Wind-Thrown Timber on the Olympic Peninsula, Wash. With G. H. Englerth	733	1–30
BUCK, J. M.:		
Communicability of Infectious Abortion Between Swine and Cattle. With W. E. Cotton and H. E. Smith	629	1–8
Vaccination of Calves and Yearlings Against Bang's Disease. With W. E. Cotton and H. E. Smith	658	1–7
Buckwheat—		
income, gross, ratio to farm value, 1910–36	703	41
prices, farm, 1869–1937	703	143
production—		
entering into gross income, 1869–1937	703	127, 129
price, and gross income, 1869–1937	703	49–50
price, and income, estimation methods and sources of data	703	41
Budgets, dairy farms in—		
Vermont	709	40–44, 50–53
Wisconsin	750	41–44, 71–74
Buffalo grass—		
drought survival in central and southern Great Plains, 1935	549	1–50
grazing methods, effects	547	2–18
Bufflehead, characteristics, range, and food habits	643	68–73, 132
Buildings, farm, glued laminated arch construction, tests	691	76–81

	Technical Bulletins No.	Page
Bulb—		
flies, lesser, control on narcissus bulbs by vapor-heat treatment	672	9–11
nematode, injury to narcissus bulbs, and control by vapor-heat treatment	672	15
Bulgaria, tobacco statistics, specified years	587	107–110, 112
Bull, moving index, use in dairy cattle breeding	677	43–44
Bulldozer, use in eradicating ribes	692	41–44
Bulrushes, value for game duck consumption, and propagation	634	11–18, 57–64
Bunchgrass-sagebrush forage, effect of overgrazing, experiments	600	21–35
Bunt—		
balls, unbroken, in wheat seed, experiments with dust fungicides	582	30–38
of wheat, and its control, studies. R. W. Leukel	582	1–48
spore load, relation to infection	582	7–8
Bur-clover, plowing under, effect on yield of rice, experiments	718	18–19
Burk, L. B.:		
Beef Production and Quality as Affected by Method of Feeding Supplements to Steers on Grass in the Appalachian Region. With W. H. Black, R. L. Hiner, Lucy M. Alexander, and C. V. Wilson	717	1–32
Relationships Among Production and Grade Factors of Beef. With O. G. Hankins	665	1–40
Burlison, W. L.:		
Studies of the Culture and Certain Varieties of the Jerusalem-Artichoke. With Victor R. Boswell, C. E. Steinbauer, M. F. Babb, W. H. Alderman, and H. A. Schoth	514	1–70
Yields of Barley Varieties, 1932–36: Illinois. With G. H. Dungan	735	11–12
Burnett, L. C.: Yields of Barley Varieties, 1932–36: Iowa	735	12–13
Burreeds, value for game duck consumption, and propagation	634	9, 11–18, 23–24
Butter—		
creamery, production	722	24, 63
consumption—		
1849, 1859, 1869–1938	722	27–32
factors affecting	722	5–6
exports, 1849, 1859, 1869–1938	722	27–28, 31–32
imports, 1849, 1859, 1869–1938	722	27–28 31–32
production—		
1849, 1859, 1869–1938	722	27–30, 63–64
estimates for intercensal years 1869–1929 based on market receipts	722	26
expansion	722	2–5
in northern New England, 1849–1929	709	57
price, and gross income, 1869–1937	703	94, 98
stocks in cold storage, 1916–1938	722	28, 31–32
Buttercups, food of game ducks, value, environment, and propagation	634	85–86
Butterfat—		
content of goat's and cow's milk, composition, comparison	671	18–20
prices—		
and index numbers, Cabot-Marshfield area, Vermont, 1922–38	709	58
farm, Barron County, Wis., 1926–37	750	93
production—		
breeding Holstein-Friesian cattle for, with analysis of foundation cows and of first out-bred generation. M. H. Fohrman and R. R. Graves	677	1–82

	Technical Bulletins No.	Page
Butterfat—Continued.		
production—continued.		
by dairy cows on four different planes of feeding. R. R. Graves, George Q. Bateman, J. B. Shepherd, and George B. Caine	724	1–36
comparison of daughters and dams at Beltsville, Md.	677	39–43
cows on grass hay, grass silage, and full feed, experiments	649	9–10, 14
from alfalfa hay cut at three stages of maturity, comparison with milk	739	29–36
on alfalfa hay alone, experiments	610	10–15, 41–42, 43
records, cows fed on four rations	724	6–9
relation to body weight	677	57–58
Wisconsin, Barron County, 1923–37	750	93
Buttermilk—		
condensed, production, 1920–38	722	74
dried—		
consumption, 1920–38	722	54
imports, 1920–38	722	54
production, 1920–37	722	54, 75
stocks of manufacturers, 1920–38	722	54
evaporated, production, 1920–38	722	74
powdered. *See* Buttermilk, dried.		
products, production	722	13–14, 52, 74
Buttonbush, food of game ducks, value, and propagation	634	96
Buying power, rural, relation to agricultural loans	521	27–29
Byers, Horace G.:		
A Chemical Study of Some Soils Derived From Limestone. With Lyle T. Alexander and Glen Edgington	678	1–27
Chemical and Physical Properties of Certain Soils Developed From Granitic Materials in New England and the Piedmont, and of Their Colloids. With Irvin C. Brown	609	1–56
Chemical and Physical Studies of Certain Hawaiian Soil Profiles. With George J. Hough	584	1–27
Neutralization Curves of the Colloids of Soils Representative of the Great Soil Groups. With M. S. Anderson	542	1–39
Selenium Occurrence in Certain Soils in the United States, With a Discussion of Related Topics. Second Report	530	1–79
Selenium Occurrence in Certain Soils in the United States, With a Discussion of Related Topics: Third Report. With John T. Miller, K. T. Williams, and H. W. Lakin	601	1–75
Selenium Occurrence in Certain Soils in the United States, With a Discussion of Related Topics; Fourth Report. With K. T. Williams and H. W. Lakin	702	1–60
The Chemical and Physical Properties of Dry-Land Soils and of Their Colloids. With Irvin C. Brown	502	1–56
The Chemical Composition of Soils and Colloids of the Norfolk and Related Soil Series. With R. S. Holmes and W. E. Hearn	594	1–34
The Comparative Moisture-Absorbing and Moisture-Retaining Capacities of Peat and Soil Mixtures. With I. C. Feustel	532	1–26
Trace Elements in the Soils From the Erosion Experiment Stations, With Supplementary Data on Other Soils. With C. S. Slater and R. S. Holmes	552	1–24
Bynum, E. K.: Experiments With *Trichogramma minutum* Riley as a Control of the Sugarcane Borer in Louisiana. With H. A. Jaynes	743	1–43
Cabbage—		
carlot and boat unloads, 1935	646	66–67
commercial—		
acreage, yield, and production	646	5–12
carlot, boat, and motortruck shipments	646	55–59
crop, financing	646	50–51

	Technical Bulletins No.	Page
Cabbage—Continued.		
commercial—continued.		
grading and packing standards	646	29–34
harvesting	646	27–29
marketing. Raymond L. Spangler	646	1–126
producing areas and districts	646	1–3, 12–27
sale methods in producing districts	646	51–55
storage, facilities and methods	646	44–48
types and varieties	646	3–5
crop movement by months	646	59–64
diseases, effect of carbon dioxide treatments	519	17
distribution to city markets, methods and channels	646	72–88
exports to Canada, 1934–36	646	72
farm value, 1927–36	646	93–95
for sauerkraut—		
grading and packing	646	29–34
production, farm price, and handling	646	48–50
foreign trade, 1932–36	646	70–72
imports, origin, 1932–36	646	71
loading and transportation	646	38–44
market—		
information	646	55
receipts, 1935	646	69
prices—		
farm, 1927–36	646	89–90, 92
in producing districts	646	88–99
market, 1932–37	646	99–102
production increase and decrease, 1928–36	646	92
seed, rapid deterioration and methods for its prevention	708	3–47
shipments—		
distribution and source of supply	646	64–70
inspection, Federal-State	646	34–38
Caenocryptus n. sp., parasitism in oriental fruit moth cocoon in Japan	728	10, 36
CAINE, GEORGE B.: Milk and Butterfat Production by Dairy Cows on Four Different Planes of Feeding. With R. R. Graves, George Q. Bateman, and J. B. Shepherd	724	1–36
Calcium—		
arsenate—		
use in control of field crickets	642	25–26
use in dusting peas against weevil infestation	599	40
borosilicate, fixation of boron, experiments	696	44–45
consumption of cows fed alfalfa and bonemeal, experiments	610	30–32
content of—		
alfalfa hay—		
at different stages of maturity	739	18–19
consumed by dairy cows	739	43–44
irrigation water, effect on crops	746	10
soybean hay, effect of fertilizers	586	11–16, 31
deficiency, symptoms on field-grown tobacco	612	16–20, 27
CALDWELL, JOSEPH S.: Comparative Studies of Varietal Suitability for Freezing Preservation of Peas, Green or Snap Beans, Lima Beans, and Sweet Corn Grown Under Eastern Conditions. With J. M. Lutz, H. H. Moon, and C. W. Culpepper	731	1–72
Calf(ves)—		
beef—		
fattening before and after weaning, comparison of feeds for. W. H. Black and E. A. Trowbridge	564	1–12
fattening experiments in Appalachian region	664	9–10
feed costs, effect of different methods of wintering in northern Great Plains. W. H. Black, J. R. Quesenberry, and A. L. Baker	529	1–11
feeding experiments in Appalachian region	664	1–11

	Technical Bulletins No.	Page
Calf(ves)—Continued.		
beef—continued.		
production—		
and grade factors, relationships	665	4–17, 23–25, 28–30
in Appalachian region, experiments	664	1–11
wintering in northern Great Plains, effect of different methods on winter gains and feed costs and on subsequent summer gains. W. H. Black, J. R. Quesenberry, and A. L. Baker	529	1–11
creep-fed, feeder, and lot-fattened, relative merits of production in Appalachian region. E. W. McComas and C. V. Wilson	664	1–12
crop, effect of wintering dams on range with and without cottonseed, experiments	603	3–21
fattening after weaning, comparison of four rations	564	8–12
heifer, production and grade factors, relationships	665	25–30
production, price, and—		
gross income, 1869–1937	703	114, 116
income, estimation methods and source of data	703	112–113
sex ratio following lactation periods on alfalfa hay ration	610	41
slaughter, production—		
entering into gross income, 1869–1937	703	134, 136
indices, 1869–1937	703	135, 137
steer, winter feeding on northern Great Plains, experiments	667	4–20
suckling, feeding, effects of four rations	564	4–8
vaccination against Bang's disease. J. M. Buck, W. E. Cotton, and H. E. Smith	658	1–7
California—		
Alhambra, temperatures, soil, basement, and air, 1930–34	744	14–18
barley varieties, yields, 1932–36. B. A. Madson	735	5
bean weevil in. A. O. Larson and C. K. Fisher	593	1–71
beekeeping areas, survey	656	4–8
Biggs Rice Field Station—		
fertilizer experiments	718	2–19
soil and climate, description	718	5
Butte County, Chico experimental vineyard, description	697	7
cabbage production	646	14, 19–20
cantaloupes, market quality and condition, influence of maturity, handling, and precooling. W. T. Pentzer, James S. Wiant, and John H. MacGillivray	730	1–74
central—		
coast area, waters, analyses	746	12–17
water-spreading projects	578	50–55
Central Valley, topography, description	745	7–9
Fresno County, Fresno experimental vineyard, description	697	8–9
Hollister area—		
agricultural development and crops	746	5–6
climate and rainfall	746	4
ground waters, analyses	746	22–39
irrigation—		
development	746	6–7
waters, analyses	746	24–28
waters, quality. Frank M. Eaton, Roy D. McCallum, and Miles S. Mayhugh	746	1–60
location and physiographic features	746	1–2
soils, description	746	4–5
surface waters, analyses	746	17–22
water supplies—		
analyses	746	8–12
and resources	746	2–4
wells, description	746	29–37
honey, extracted, production cost. R. L. Adams and Frank E. Todd	656	1–35

	Technical Bulletins No.	Page
California—Continued.		
Kern County, Shafter experimental vineyard, description	697	11–12
lettuce production	714	9, 11–12
Napa County, Oakville experimental vineyard, description	697	11
northern, national forests, principles of forest-fire detection. S. B. Show and E. I. Kotok	574	1–32
onion production	555	1–5, 7, 9, 15
pine region, sap stain, seasonal and regional distribution	714	14–15
Placer County, Colfax experimental vineyard, description	697	7–8
ponderosa pine forests, minor vegetation, list	630	5
rice, fertilizer experiments. Loren L. Davis and Jenkin W. Jones	718	1–22
Sacramento County, Elk Grove experimental vineyard, description	697	8
San Bernardino County, Guasti experimental vineyard, description	697	10
San Diego County, Morena Reservoir, effect of accelerated erosion on silting. F. F. Barnes, C. J. Kraebel, and R. S. LaMotte	639	1–22
San Joaquin County, Lodi experimental vineyard, description	697	10
San Joaquin Valley—		
sugar-beet leafhopper, hosts and habits	557	1–2
vegetation types and their relation to beet leafhopper. R. L. Piemeisel and F. R. Lawson	557	1–28
sewage-irrigation policy	675	28
soil complexes, certain, hardpan and micro-relief in. C. C. Nikiforoff	745	1–46
Sonoma County, Geyserville experimental vineyard, description	697	10
southern—		
alfalfa seed production, relation to three species of genus *Lygus*. Loyd L. Stitt	741	1–19
citrus orchards, irrigation practices	640	1–2
cowpea weevil in. A. O. Larson and C. K. Fisher	593	1–71
desert milkweed, *Asclepias erosa*, rubber content and habits. R. E. Beckett, R. S. Stitt, and E. N. Duncan	604	1–12
ground-water conditions	578	10–15
sewage effluents, salt contents	675	40–41
sugar-beet wireworm, life history. M. W. Stone	744	1–88
streams, debris fans, structure	578	4–5
stumpage prices, analysis and statistics	626	91–93
vineyards, experimental—		
rainfall and temperature records	697	6–7
studies in phylloxera resistance	697	1–64
vinifera—		
grape varieties grafted on phylloxera-resistant rootstocks, testing. George C. Husmann, Elmer Snyder, and Frederick L. Husmann	697	1–64
industry, development	697	2–3
water-spreading—		
experiments	578	63–80
systems, descriptions	578	15–55
Calliceras spp., parasitism in oriental fruit moth cocoons in Japan and Chosen	728	10, 31
Calliephialtes spp., parasitism in oriental fruit moth cocoon in Japan	728	10, 36–37
Callitula bicolor, remains left in hessian fly puparium, description	715	5
Callosobruchus maculatus, synonymy	593	5
Cal-Nitro, application to Caloro rice, experiments	718	18
Calving, effect of feeding alfalfa hay, experiments	610	39–41

	Technical Bulletins No.	Page
Canada—		
barley varieties, yields, 1932–36, and in United States. G. A. Wiebe, P. R. Cowan, and Lucille Reinbach-Welch	735	1–78
game ducks, food. A. C. Martin and F. M. Uhler	634	1–157
soil, selenium content	530	73
Canal(s)—		
capacity—		
formulas and attendant empirical data	652	5–6
regional characteristics influencing	652	60–63
channel(s)—		
material and shape	652	51–52
study by use of formulas	652	72–74
concrete linings, values of *n*	652	68–71
different kinds, values of *n*, recommendations	652	66–71
energy slope and surface slope, determination	652	12
flow—		
factors affecting	652	63–66
in uniform channels, empirical equations	652	5–6
of water. Fred C. Scobey	652	1–79
roughness coefficients, determination by elements of field tests	652	16–32
types, description	652	52–55
hydraulic roughness, effects on flow	652	63–66
irrigation—		
flow of water. Fred C. Scobey	652	1–79
types, description	652	33–49
miscellaneous channel materials, values of *n*	652	71
normal flow and departures therefrom, measurement	652	11–12
variations of *n* in same channel	652	72
velocities, permissible, studies	652	56–60
water flow, measurement, equipment and methods for collecting field data	652	8–11
Canfield, R. H.: The Effect of Intensity and Frequency of Clipping on Density and Yield of Black Grama and Tobosa Grass	681	1–32
Canna starch, evaluation for textile sizing	674	4–35
Cantaloups—		
alternaria rot, investigations	573	18–21
anthracnose rot, investigations	573	39–41
bacterial soft rot, investigations	573	38–39
blue mold rot, investigations	573	41–42
California—		
market quality and condition, influence of maturity, handling, and precooling. W. T. Pentzer, James S. Wiant, and John H. MacGillivray	730	1–74
transportation temperatures	730	16, 38–39, 41–61
charcoal rot, investigations	573	28–32
cladosporium rot, investigations	573	21–25
diplodia rot, investigations	573	32–36
fumigation with nitrogen trichloride, experiments in California	730	18, 68–69
fusarium rot, investigations	573	4–13
market—		
behavior, factors	730	62–69
condition and quality, relation to precooling and transit temperatures	730	54–61
diseases, investigations. James S. Wiant	573	1–48
inspection, methods in California	730	18–22
storage studies. James S. Wiant	613	1–19
mold and decay, inspection for	730	21–22
picking maturity, relation to market behavior	730	62–65
pink mold rot, investigations	573	36–38
precooling, experiments	730	9–15, 22–38, 41–61
refrigeration experiments in California	730	9, 24–34, 38–41, 53

	Technical Bulletins No.	Page
Cantaloups—Continued.		
rhizopus soft rot, investigations	573	13–18
sclerotium rot, occurrence	573	43
stem slip, description and prevention	730	20–21
storage—		
diseases, tests	613	3, 10–17
precautions	613	17
temperatures, precooling and transit, relation to market condition and quality	730	54–61
variety, relation to market behavior	730	65–66
waxing methods, experiments in California	730	18, 66–68
See also Melon(s); Muskmelons.		
Canvasback, description, range, and food habits	643	23–30, 53–56
Capillaria—		
annulata, synonyms, description, distribution, and parasitism	516	4–8
charadrii, synonym and taxonomy	516	19
columbae—		
adaptability to turkeys and chickens	679	15
adults, description	679	12–13
control, recommendations	679	17
development in pigeons	679	13–14
distribution and hosts	679	2
eggs, description and development	679	4–5
eggs, viability, effects of low temperatures and air drying on	679	5–7
embryos, description	679	7–8
infection in pigeons, duration	679	14
infestation, symptoms	679	16
larvae, description	679	9–12
location in pigeon intestine	679	14–15, 16–17
pigeon capillarid, development, studies. Everett E. Wehr	679	1–20
contorta, synonyms, description, distribution and parasitism	516	8–19
corvicula, synonym, description, and distribution	516	19–20
cylindrica, synonym and description	516	20
dispar, synonym, description, and pathology	516	20–21
laricola, synonym, description, and distribution	516	21
lophortygis, description and comparison with *C. contorta*	516	21–22
obtusiuscula, synonym, description, and distribution	516	22
perforans, description, pathology, and comparison with *C. contorta*	516	22–23
spp. parasitic in upper digestive tract of birds. Eloise B. Cram	516	1–28
synonyms, description, and key to species	516	2–3
triloba, synonyms, description, and distribution	516	23–24
Capillary moisture, flow, rate. M. R. Lewis	579	1–30
Car(s), refrigerator—		
efficiency tests	627	4, 21–22
for apples and pears—		
air movement in	550	11–12
design and structure	550	9–11
for strawberries—		
construction and use	525	13–17
ventilation, investigations	525	46–48, 55, 56
heaters for, in shipping apples and pears	550	21–47
ice meltage, determination	505	20–21
icing experiments	505	19–20
insulation for protection of apples and pears, tests	550	15–18
precooling for transportation of cantaloups, experiments	730	9–15, 22–38, 41–61

	Technical Bulletins No.	Page
Car(s), refrigerator—Continued.		
prewarming, practices	550	45
temperature—		
analysis methods	505	17–18
of ice, determination	505	21
of oranges and air, determination	505	16–17
various types, comparison of temperatures of oranges in	505	4–5
ventilation for protection of apples and pears, experiments	550	8, 11–12, 13–15
warming by use of wet shavings or sawdust, experiments	550	18–20
Carbohydrate—		
composition, potatoes, influence of storage temperature on. R. C. Wright, Walter M. Peacock, T. M. Whiteman, and Elizabeth Fuller Whiteman	507	1–20
content—		
Jerusalem-artichoke tubers at entrance into rest period	657	7–8
mountain brome, relation of variation to growth. Edward C. McCarty	598	1–24
corn kernel, deterioration	644	3–4
storage in mountain brome, investigations	598	17–19
Carbon—		
content of soil, effect of soybean crop management	586	24–29
dioxide—		
effect on—		
development of stickiness and spotting of lima beans	625	9–14, 23
energy metabolism of chick embryo	553	34–38, 41–43
flavor and quality of shelled lima beans	625	14
influence on sweet cherries in storage. Fisk Gerhardt and A. Lloyd Ryall	631	1–20
treatments of fruits and vegetables, effect upon transit and storage diseases. Charles Brooks, C. O. Bratley, and L. P. McColloch	519	1–24
disulphide, use in fumigating peas, recommendations	599	32–33
ratios of soils and their colloids, studies	609	41–44
Carbonate content of irrigation water, effect on soils	746	10
Carcass, beef. *See* Beef carcasses.		
Carotene content of—		
goat's and cow's milks, comparison	671	5–6
silage and hay, comparison	611	21–22, 29, 30
Carrot(s)—		
diseases, effect of carbon dioxide treatments	519	15–16
seed, rapid deterioration and methods for its prevention, study	708	3–47
Casein, dried—		
consumption, 1918–38	722	55
imports, 1918–38	722	55
production	722	55, 76
Cassil, C. C.: Removal of Lead Spray Residues From Apples Grown in the Shenandoah-Cumberland Valley. With M. H. Haller, C. W. Murray, J. H. Beaumont, and Edwin Gould	622	1–32
Catalase—		
activity—		
Jerusalem-artichoke tubers, effect of temperature treatments	657	30–34
peaches, effect of storage temperatures	680	19–20
content of Jerusalem-artichoke tubers at—		
emergence from rest period	657	20
entrance into rest period	657	8–9
Cattle—		
beef—		
carcass characteristics, relation to carcass grade	665	34–36
feeding experiments	717	1–31
grazing experiments at Beltsville, Md	538	1–34

	Technical Bulletins No.	Page
Cattle—Continued.		
beef—continued.		
production—		
and grade factors, correlation studies	665	30–36, 38–39
in Appalachian region, experiments	664	1–11
in northern Great Plains	667	1–2
dairy—		
breeding—		
experiments	677	1–81
projects at Beltsville, Md	677	3–9
records, use at Beltsville, Md	677	8–9
selection of first sire, example at Beltsville, Md	677	14–17
Holstein-Friesian, breeding project at Beltsville, Md., present status	677	69–79
live-weight data, studies	677	46–58
permanent pastures for, Hohenheim system of management. T. E. Woodward, J. B. Shepherd, and M. A. Hein	660	1–34
sex of progeny, effect of age of parents at conception time	677	65–66
export, production—		
entering into gross income, 1869–1937	703	134, 136
indices, 1869–1937	703	135, 137
feeder, grade indices	665	34
finishing on grass in Appalachian region, effect of method on beef production and quality	717	1–31
gains under different systems of grazing, comparison	538	22–31
grazing, effect on—		
forage cover in longleaf pine region	683	22–35
longleaf pine land, studies at McNeill, Miss. W. G. Wahlenberg, S. W. Greene, and H. R. Reed	683	1–52
Holstein-Friesian, breeding for milk- and butterfat-producing ability, experiments, and analysis of foundation cows and of first out-bred generation. M. H. Fohrman and R. R. Graves	677	1–82
infectious abortion, communicability from swine. W. E. Cotton, J. M. Buck, and H. E. Smith	629	1–8
inventory-value changes and gross income from slaughter and exports, adjusted for inventory changes, 1869–1937	703	112
production, price, and—		
gross income, 1869–1937	703	110–112
income, estimation methods and source of data	703	105–107
rations, relation to cattle gains and quality of beef	717	1–31
slaughter, production—		
entering into gross income, 1869–1937	703	134, 136
indices, 1869–1937	703	135, 137
susceptibility to porcine type of *Brucella abortus*, experiments	629	1–8
Cauliflower—		
diseases, effect of carbon dioxide treatments	519	17
refrigeration in transit by body icing	627	29–36
Cecil—		
sandy clay loam—		
analyses, mechanical and chemical	609	31–32
colloid, chemical analyses and derived data	609	32–34, 46
description	609	9
soil series, description	609	8–9
Cedar, Port Orford, immunity to attack by rodents	706	20, 23
Celery—		
diseases, effect of carbon dioxide treatments	519	16
mosaic—		
southern—		
control in Florida by removing weeds that serve as sources of mosaic infection. F. L. Wellman	548	1–16
history, importance, and description	548	1–4

	Technical Bulletins No.	Page
Celery—Continued.		
mosaic—continued.		
virus—		
control by removal of susceptible weeds	548	5–8, 10–12, 15
control by spraying susceptible weeds	548	12–14, 15–16
sources of infection and means of transmission	548	4, 8–10
varieties, resistance to southern mosaic	548	14
Cellulose decomposition, experiments with cotton duck	726	3, 6–33
Census, enumeration of production of manufactured dairy products for 1889, revision	722	27
Centeter cinerea, biology and parasitism in Japanese beetle adults in Japan	738	4
Central region, stumpage prices, analysis and statistics	626	50–54, 109, 125
Centrodora speciosissima, remains left in hessian fly puparium, description	715	5
Cephalothecium roseum, cause of pink-mold rot of muskmelons	573	37
Ceratostomella spp., spread, manner	714	22–27
Cereals—		
consumption by game ducks	634	52–53
susceptibility to sodium chlorate injury, experiments	648	3–14
CHADWICK, T. C.:		
Composition and Fractionation of American Steam-Distilled Wood Turpentine. With S. Palkin and M. B. Matlack	596	1–30
Composition of American Gum Turpentine Exclusive of the Pinenes. With S. Palkin	749	1–16
Chaetomium globosum—		
carbon dioxide evolution on cotton duck	726	28–30, 31
effects on cotton duck, comparison with *Spirochaeta cytophaga*	726	3, 31–32
production of physical and chemical changes in bleached cotton duck. Ruth Elmquist Rogers, Helen G. Wheeler, and Harry Humfeld	726	1–35
Chalcid flies of genus *Harmolita* (*Isosoma*) of America north of Mexico, second revision with descriptions of 20 new species. W. J. Phillips	518	1–26
Chalcidoidea, parasites of hessian fly—		
larval exuvia, supplementary key based on	715	13
remains left in host puparium, description	715	5–11
Channel, approach, velocity of water distributed, studies	526	10–46
Charcoal rot of muskmelons, history, symptoms, causes, and control	573	28–32
Cheese—		
cold-storage stocks, 1918–38	722	33, 36
consumption—		
1849, 1859, 1869–1938	722	32–35
increase	722	8
exports, 1849, 1859, 1869–1938	722	32–33, 36
importation, trends	722	7–8
imports, 1849, 1859, 1869–1938	722	32–33, 36
production—		
1849, 1859, 1869–1938	722	32–35, 52, 64–69, 73
estimates for intercensal years 1869–1929, based on market receipts	722	26
expansion	722	6–7
price, and gross income, 1869–1937	703	94–95, 98
stocks in storage	722	8–9
Cheloneurus elegans, remains left in hessian fly puparium, description	715	5–6
Chemical elements, deficient supply for field-grown tobacco, characteristic symptoms. J. E. McMurtrey, Jr	612	1–31

	Technical Bulletins No.	Page
Cherry(ies)—		
black, volume tables	560	68, 74, 80, 85
diseases, effect of carbon dioxide treatments	519	2–4
sweet—		
carbon dioxide storage	631	4, 8–16
packaging and incorporation of fungicides	631	4
storage, influence of carbon dioxide and volatile fungicides. Fisk Gerhardt and A. Lloyd Ryall	631	1–20
storage packages for, use of fungicidal liners	631	4, 7-8, 11–14
stored, examination method	631	4–5
Chess, downy—		
characteristics and insect population in Idaho	607	20–21, 30–32
growth and survival on cleared sagebrush land in Idaho, study	654	7–43
Chester—		
loam—		
analyses, mechanical and chemical	609	24–26
colloid, chemical analyses and derived data	609	26–28, 46
description	609	7
soil series, description	609	6–7
Chestnut, volume tables	560	65, 72, 78, 83
Chicago, lettuce market, description	712	58–59
Chick embryos, energy metabolism, effect of temperature, humidity, and other factors on. H. G. Barott	553	1–46
Chickens—		
alfalfa-leaf meals for, loss of vitamin A during storage. Burt W. Heywang and Rudolph B. Morgan	632	1–8
farm price indices, 1869–1937	703	147
feeding vitamin A diets, experiments	632	1–7
production—		
indices, 1869–1937	703	132
price, and gross income, 1869–1937	703	101
price, and income, estimation methods and source of data	703	99–101
susceptibility to *Capillaria columbae*	679	15
Children, intellectual development in Knott County, Kentucky	576	12–13
Childs, R. R.: Yields of Barley Varieties, 1932–36: Georgia. With R. P. Bledsoe	735	8–9
Chiltex, resistance to chinch bug injury, experiments	585	13, 16, 21, 23, 38–40
Chinch bugs—		
false, habits and abundance in southern Idaho	607	10–11, 25–31, 33, 34
feeding habits in relation to resistance of sorghums	585	48–50
injury to sorghum plants—		
description	585	40–42
inheritance of resistance to, experiments	585	26–38
life history with relation to control measures	585	4–5
olfactory responses, comparison with those of potato beetle	585	45
preference for certain varieties of sorghum, experiments	585	44–47
resistance of sorghums to. Ralph O. Snelling, Reginald H. Painter, John H. Parker, and W. M. Osborn	585	1–56
Chipmunks, importance as seed eaters in Douglas-fir region of Oregon and Washington	706	11
Chlorate injury to crops—		
comparative susceptibility	648	3–12
symptoms	648	2–3
Chloride—		
concentrations, ground waters of Hollister area, Calif	746	38–39
content of irrigation water, effect on plants	746	10–12
Chlorine content of sugarcane juices, comparison of varieties	688	44–46
Chlorophyll, characters, inheritance in lettuce	620	27–33

	Technical Bulletins No.	Page
Chloropicrin, use in fumigating peas, recommendations	599	34
Chorinaeus sp., parasitism in oriental fruit moth larvae	728	10, 19
Chosen, oriental fruit moth—		
parasites—		
and their introduction into United States. G. J. Haeussler	728	1–62
collection, rearing, and shipment	728	55–59
species reared	728	9–46
stages, parasitization	728	46–55
CHRISTENSEN, RAYMOND P.: Supply Responses in Milk Production in Dodge and Barron Counties, Wis. With Ronald L. Mighell	750	1–94
Chromium, occurrence in soils of erosion experiment stations, determination	552	3, 10, 11, 13, 14, 15, 18, 19–20
Chrysanthemums, response to length of day	727	9–13
Chufa, value for game duck consumption, and propagation	634	9, 13, 54
Cigarettes, industry, growth in Europe, 1913–34	587	9
Cigars, consumption in Europe, 1914–32	587	10
Cincinnati, lettuce market, description	712	57–58
Citrus—		
diseases, effect of carbon dioxide treatments	519	18–22
fruits—		
farm price indices, 1869–1937	703	147
production—		
indices, 1869–1937	703	133
price, and gross income, 1886–1937	703	85
price, and income, estimation methods and source of data	703	83
refrigeration, investigations	505	1–86
shipment costs under different methods of refrigeration	505	82–83
orchards, irrigation practices in southern California	640	1–2
Cladosporium—		
cucumerinum, cause of—		
rot of muskmelons	573	23–24
storage disease of muskmelons	613	5, 10, 16
fulvum, development, temperature studies	520	20–23
inoculation of lima beans, experiments	625	4, 21–22
rot of—		
cantaloupes—		
occurrence in storage, tests	613	3, 10–16
symptoms	613	10–11
Honey Dew melons—		
occurrence in storage, tests	613	3, 4, 5, 15–16
symptoms	613	5
muskmelons, history, symptoms, causes, and control	573	21–25
treatment by carbon dioxide, results	519	3
Clangula hyemalis, local names, characteristics, and food habits	643	72–80, 132
CLARK, K. G.: Blast-Furnace Processes for the Production of Phosphatic and Potassic Fertilizer Materials. With P. H. Royster, T. P. Hignett, L. E. Bowe, H. I. Lansdon, J. C. Southard, and J. W. Turrentine	543	1–75
CLARK, NANCY GRISWOLD: Shrinkage and Cooking Time of Rib Roasts of Beef of Different Grades as Influenced by Style of Cutting and Method of Roasting. With Lucy M. Alexander	676	1–36
CLARK, V. I.:		
Effect of Different Methods of Grazing on Native Vegetation and Gains of Steers in Northern Great Plains. With W. H. Black, A. L. Baker, and O. R. Mathews	547	1–19
Effect of Supplementing Winter and Summer Range on Gains of Steers in the Northern Great Plains. With W. H. Black	628	1–16
CLAWSON, A. B.: Toxicity of Arrowgrass for Sheep and Remedial Treatment. With E. A. Moran	580	1–16

	Technical Bulletins No.	Page
Clay content of soils, relation to infiltration	729	23–26
Claypan, description, Central Valley, California	745	26
CLAYTON, EDWARD E.: Control of the Blue Mold (Downy Mildew) Disease of Tobacco by Spraying. With John G. Gaines, T. E. Smith, W. M. Lunn, and K. J. Shaw	650	1–23
Cleveland, lettuce market, description	712	57
Climate—		
changes in upper Rio Grande watershed, theory	567	22–26
conditions at—		
Beltsville, Md., 1929–34	538	3–4
Northern Great Plains Field Station	536	8–24,72–73
data for southern Great Plains wind-erosion area	556	5, 62–64
factors affecting plant development at Ephraim Canyon, Utah	686	14–19
forest-fire hazard in Northeastern States	651	15–16
hazard in forest-fire insurance	551	77–94
influence on spring-fall sheep range in southern Idaho. G. W. Craddock and C. L. Forsling	600	1–43
relation to—		
changes in plant cover, with effect on beet leafhopper population in Idaho	607	17
distribution of *Empoasca fabae*	618	14–24
distribution of *Empoasca* spp.	618	14–27
San Joaquin Valley, relation to types of vegetation	557	4–5
southern Idaho, records and effects on forage and sheep	600	7–21
Spartansburg, S. C., description	633	5–14
Yazoo-Mississippi Delta area, description	682	10–12
See also Weather.		
Climograph, use in determining abundance of *Empoasca fabae*	618	19–24
Clinocentrus, n. sp., parasitism in oriental fruit moth cocoon in Japan	728	10, 30
Clothing, purchases and expenditures for families in Knott County, Kentucky	576	41–48
Cloud conditions, effect upon insects in upper-air observations	673	126–128
Clover, injury caused by potato leafhopper	618	12, 13
Coastal Plain of South Carolina, sand wireworm and its control. J. N. Tenbet and E. W. Howe	659	1–39
Cobalt, occurrence in soils of erosion experiment stations, determination	552	3, 8–10, 12, 14–15, 17–18, 20
Coccinellids, predacious, freedom from parasitization by *Paradexodes epilachnae*, experiments	721	27
Cold storage, grapes, quality in, factors affecting, experiments	606	1–25
COLE, JOHN S.:		
Correlations Between Annual Precipitation and the Yield of Spring Wheat in the Great Plains	636	1–40
Subsoil Moisture Under Semiarid Conditions. With O. R. Mathews	637	1–71
COLEMAN, D. A.:		
Rapid Determination of Oil Content and Oil Quality in Flaxseed. With Lawrence Zeleny	554	1–40
The Chemical Determination of Soundness in Corn. With Lawrence Zeleny	644	1–24
Coleoptera, collections made by airplane in—		
Louisiana	673	4, 5, 10, 16, 29–37, 58, 67–71, 90
Mexico	673	135, 138
COLES, E. H.: Yields of Barley Varieties, 1932–36: Kansas. With H. H. Laude and A. F. Swanson	735	13–16
Collards, treatment by carbon dioxide, experiments	519	17
Collembola, collections made by airplane in Louisiana	673	4, 10, 16, 20, 58, 89

	Technical Bulletins No.	Page
Colletotrichum—		
falcatum—		
cause of red rot of sugarcane, and damage	641	1–2, 89
comparison with other grass species of *Colletotrichum*	641	36–38
cultural characters	641	24–38
isolates, comparison of American and foreign	641	36
isolates, virulence tests, comparative	641	47–69
isolation from sugarcane	641	13
life history in relation to occurrence and spread of red rot of sugarcane	641	38–47
morphological races, studies	641	14–24, 25–26, 47–50, 51–57, 59
persistence in soil	641	44
races, relation to sugarcane seedling testing	641	72–73
revised description	641	35–36
lagenarium, cause of anthracnose rot of muskmelons	573	40
phomoides, development, temperature studies	520	14–16
spp., comparison with *C. falcatum*	641	36–38
spp., treatment by carbon dioxide	519	14–15, 23
Colloids—		
dry-land soils, chemical and physical properties. Irvin C. Brown and Horace G. Byers	502	1–56
Keith silt loam, chemical properties	502	27–28, 49–51, 53
Kelvin sandy loam, chemical properties	502	42–43, 46, 49, 50–53
Norfolk and related soil series, chemical composition. R. S. Holmes, W. E. Hearn, and H. G. Byers	594	1–34
soil—		
acid, character, relation to fertility	542	33–34
acids, titration curves	542	15–27
carbon-nitrogen ratios	502	48–49
derived from limestone, content	678	16–23
developed from granitic materials—		
carbon-nitrogen ratios	609	41–44
environmental relations	609	44–53
formation and constitution	609	51–53
hygroscopic relations	609	37–41, 50
hydrogen-ion concentration	542	27–28
hygroscopic relations	502	44–48
properties, chemical and physical, developed from granitic materials in New England and the Piedmont. Irvin C. Brown and Horace G. Byers	609	1–56
representative of great soil groups, neutralization curves. M. S. Anderson and Horace G. Byers	542	1–39
Color factors in lettuce, genetic relations. Ross C. Thompson	620	1–38
Colorado—		
barley varieties, yields, 1932–36. Alvin Kezer, D. W. Robertson, D. W. Koonce, and J. J. Curtis	735	6–8
cabbage production	646	16, 25
eastern, soils and vegetation, selenium content, investigations	601	5–7, 11–31, 45–47
lettuce production	712	10, 15
native grass species, drought survival, 1935	549	2–4, 13–20, 46, 47, 49
onion production	555	1–4, 8, 13
selenium samples, description	702	51
sewage-irrigation policy	675	29
soils, selenium content	530	19–24
southwestern, soils, selenium content, investigations	601	65–66
vegetation, selenium content	530	19–24
wind-erosion area, soil conservation reconnaissance survey	556	1–68
Colorado River Basin, drainage waters, selenium content	601	47–49

	Technical Bulletins No.	Page
Colostrum—		
antibody content	661	2, 5, 16–17, 29
cow's, feeding to lambs as substitute for ewe's colostrum, experiments	661	17–18, 24–26, 29
feeding to—		
foals, experiments	661	12–13
lambs followed by dried whole cow's milk, experiments	661	20, 26–27
functions, description	661	2–5
homologous, substitutes for, discussion	661	5–7
use in rearing foals and lambs. J. A. Gamble, I. P. Earle, and Paul E. Howe	661	1–35
Commodity price index, 1900–1934	626	136
Compositae, response to length of day	727	9–35
Concrete chutes, for canals, tests	652	49
Conflagration hazards, forest areas in Northeastern States, types and protection	651	20–22
Connecticut, butt rot in sprout oak stands, comparison with incidence in other areas	684	9–12
Conrad, Carl M.: Methods for the Measurement of Certain Character Properties of Raw Cotton. With Howard B. Richardson and T. L. W. Bailey, Jr	545	1–77
Containers, for freezing preservation of vegetables, comparative study	731	6, 15–18, 31, 33, 49, 56
Convection, effect upon insects in upper air	673	115–122
Cook, A. C.: Effect of Method and Rate of Grazing on Beef Production and Plant Population of Pastures at Beltsville, Md. With M. A. Hein	538	1–35
Coontail, food of game ducks, environment, and propagation	634	9, 11–17, 82
Cooper, H. P.: Yields of Barley Varieties, 1932–36: South Carolina	735	40
Cooper, William C.: Refrigeration of Oranges in Transit From California. With C. W. Mann	505	1–88
Cooperrider, Charles K.: Soil Erosion and Stream Flow on Range and Forest Lands of the Upper Rio Grande Watershed in Relation to Land Resources and Human Welfare. With Barnard A. Hendricks	567	1–88
Copper—		
efficacy in control of potato leafhopper, experiments with bordeaux mixture	740	6–8, 19–26, 29, 31, 44, 45, 48, 53
occurrence in soils of erosion experiment stations, determination	552	3, 8, 9, 12, 13–15, 17–18, 19–20
oxide-oil spray, use against blue mold of tobacco, experiments	650	5–21
sprays, use against blue mold of tobacco, experiments	650	3–20
sulfate, use to control algae in marshes and lakes	634	137–138
Cordgrasses, food of waterfowl, environment, propagation, and species	634	46
Corn—		
acidic compounds, principal classes, separate determination, methods	644	11
acidity as measure of deterioration	644	5–6
borer, European, corn resistant to, breeding experiments. Marion T. Meyers, L. L. Huber, C. R. Neiswander, F. D. Richey, and G. H. Stringfield	583	1–30
breeding for resistance to European corn borer	583	1–28
carbohydrate deterioration	644	3–4
deterioration, determination, rapid method	644	20–21
dry-land farming, water conservation studies	617	1–40

Corn—Continued.

	Technical Bulletins No.	Page
earworm—		
control by cultivation, effectiveness. G. W. Barber and F. F. Dicke	561	1–16
control by *Orius insidiosus*, importance	504	19–21
important natural enemy, *Orius insidiosus* (Say). G. W. Barber	504	1–24
moths, emergence from hibernation, tests	561	6–14
pupae, hibernation and survival	561	4–6, 8–14
fat acidity—		
as measure of soundness	644	18–19
determination, rapid method	644	20–21
factor, commercial usefulness	644	19–20
field, water requirement at Mandan, N. Dak., experiments	617	27–31
food of English sparrows	711	25–26, 45
futures, abnormal situations	747	67–69
green, refrigeration in transit by body icing	627	36–41
harvesttime, water remaining in soil, quantitative determination	617	15–16, 18–20
inbred, inoculation with *Pythium arrhenomanes*, virulence studies	666	25–35
kernel—		
acidic substances, classification	644	7–11
components, deterioration	644	3–4
oil, characteristics and deterioration	644	4
plant, characters affecting European corn borer larval survival	583	26–27
pot-culture water requirement, experiments at Mandan, N. Dak	617	31
price(s)—		
effect of supplies	747	18–22
farm, 1869–1937	703	143
index numbers, 1910–34	626	145
production—		
entering into gross income, 1869–1937	703	127, 129
in Yazoo-Mississippi Delta area	682	15, 20–21, 25, 40–41, 45, 60–61
price, and gross income, 1869–1937	703	39–40
price, and income, estimation methods and sources of data	703	37–39
quantity of water used, at Mandan, N. Dak., determination	617	20–25
resistant to European corn borer, breeding experiments. Marion T. Meyers, L. L. Huber, C. R. Neiswander, F. D. Richey, and G. H. Stringfield	583	1–30
rotations at Huntley Field Station, experiments	571	2–7, 11–12, 16–17, 29, 30, 31–33
seeding time, water storage in soil, Mandan, N. Dak	617	10–11, 12–14
soundness—		
chemical determination. Lawrence Zeleny and D. A. Coleman	644	1–24
different degrees, acidity	644	11–17
importance in grading	644	1–2
score	644	17–18
supplies, effect upon price	747	18–22
sweet—		
freezing preservation, comparative studies	731	1–69
grown under eastern conditions, varietal suitability for freezing preservation. Joseph S. Caldwell, J. M. Lutz, H. H. Moon, and C. W. Culpepper	731	1–72
seed, rapid deterioration and methods for its prevention	708	3–47

	Technical Bulletins No.	Page
Corn—Continued.		
tillage methods, effects on yields in rotation	536	32–41, 73
treatment by carbon dioxide, experiments	519	18
value as food of game ducks	634	53
varieties—		
less susceptible or resistant to European corn borer, economic value	583	25
relative attractiveness to *Orius insidiosus*	504	10
yields—		
from irrigated rotations at Scotts Bluff, 1912–34	512	14, 16–18, 31–36
under different cultural treatments, Mandan, N. Dak., 1915–34	617	25–27
Cornstarch, evaluation for textile sizing	674	4–35
Corrodentia, collections made by airplane in Louisiana	673	4, 5, 16, 21, 58, 59–60
Cosmos, response to length of day	727	13–15
COSTELLO, DAVID F.: Weather and Plant-Development Data as Determinants of Grazing Periods on Mountain Range. With Raymond Price	686	1–31
COTTAM, CLARENCE: Food Habits of North American Diving Ducks	643	1–140
COTTON, W. E.:		
Communicability of Infectious Abortion Between Swine and Cattle. With J. M. Buck and H. E. Smith	629	1–8
Vaccination of Calves and Yearlings Against Bang's Disease. With J. M. Buck and H. E. Smith	658	1–7
Cotton—		
baled—		
fumigation at high and low pressures	623	7–15, 44, 45
fumigation with hydrocyanic acid for pink bollworm. A. C. Johnson, George G. Becker, and Lon A. Hawkins	623	1–46
spraying, comparison with heat volatilization for pink bollworm control	623	17–21
bales, grade and staple length, relation to cotton prices	699	12–30
bolls, borne at different positions on plants at Greenville Tex., positions of seeds and motes in locks and lengths of fibers. Dow D. Porter	509	1–14
cellulose—		
copper number, effect of micro-organisms	726	22–24, 31, 32
methylene blue absorption, effect of micro-organisms	726	24, 31, 32
classification—		
on basis of serviceability	645	6–7
service, relation of cotton prices to. L. D. Howell and Leonard J. Watson	699	1–55
service, usefulness, factors affecting	699	30–36, 42, 43, 44
consumed in United States, growths and qualities	685	19–21
crazy top—		
disorder, effect on plants and its control by irrigation management. Claude Hope, C. J. King, and Orlan Parker	515	1–44
effects on physiology and morphology of plants	515	9–26
symptoms	515	3–8
custom-ginned, prices, comparison with prices of seed cotton, 1928–32	662	8–10
demand—		
factors	685	14–21
relation to supply and price	685	21–28
duck—		
ash content, effect of micro-organisms	726	26–28, 31, 32

	Technical Bulletins No.	Page
Cotton—Continued.		
duck—continued.		
bleached, physical and chemical changes produced by *Chaetomium globosum* and *Spirochaeta cytophaga*. Ruth Elmquist Rogers, Helen G. Wheeler, and Harry Humfeld	726	1–35
breaking strength, effect of micro-organisms, experiments	726	13–16, 31, 32
deterioration caused by micro-organisms, experiments	726	1–33
fluidity, effect of micro-organisms	726	21–22, 31, 32
incubated with micro-organisms, appearance	726	11–13
moisture content, increase due to micro-organisms	726	24–26, 31, 32
thickness, effect of micro-organisms	726	18–19, 31, 32
weight, effect of micro-organisms, experiments	726	16–18, 31, 32
fabrics—		
deterioration—		
experiments with duck	726	1–33
measuring and reporting methods	517	7–8
ironing, effect of variations in pressure and length of exposure upon. K. Melvina Downey and Ruth E. Elmquist	517	1–32
farming, organization and operation problems in Yazoo-Mississippi Delta area	682	1–91
fibers—		
fineness, determination—		
early methods	545	36–43
improved method	545	43–53
from bolls borne at different positions on plants at Greenville, Tex., positions of seeds and motes in locks and lengths. Dow D. Porter	509	1–14
immaturity count, determination	545	57–65
maturity, measurement, improvements in Clegg method	545	54–67
staple length, effect of micro-organisms, experiments	726	19–21, 31
strength determination by improved Chandler method	545	3–35
fumigation—		
methods and apparatus	623	2–7, 41–44
with hydrocyanic acid at atmospheric pressures	623	38–40, 45
futures—		
as hedges, protection—		
afforded	602	16–35
afforded, and spot-futures price relationships, factors affecting	602	36–53
contracts—		
and protection afforded by trading in futures, relation to spot cotton prices. L. D. Howell and Leonard J. Watson	602	1–100
prices	685	49–52
prices, relation to prices of spot cotton	602	7–16
hedge protection afforded	685	61–66
statistics	602	66–100
trading—		
effects on prices to producers	602	57–58
protection afforded by, and prices of futures contracts, relation to spot cotton prices. L. D. Howell and Leonard J. Watson	602	1–100
protective features	685	52–66
germination problems, relation to anatomical structure of cottonseed coat. D. M. Simpson, Caroline L. Adams, and G. M. Stone	734	1–24
gin-saw speed, effects on quality of lint and operation of gin stands. Charles A. Bennett and Francis L. Gerdes	503	1–40

Cotton—Continued.	Technical Bulletins No.	Page
gin stand, operation, effect of—		
artificially drying seed cotton before ginning. Francis L. Gerdes and Charles A. Bennett	508	1–62
gin-saw speed and seed-roll density on. Charles A. Bennett and Francis L. Gerdes	503	1–40
ginning—		
and cleaning machinery, development	663	1–2, 3
efficiency, effect of cleaning seed cotton. Francis L. Gerdes, Arvid J. Johnson, and Charles A. Bennett	663	1–64
experiments	503	8–10
	508	9–11
mechanical elements as affected by artificially drying seed cotton	508	49–51
power requirements and energy consumption	503	32–33, 35
time, effect of gin-saw speed and seed-roll density, data	503	28–30
time, power requirements, and energy consumption, by different cleaning methods	663	10, 18, 28–29
grade and staple length, relation to price	699	6–12
green, damp, or wet, artificially drying, advantages	508	51–52
injury caused by field cricket, description	642	3
irrigation, effect on crazy top infection	515	31–39
lint—		
grade, effect of foreign matter in seed cotton	663	8–9
length, correlation with numbers of seeds per lock	509	10–12
length, differences with strain and positions in lock	509	7–10
monetary value—		
as affected by artificially drying seed cotton	508	43–48
effect of ginning speed and seed-roll density	503	31–32, 34
production, 1928–32	662	12
quality—		
and moisture determinations and statistical analyses	508	11–16
as affected by artificially drying seed cotton	508	25–43
effect of cleaning, experiments	663	11–14, 18–23, 29–32
effect of cleaning seed cotton. Francis L. Gerdes, Arvid J. Johnson, and Charles A. Bennett	663	1–64
effects of gin-saw speed and seed-roll density on. Charles A. Bennett and Francis L. Gerdes	503	1–40
elements, effect of artificially drying seed cotton before ginning. Francis L. Gerdes and Charles A. Bennett	508	1–62
result of cleaning, statistical data	663	55–63
tests and observations	503	15–28
turn-out, effect of gin-saw speed and seed-roll density, data	503	30–31, 34–35
value, effect of cleaning, experiments	663	14–15, 23–24, 32–33
weight as affected by artificial drying	508	19–24
linters, fumigation with hydrocyanic acid for pink bollworm	623	34–37
manufacture into yarns and fabrics	645	2–4
manufacturing waste	645	7–8
marketing, futures trading in, discussion	602	1–3
markets—		
central, description and prices	685	34–40
farmers' local, description and prices to growers	685	28–34
futures, description and prices	685	44–52
spinners', description and prices	685	40–44
spot and futures, prices. L. D. Howell	685	1–72
types, studies	685	28–52

	Technical Bulletins No.	Page
Cotton—Continued.		
mill—		
consumption, factors affecting	685	16–19
types, two selected, sheetings made from, manufacturing and serviceability tests. Ruth Elmquist Rogers, Margaret B. Hays, and John T. Wigington	645	1–32
moisture and quality determinations	503	10–13
motes—		
classes, study at Greenville, Tex	509	6–7
definition	509	3–4
positions and number in locks from bolls borne at different positions	509	4–6
movement, seasonal and geographical	685	10–14
Pima, seed and lint, effects of crazy top on	515	19–21
plant(s)—		
bolls borne at different positions, positions of seeds and motes in locks and lengths of fibers at Greenville, Tex. Dow D. Porter	509	1–14
budding and grafting, effects on crazy top disorder, experiments	515	21–23
chemical composition, effect of crazy top disorder on, experiments	515	26–30
effect of crazy top disorder on, and its control by irrigation management. Claude Hope, C. J. King, and Orlan Parker	515	1–44
growing in tourmaline-quartz mineral, experiment	696	45–46
relation of field cricket in Louisiana to. J. W. Folsom and P. A. Woke	642	1–28
topping, effect on crazy top infection, experiments	515	23–25
price(s)—		
analysis, method	699	46–48
and yield under budgeted plantation systems, analysis	682	87–89
farm, 1869–1937	703	143
farm, variation	685	31–34
in central markets	685	37–40
in mill markets, differences, causes	685	43–44
in spot and futures markets. L. D. Howell	685	1–72
index numbers, 1910–34	626	142–143
of white grades and staple lengths at Memphis, Tenn., 1932–34	663	53
quality relationships in farmers' local markets, improvement measures	699	44
relation to—		
cotton classification service and to quality improvement. L. D. Howell and Leonard J. Watson	699	1–55
grade and staple length	699	6–12
grade and staple length of individual bales	699	12–30
supply and demand	685	21–28
statistics	699	49–54
to growers, influence on quality of cotton produced	699	37–38, 41
to producers, effect of futures trading on	602	57–58
production—		
entering into gross income, 1869–1937	703	127, 129
in Yazoo-Mississippi Delta area	682	15–17, 19–20, 25, 40–41, 43–47, 58–60, 87
price, and gross income, 1869–1937	703	64–65
price, and income, estimation methods and source of data	703	63–64
quality—		
as factor in supply	685	7–10
factors affecting	699	4–5

Cotton—Continued.
quality—continued.

	Technical Bulletins No.	Page
improvement, relation of cotton prices. L. D. Howell and Leonard J. Watson	699	1–55
influence of prices to growers	699	37–38, 41–44
production adjustments, means of making	699	39–40, 43
raw, certain character properties, measurement methods. Howard B. Richardson, T. L. W. Bailey, Jr., and Carl M. Conrad	545	1–77
seed—		
artificially drying before ginning, effect on certain quality elements of lint and seed and on operation of gin stand. Francis L. Gerdes and Charles A. Bennett	508	1–62
cleaners, description and use	663	5–39, 43–63
cleaning—		
effect on lint quality and ginning efficiency. Francis L. Gerdes, Arvid J. Johnson, and Charles A. Bennett	663	1–64
effects on quality of lint, investigations	663	3–4
mechanical methods, observations	663	33–36
drier, vertical, description and use	508	8–9
foreign matter—		
in, relation to grade of ginned lint	663	8–9
removal and lint turn-out, experiments with cleaners	663	10, 17–18, 26–28
moisture content as related to preparation of ginned lint	508	17–19
position and number in locks from bolls borne at different positions	509	2–3, 12
quality and moisture determinations and statistical analyses	508	11–16
roll density, effects on quality of lint and operation of gin stands. Charles A. Bennett and Francis L. Gerdes	503	1–40
weight as affected by artificial drying	508	19–24
selling in seed—		
advantages and disadvantages	662	16–21
extent of practice	662	3–5
sheeting. *See* Sheeting, cotton.		
sold in seed—		
grade and staple length	662	6–8
in United States. L. D. Howell	662	1–24
price returns to growers	662	8–16
prices, variation with grade and staple length	662	11–16
size of loads	662	5–6
spot—		
basis changes, risks from	602	19–23
delivery—		
date, differences, and between immediate and prospective demand-and-supply situation	602	44–48
differences in place and in terms and conditions of sale	602	36–43
futures price relationships	602	36–53
	685	52–61
gains and losses from transferring hedges	602	32–35
price(s)—		
changes, risks from	602	17–19
futures trading and fluctuations	602	53–57
relation to prices of futures contracts and protection afforded by trading in futures. L. D. Howell and Leonard J. Watson	602	1–100
risks versus basis risks	602	23–32
quality and classification, differences	602	48–53

Cotton—Continued.	Technical Bulletins No.	Page
supply—		
carry-over and production	685	3–7
demand-price relationships	685	21–28
transplanting, effect on crazy top infection, experiments	515	25–26
uses, factors affecting	685	15–16
varieties—		
boll period, comparison	710	34–40, 42
boll setting and shedding, comparison	710	19–32, 41–42
fruiting branch—		
first, number of nodes, comparison	710	7–11, 40, 41
flowers on, rate of appearance, comparison	710	11–17, 40–41
location of bolls, comparison	710	17–19
growth rates, differential, and their response to seasonal conditions at Greenville, Tex. Homer C. McNamara, Dalton R. Hooton, and Dow D. Porter	710	1–44
water supply, relationship to incidence of crazy top	515	38–39
wearing test, method	645	4
yields and prices under budgeted plantation systems, analysis	682	87–89
Cotton States, seed-loan borrowers, financial and economic status	539	23–30
Cottonseed—		
cake—		
feeding to steers on northern Great Plains, experiments	628	3–15
with and without supplement, use in wintering beef cows on range. W. H. Black, J. R. Quesenberry, and A. L. Baker	603	1–22
coat—		
anatomical structure, relation to problems of germination. D. M. Simpson, Caroline L. Adams, and G. M. Stone	734	1–24
effect of acid delinting	734	9–11
maturity, relation to molds	734	14–15
role in germination	734	11–19
structure, description	734	2–11
water absorption, course and rate	734	11–13
delinting acid, effect on seed coat	734	9–11
dormancy, studies	734	15–16
germination—		
as affected by artificially drying seed cotton	508	48–49
period, respiration during	734	13–14
problems, relation to anatomical structure of coat. D. M. Simpson, Caroline L. Adams, and G. M. Stone	734	1–24
meal, prices at Memphis, by months, 1929–36	619	21
numbers per lock, correlation with length of lint	509	10–12
oil—		
crude, prices, by months, 1929–36	619	20
nutritive properties, experiments	725	1–11
production in United States, 1928–36	619	15
prices, farm, 1875–1937	703	143
production—		
entering into gross income, 1874–1937	703	127, 129
price, and—		
gross income, 1874–1937	703	66
income, estimation methods and source of data	703	65
quality elements, effect of artificially drying seed cotton before ginning. Francis L. Gerdes and Charles A. Bennett	508	1–62
respiration during period of germination	734	13–14
scarified, germination tests	734	16–19
sensitivity, detection methods	734	19–21
weight as affected by artificially drying seed cotton	508	49

	Technical Bulletins No.	Page
County consolidation in Forest County, Wis	687	97–98
COWAN, P. R.: Yields of Barley Varieties in the United States and Canada, 1932–36. With G. A. Wiebe and Lucille Reinbach-Welch	735	1–78
Cow(s)—		
beef, wintering on range with and without supplement of cottonseed cake. W. H. Black, J. R. Quesenberry, and A. L. Baker	603	1–22
body weight—		
effect of feeding alfalfa hay, experiments	610	32–38
relation to butterfat production	677	57–58
breeding, effect of feeding alfalfa hay	610	39–40
calcium and phosphorus consumption from alfalfa and bonemeal during lactation	610	30–32
calving, effect of feeding alfalfa hay, experiments	610	39–41
colds, relation to stable conditions	591	34–35, 36
dairy—		
body weight, relative changes due to feeding on alfalfa hay cut at three stages of maturity	739	44–46
breeding efficiency, effect of rations, experiments	724	32–33
butterfat production on four different planes of feeding. R. R. Graves, George Q. Bateman, J. B. Shepherd, and George B. Caine	724	1–36
consumption of—		
alfalfa hay cut at three stages of maturity	739	36–41
calcium and phosphorus content of alfalfa hay	739	43–44
nutrients in alfalfa hay cut at three stages of maturity	739	41–43
early conception, effect on milk yield and persistency	724	33–34
feed and nutrient consumption when fed alfalfa hay alone, experiments	610	20–32
feed consumption on four rations	724	20–28
feeding—		
experiments	724	1–36
four different planes of, milk and butterfat production. R. R. Graves, George Q. Bateman, J. B. Shepherd, and George B. Caine	724	1–36
on alfalfa hay alone. R. R. Graves, J. R. Dawson, D. V. Kopland, A. L. Watt, and A. G. Van Horn	610	1–47
with alfalfa hay cut at three stages of maturity, trials	739	26–46, 49–50
foundation, analysis	677	9–81
live-weight data, studies	677	46–58
milk production—		
and udder troubles, relation to incomplete milking	522	1–26
on four different planes of feeding. R. R. Graves, George Q. Bateman, J. B. Shepherd, and George B. Caine	724	1–36
production, factors affecting, experiments	724	29–36
reproduction, factors affecting, experiments	724	29–36
udder troubles, relation to incomplete milking. T. E. Woodward, R. P. Hotis, and R. R. Graves	522	1–27
weights on four rations	724	17–19, 35–36
feed and nutrient consumption, grass-hay and grass-silage rations, experiments	649	15–24
feeding—		
alfalfa and grass silages, experiments	611	24–28
alfalfa hay, effect on condition	610	32–41
hay and silage made from immature pasture herbage, experiments	649	1–31
value for milk production of alfalfa hay cut at three stages of maturity	739	1–50
fertility, effect of feeding alfalfa hay	610	39–40
health on grass-hay and grass-silage rations, experiments	649	28–29

	Technical Bulletins No.	Page
Cow(s)—Continued.		
Holstein-Friesian, history, breeding records, and lactation on alfalfa hay rations	610	5–10
nutrient consumption from alfalfa hay during lactation, experiments	610	25–30, 41–42, 43
phosphorus requirement during lactation, experiments	610	30–32
physical condition, effect of stable temperatures on, experiments	591	36–40, 45–60
physiological reactions to stable temperatures, studies	591	2–60
pneumonia, relation to stable conditions	591	34–35
pregnant—		
exposure to *Brucella abortus*, porcine type	629	1–5
susceptible to contagious abortion, exposure by contact with artificially infected swine	629	5–8
pulse and rectal temperature, diurnal variations	591	38–40, 45–60
respiration, effect of stable temperatures on	591	37, 45–60
sickness, relation to stable conditions, experiments	591	34–36
water consumption, relation to stable conditions	591	40–43, 45–60
weights, changes during lactations on grass-hay, grass-silage, and full-feed rations, experiments	649	24–28
wintering on range, experiments with cottonseed cake	603	3–21
See also Heifers.		
Cowpea(s)—		
market conditions, effect on weevil infestation	593	62–63
weevil, southern—		
adult, emergence and activities	593	29–43
control problems and recommendations	593	63
dispersal—		
opportunity for, discussion	593	60–62
rate and time	593	57–58, 60
food, effect on oviposition and length of life, experiments	593	43, 48–49
history and distribution	593	3–4
host plants	593	13–16
in California. A. O. Larson and C. K. Fisher	593	1–71
life cycle, effect of temperature and humidity	593	49–52
life history and description	593	23–29
number of generations and seasonal abundance	593	53–54
spread of infestations	593	54–55
synonymy and economic importance	593	5–8
Coxville—		
fine sandy loam and colloid, characteristics and analyses	594	17–19
series, soils, distribution and description	594	5–6
soil series, colloid, molecular ratios and composition	594	27–31
Coyote(s)—		
breeding records	616	6–11
reproductive—		
cycle. G. W. D. Hamlett	616	1–12
organs, histological findings	616	2–6
Crabgrass, food of English sparrow	711	27
CRADDOCK, G. W.: The Influence of Climate and Grazing on Spring-Fall Sheep Range in Southern Idaho. With C. L. Forsling	600	1–43
CRAIG, W. T.: Yields of Barley Varieties, 1932–36: New York. With H. H. Love	735	30
CRAM, ELOISE B.: Species of *Capillaria* Parasitic in the Upper Digestive Tract of Birds	516	1–28
Cream—		
creamery receipts in Vermont, 1917–37	709	57
deliveries, Cabot-Marshfield area, Vermont, 1924–38	709	58
dried—		
consumption, 1920–38	722	50–51
imports, 1923–38	722	50
production, selected years, 1899–1938	722	50–51, 72
stocks of manufacturers, 1921–38	722	50
powdered. *See* Cream, dried.		
price series, Cabot-Marshfield area, Vermont, 1930–38	709	58

	Technical Bulletins No.	Page
Credit—		
advances to tenants, Yazoo-Mississippi Delta area	682	47–49
agricultural, country banks as source, relative importance	575	3–8
for farmers, availability, measurement by country bank deposits	575	14–15
Cremastus spp., parasitism in oriental fruit moth larvae in Japan and Chosen	728	10, 19–21
Cricket, field—		
adult, technical description	642	20
control studies	642	24–27
damage in general	642	2–3
habits	642	7–8
injury to cotton, description	642	3
life history	642	8–24
relation to cotton plant in Louisiana. J. W. Folsom and P. A. Woke	642	1–28
Crop(s)—		
acreage, Wisconsin, 1925–38	750	87, 91
annual—		
boron injury, symptoms	746	49–50
effect upon subsoil moisture under semiarid conditions	637	70
for human consumption, sewage irrigation, impracticability	675	49
irrigated with sewage in Western States, annotated lists	675	24–25
irrigation with sewage, experiments and practices in Western States	675	22–25
plants—		
chlorate injury, symptoms	648	2–3
comparative susceptibility to sodium chlorate injury. Annie M. Hurd-Karrer	648	1–15
potentiality, indication by correlations between plant communities and soil conditions in Utah	713	41–45
production—		
relation to land organization per tenant family, Yazoo-Mississippi area	682	40–41
southern Great Plains wind-erosion area, 1930 and 1935	556	65
See also Farm(s), production.		
returns, relative, Yazoo-Mississippi Delta area	682	77–78
rotations, irrigated, in western Nebraska, 1912–34. Stephen H. Hastings	512	1–36
susceptibility to chlorate injury, comparison	648	3–12
trap, use in control of pea weevil, recommendations	599	42–46
twelve important—		
farm prices, 1869–1937	703	143
price indices, 1869–1937	703	142, 144
production entering into gross income, 1869–1937	703	127, 129
yields, Wisconsin, 1917–36	750	87, 92
Cropping, strip, efficacy in preventing erosion	558	63–64
Crustaceans, food of game ducks, and propagation	634	99–100
Cryptus suzukii, parasitism in oriental fruit moth cocoon in Japan	728	10, 37–38
Cuba, soils, selenium content	530	74
Culpepper, C. W.:		
Certain Chemical and Physical Changes Produced in Kieffer Pears During Ripening and Storage. With J. M. Lutz	590	1–37
Comparative Studies of Varietal Suitability for Freezing Preservation of Peas, Green or Snap Beans, Lima Beans, and Sweet Corn Grown Under Eastern Conditions. With Joseph S. Caldwell, J. M. Lutz, and H. H. Moon	731	1–72
Factors Affecting the Rate of Drying of Kieffer Pears. With H. H. Moon	592	1–31
Culverts, drop-inlet, erosion control	558	82–86
Cumberland-Shenandoah. *See* Shenandoah-Cumberland.		

	Technical Bulletins No.	Page
CUMINGS, G. A.: Fertilizer Placement for Potatoes. With G. V. C. Houghland	669	1–48
Curly top, epidemiology in southern Idaho, with special reference to sugar beets and weed hosts of vector *Eutettix tenellus*. James M. Wallace and Albert M. Murphy	624	1–47
Currants—		
eradication for control of white pine blister rust in Western States, experiments	692	5–48
See also *Ribes*.		
CURTIS, J. J.: Yields of Barley Varieties, 1932–36: Colorado. With Alvin Kezer, D. W. Robertson, and D. W. Koonce	735	6–8
Cutgrass, rice, value as game duck food, and propagation	634	47
CUVILLIER, EUGENIA: The Nematode, *Ornithostrongylus quadriradiatus*, a Parasite of the Domesticated Pigeon	569	1–36
Cyperus spp., food of game ducks, and propagation	634	9, 13, 16, 53–54
Czechoslovakia, tobacco statistics, specified years	587	11, 15, 23–25, 80–83, 113–114
Dairy—		
cattle. *See* Cattle, dairy.		
farm(s)—		
budgets, results in Wisconsin	750	41–44, 71–74
plans and budgets, construction in Vermont	709	40–44
plans, area estimates in Vermont	709	44–50
production and practices, Cabot-Marshfield area, Vermont	709	15–18
receipts and expenses, Cabot-Marshfield area, Vermont, 1926 and 1936	709	18, 49
farming in Vermont, general characteristics, 1926–36	709	10–13
herd, foundation, studies at Beltsville, Md	677	9–14
production—		
comparison with total agricultural production	722	20–22
data, Bureau of Agricultural Economics, revisions	722	24–26
data, original sources, analysis	722	22–27
products—		
farm price indices, 1869–1937	703	147
manufactured—		
consumption, selected years, 1849–1938	722	56–59, 61
exports, 1869–1938	722	61, 62
exports, selected years, 1849–1938	722	56–57, 59, 61
foreign trade	722	18–20
imports, selected years, 1849–1938	722	56–57, 59, 62
production, 1870–1937	722	63
production and consumption. Edmund E. Vial	722	1–77
production enumeration by census, 1889, revision	722	27
production, selected years, 1849–1938	722	56–58, 60, 63
stocks on hand, 1916–38	722	56–57, 59
milk equivalent, output and consumption	722	14–18
production—		
indices, 1869–1937	703	132
price, and gross income, 1869–1937	703	94–98
price, and income, estimation methods and source of data	703	89–93
statistics, 1849–1938	722	2–76
sire. *See* Sire, dairy.		
Dairying—		
competition with other farm enterprises, trends	722	21–22
importance, trends, and technological changes in Wisconsin	750	6–8

	Technical Bulletins No.	Page
Damping-off, snap beans—		
control by seed treatment	647	14–21
description and cause	647	16–17
Dams, value in erosion control, upper Rio Grande watershed	567	78
Damsel bug, habits, hosts, and abundance in Idaho	607	11, 14–16, 24–31, 33, 40
Darso—		
description, history, distribution, and synonym	506	63
resistance to chinch bug injury, experiments	585	12, 14–17, 21, 23, 37, 38–40
Dasheen starch, evaluation for textile sizing	674	4–35
Davis, Loren L.: Fertilizer Experiments With Rice in California. With Jenkin W. Jones	718	1–22
Dawson, J. R.:		
Feeding Dairy Cows on Alfalfa Hay Alone. With R. R. Graves, D. V. Kopland, A. L. Watt, and A. G. Van Horn	610	1–47
Relative Values for Milk Production of Hay and Silage Made From Immature Pasture Herbage. With R. R. Graves and D. V. Kopland	649	1–32
Yield, Chemical Composition, and Feeding Value for Milk Production of Alfalfa Hay Cut at Three Stages of Maturity. With D. V. Kopland and R. R. Graves	739	1–52
Day length—		
controlling	727	2–7
response of various plant species to, further observations. H. A. Allard and W. W. Garner	727	1–64
Dayflower, food of game ducks	634	70
Decatur soil series—		
comparison with Hagerstown and Dewey series	678	24, 26
occurrence and description of profile	678	6
Deguelin, content of *Tephrosia*, determination	595	4
DeLong, Dwight M.:		
Biological Studies on the Leafhopper *Empoasca fabae* as a Bean Pest	618	1–60
Studies of Methods and Materials for the Control of the Leafhopper *Empoasca fabae* as a Bean Pest	740	1–64
Deltas, composition and classification	695	31
Delwiche, E. J.: Yields of Barley Varieties, 1932–36: Wisconsin. With B. D. Leith	735	49–52
Demand deposits of country banks. Norman J. Wall	575	1–27
Denmark—		
bread grains, quality and type, and milling and baking practices	535	65–73
Government regulation of grain and milling industries	535	68–69
tobacco statistics, specified years	587	11–13, 50–54, 113–114
Deposits, demand, of country banks. Norman J. Wall	575	1–27
Detroit, lettuce market, description	712	58
DeVaney, Grace M.: Toxicity of Food Containing Selenium as Shown by Its Effect on the Rat. With Hazel E. Munsell and Mary H. Kennedy	534	1–26
Devil's shoestring (*Tephrosia virginiana*), possibilities as commercial source of insecticides. A. F. Sievers, G. A. Russell, M. S. Lowman, E. D. Fowler, C. O. Erlanson, and V. A. Little	595	1–40
Dew point, correlation with insect distribution in upper air in Louisiana	673	98–100
Dewberries, diseases, effect of carbon-dioxide treatments	519	10–11
Dewey soil series—		
comparison with Hagerstown and Decatur series	678	24, 26
derivation and description of profile	678	5
Dexia ventralis, parasitism in Japanese beetle larvae, rearing, and shipping	738	8–10

	Technical Bulletins No.	Page
Dexiidae, parasites of Japanese beetle larva, biology, rearing, and shipping	738	8–11
Diatraea saccharalis. *See* Sugarcane borer.		
Dibrachys cavus, parasitism in oriental fruit moth cocoon in Japan and Chosen	728	10, 44
DICKE, F. F.: The Effectiveness of Cultivation as a Control for the Corn Earworm. With G. W. Barber	561	1–16
Diets, chickens, experiments with stored alfalfa-leaf meals	632	1–7
Diplodia—		
natalensis, treatment by carbon dioxide, results	519	19–20, 22, 23
rot of muskmelons, history, symptoms, causes, and control	573	32–36
spp., cause of rot of muskmelons	573	34
Diptera, collection made by airplane—		
in Louisiana	673	4, 5, 10, 16, 51–57, 59, 77–84, 91
in Mexico	673	136–137, 138
Disinfectants, use on shelled lima beans against stickiness and spotting	625	14–19, 23
Disinfection, narcissus bulbs, by vapor heat in Pacific Northwest	672	1–52
Disking, fall, effect on emergence of corn earworm moths, experiments	561	14, 15–16
Ditches—		
cobble-bottom, experiments, description	652	46–47
terrace-outlet, erosion control in	558	81–82
Ditropinotus aureoviridis, remains left in hessian fly puparium, description	715	6
Ditylenchus dipsaci, injury to narcissus bulbs, and control by vapor-heat treatment	672	15
DOBSON, G. C.: Some Principles of Accelerated Stream and Valley Sedimentation. With Stafford C. Happ and Gordon Rittenhouse	695	1–134
Docks, food of game ducks	634	73
Dodders, food of game ducks	634	94
DOPP, ERNEST: Pythium Root Rot of Sugarcane. With R. D. Rands	666	1–96
Dormancy in lettuce seed, and factors influencing germination. Ross C. Thompson	655	1–20
Douglas-fir—		
boards, strength in glued laminated arches, tests	691	32–33
lands, cut-over, seed and seedling damage by wild animals in Oregon and Washington. A. W. Moore	706	1–28
region—		
forest fire insurance, study	551	39–43, 53–54, 61–67, 72–75, 79–89, 95–98, 106–109, 114–116, 136–145, 155–160
stumpage prices, analysis and statistics	626	85–89, 129–132, 138
seed, damage by wildlife in western Oregon and Washington	706	5–17
seedlings, damage by wild animals in western Oregon and Washington	706	18–27
trees of known seed source, growth. Thornton T. Munger and William G. Morris	537	1–40
wind-thrown, losses, determination	733	6–11, 23–28

	Technical Bulletins No.	Page
DOWN, E. E.: Barley Varieties, Yields, 1932–36: Michigan. With J. W. Thayer, Jr	735	17–18
DOWNEY, K. MELVINA: Cotton Fabrics as Affected by Variations in Pressure and in Length of Exposure During Ironing. With Ruth E. Elmquist	517	1–32
Drafts, in stable, effect on health of cows	591	34–35, 36
Drainage—		
marshes, effect on waterfowl, and control	634	140–141
problem and experiments in Mississippi Delta	701	4–8
removal of selenium from soils	530	22–23
Drier, pear, construction and use	592	1–3, 28
Drought(s)—		
1934 and 1936, effect upon dairying	722	21
conditions, in Great Plains, 1932–35	549	2–6
survival of native grass species in central and southern Great Plains, 1935. D. A. Savage	549	1–55
Dry—		
farming, subsoil moisture under semiarid conditions	637	1–70
land of Great Plains, wheat yields, relation to precipitation, experiments	636	1–39
Duck, cotton. *See* Cotton duck.		
Duck(s)—		
animal feeders, food habits	643	56–133
game—		
economic importance	643	1–2
feeding grounds, development	634	103–142
food(s)—		
harvesting and temporary field care	634	105–107
identification, value, and range	634	19–101
in United States and Canada, classified lists	634	9–18
in United States and Canada. A. C. Martin and F. M. Uhler	634	1–157
planting, recommendations	634	111–114
plants, growth retardation and remedies	634	116–142
regional data	634	3–18
shipment, recommendations	634	110–111
storage and germination	634	107–110
yields and food values	634	114–116
greater scaup, description, range, and food habits	643	30–38
harlequin, characteristics, range, and food habits	643	80–86, 132
inoculation with *Capillaria contorta*, experiments	516	11, 13, 15–18
Labrador, range and food habits	643	86–87
lesser scaup, description, range, and food habits	643	38–46
masked, description, range, and food habits	643	52–53
North American diving, food habits. Clarence Cottam	643	1–140
plant feeders, food habits	643	4–56
redhead, description, range, and food habits	643	6–14, 53–56
ring-necked, description, range, and food habits	643	14–23, 53–56
ruddy, characteristics, range, and food habits	643	46–52 53–56
sea, food habits	643	56–133
sickness, occurrence, investigations	601	68
systematic position and description	643	3–4
Duckpotatoes, value as game duck food, and propagation	634	39, 40
Duckweeds, value as food for game ducks, and propagation	634	9, 11–17, 67–70
Dunbar—		
fine sandy loam, and colloid, characteristics and analyses	594	15–17
series, soils, distribution and description	594	5
soil series, colloid, molecular ratios and composition	594	27–31
DUNCAN, E. N.: Rubber Content and Habits of a Second Desert Milkweed (*Asclepias erosa*) of Southern California and Arizona. With R. E. Beckett and R. S. Stitt	604	1–12

	Technical Bulletins No.	Page
DUNCAN, G. H.: Yields of Barley Varieties, 1932–36: Illinois. With W. L. Burlison	735	11–12
DUNKLE, P. B.: Yields of Barley Varieties, 1932–36: Texas. With P. C. Mangelsdorf and I. M. Atkins	735	43–44
Duocil, boron fixation, experiments	696	39–40, 42
Durra. *See* Sorghum(s), grain.		
Dust(s)—		
efficacy in control of—		
oat smuts, experiments	568	1–15
potato leafhopper on beans, experiments	740	2–3, 40, 43, 44–49, 53–57
fungicidal, use in control of barley smuts, experiments	513	3–10
fungicides, efficiency against bunt, factors affecting	582	23–38
storms, observations, 1933–36	556	60–62
use against—		
blue mold of tobacco, experiments	650	5
damping-off of snap beans	647	17–21
field crickets	642	25–26
Dusting, airplane, effectiveness against pea weevil, experiments	599	40
DUVEL, J. W. T., foreword to Grain Prices and the Futures Market: A 15-Year Survey, 1923–1938	747	1–78
DYE, WALTER B.: Investigations on the Physical and Chemical Properties of Beeswax. With Charles S. Bisson and George H. Vansell	716	1–24
EAKIN, HENRY M.: Silting of Reservoirs	524	1–142
EARGLE, D. H.: Principles of Gully Erosion in the Piedmont of South Carolina. With H. A. Ireland and C. F. S. Sharpe.	633	1–143
EARLE, I. P.: Rearing Foals and Lambs by the Use of Colostrum, Blood Serum, and Substitute Milks. With J. A. Gamble and Paul E. Howe	661	1–35
EATON, FRANK M.:		
Quality of Irrigation Waters of the Hollister Area of California. With Roy D. McCallum and Miles S. Mayhugh	746	1–60
The Behavior of Boron in Soils. With L. V. Wilcox	696	1–58
Echinochloa, food of game ducks, value, environment, and propagation	634	50–51
EDGAR, A. D.: Studies of Potato Storage Houses in Maine	615	1–47
EDGINGTON, GLEN: A Chemical Study of Some Soils Derived From Limestone. With Lyle T. Alexander and Horace G. Byers	678	1–27
Education, facilities in Knott County, Ky	576	19–20, 59–61
Eelgrass, food of game ducks, value, environment, and propagation	634	11, 16, 35
Egg(s)		
farm price indices, 1869–1937	703	147
hatch of, effect of temperature, humidity, and other factors on. H. G. Barott	553	1–46
incubation, effect of—		
carbon dioxide, oxygen, and air movement during	553	17–19, 42, 43
temperature and humidity during	553	15–16, 41–42, 43
production—		
indices, 1869–1937	703	132
price, and—		
gross income, 1869–1937	703	103
income, estimation methods and source of data	703	99–103
Eggplants, diseases, effect of carbon-dioxide treatments	519	18
Eider(s)—		
American, characteristics, range, and food habits	643	95–101, 132

	Technical Bulletins No.	Page
Eider(s)—Continued.		
king, range, characteristics, and food habits	643	105–109, 132–133
northern, range, characteristics, and food habits	643	93–95, 132
Pacific, characteristics, range, and food habits	643	101–105, 132
spectacled, range and food habits	643	110–113, 132
Steller's, description, range, and food habits	643	88–93, 132
value, abundance, and food habits	643	87–113
Elaterids, association with sugar-beet wireworm	744	13–14
Electricity, atmospheric, effect upon insects in upper air	673	129–130
Elements, chemical, deficient supply for field-grown tobacco, characteristic symptoms. J. E. McMurtrey, Jr	612	1–31
Ellis, N. R.: Composition and Properties of Goat's Milk as Compared With Cow's Milk. With J. A. Gamble and A. K. Besley	671	1–72
Elmquist, Ruth E.:		
A Serviceability Test on Blankets Made From Four Blends of Wool. With Margaret B. Hays and J. I. Hardy	572	1–24
Cotton Fabrics as Affected by Variations in Pressure and in Length of Exposure During Ironing. With K. Melvina Downey	517	1–32
The Sterilization of Wool and Its Effect on Physical and Chemical Properties of a Wool Fabric. With Harry Humfeld and James H. Kettering	588	1–27
Elodia spp., parasitism in oriental fruit moth larvae in Japan and Chosen	728	10, 26–28
Empoasca—		
abrupta, comparison with *E. fabae* under Ohio conditions	618	53–56
distribution in relation to climate and physical factors	618	14–27
fabae—		
biological studies in Ohio	618	27–53
characters distinguishing from closely related species	618	7
comparison with *E. abrupta* under Ohio conditions	618	53–56
distribution—		
and abundance	618	8
in relation to climatic and physical factors	618	14–24
economic importance	618	8–14
host plants and types of injury	618	8–13
leafhopper—		
as bean pest, biological studies. Dwight M. DeLong	618	1–60
control as bean pest, studies of methods and materials. Dwight M. DeLong	740	1–64
life history, studies	618	29–31, 32–48
populations in field, estimation methods	618	28
related economic species	618	5–7
synonymy and technical description	618	3–5
Energy—		
changes, water flow within 180-degree channel bends	526	46–51
metabolism, of chick embryos, effect of temperature, humidity, and other factors on. H. G. Barott	553	1–48
Englerth, G. H.: Decay and Other Volume Losses in Wind-Thrown Timber on the Olympic Peninsula, Wash. With T. S. Buchanan	733	1–30
Ephemeroptera, collections made by airplane in Louisiana	673	4, 5, 16, 21, 60
Ephialtes spp., parasitism in oriental fruit moth cocoons in Japan	728	10, 38
Ephraim Canyon, Utah, vegetation and climate, description	686	2–5
Epilachna spp., food plants	721	2–7
Epiurus spp., parasitism in oriental fruit moth cocoon in Japan	728	10, 39

	Technical Bulletins No.	Page
Erismaturinae, value, abundance, and food habits	643	46–54
ERLANSON, C. O.: Studies on the Possibilities of Devil's Shoestring (*Tephrosia virginiana*) and Other Native Species of *Tephrosia* as Commercial Sources of Insecticides. With A. F. Sievers, G. A. Russell, M. S. Lowman, E. D. Fowler, and V. A. Little	595	1–40
Erosion—		
accelerated—		
causes	556	21–23
effect on silting in Morena Reservoir, San Diego County, Calif. F. F. Barnes, C. J. Kraebel, and R. S. LaMotte	639	1–22
study in southern Great Plains	556	21–47
classes of, definitions and mapping symbols	556	23–25
experiment stations, soils from—		
some moisture relations. L. B. Olmstead	562	1–45
trace elements in, with supplementary data on other soils. C. S. Slater, R. S. Holmes, and H. G. Byers	552	1–24
gully—		
causes and mechanics	633	37–94
control in, experiments	558	79–86
in Piedmont of South Carolina, principles. H. A. Ireland, C. F. S. Sharpe, and D. H. Eargles	633	1–143
in South Carolina Piedmont, representative examples	633	94–136
rate and amount in South Carolina Piedmont	633	75–91
hazards in—		
south-central prairie region, characteristics	698	26–27
southern Great Plains region, characteristics	698	27
Virginia-West Virginia areas, characteristics	698	26
measurement by valley sedimentation	695	57–62
Morena Reservoir drainage basin, Calif., causes	639	11–17
on Boise River watershed, conditions influencing. F. G. Renner	528	1–32
relation to land use, soils, and slope groups	556	32–42
soil—		
control—		
in Morena Reservoir drainage basin, Calif., recommendations	639	19–20
in upper Rio Grande watershed, recommendations	567	74–85
problem, elements	558	53–56
effect of climate in South Carolina Piedmont	633	8–14
from terraced areas, experiments and results	558	93–129, 135–138, 144–153, 159–162, 166, 169–181
investigations at Soil Conservation Experiment Station, Clarinda, Iowa	558	1–181
on ponderosa pine land	511	55–56
on range and forest lands of upper Rio Grande watershed, relation to land resources and human welfare. Charles K. Cooperrider and Barnard A. Hendricks	567	1–88
precipitation factor, significance	698	1–3
processes, factors in excessive sedimentation	695	75–79
relation to—		
profile in South Carolina Piedmont	633	26–28
rainfall characteristics. David I. Blumenstock	698	1–44
range values on upper Rio Grande watershed	567	72–73
regional rainfall characteristics	698	26–27
surface, measurements on upper Rio Grande watershed	567	40–42
type and factors affecting in Missouri Valley	558	6–7

	Technical Bulletins No.	Page
Erosion—Continued.		
upland, measurement by valley sedimentation	695	80–85
wind—		
area of southern Great Plains, soil conservation reconnaissance survey. Arthur H. Joel	556	1–68
effect on development of weedy plant cover in Idaho	654	24–25
relation to farm size and land tenure in southern Great Plains	556	20–21, 66
remedies and adjustments in southern Great Plains	556	47–57
seriousness	556	1–3
types and degrees	556	28–31
Escarole, diseases, effect of carbon dioxide treatment	519	17
Estonia, tobacco statistics, specified years	587	60, 63, 113–114
Ethyl mercury tartrate, efficacy against damping-off of snap beans, experiments	647	17–21
Ethylene—		
influence on softening of Kieffer pears, experiments	590	29–30
oxide-carbon dioxide mixture, use in fumigating peas, recommendations	599	34
Eubadizon extensor, parasitism in oriental fruit moth larvae in Japan	728	10, 15–16
Eugenol, attractiveness to Japanese beetle, experiments	501	11
Eumerus tuberculatus, control on narcissus bulbs by vapor-heat treatment	672	9–11
Eupelmella vesicularis—		
description, habits, and importance as hessian fly parasite	689	12
remains left in hessian fly puparium, description	715	6–7
Eupelmus—		
allynii—		
importance as parasite of hessian fly, habits, and range	689	5, 9–10
remains left in hessian fly puparium, description	715	7
formosae, parasitism in oriental fruit moth cocoon in Japan and Chosen	728	10, 33–34
Eupteromalus fulvipes, remains left in hessian fly puparium, description	715	7–8
Europe—		
tobacco—		
consumption and production. J. B. Hutson	587	1–115
imports, total, 1909–13, 1920–35	587	113–114
wheat requirements, for quality and type and milling and baking practices. J. H. Shollenberger	535	1–191
Eurytoma—		
appendigaster, parasitism in oriental fruit moth cocoon in Japan and Chosen	728	10, 34–35
spp., remains left in hessian fly puparium, description	715	8
Eutettix tenellus—		
vector on weed hosts, relation to epidemiology of curly top in southern Idaho, studies. James M. Wallace and Albert M. Murphy	624	1–47
See also Beet(s) leafhopper; Sugar beet(s) leafhopper(s).		
Eutrixopsis javana, parasitism in Japanese beetle in Japan	738	6
Evaporation, at Northern Great Plains Field Station, Mandan, N. Dak., 1915–34	617	8, 9, 10
Ewe(s)—		
body weights, influence of climate, experiments	600	17–19
milk, feeding to lambs as substitute for colostrum, experiments	661	23, 30
EWING, H. E.: A Revision of the Mites of the Subfamily Tarsoneminae of North America, the West Indies, and the Hawaiian Islands	653	1–64
Experiment stations—		
barley yields in United States and Canada, 1932–36	735	1–78
erosion. *See* Erosion experiment stations.		
in Great Plains, spring wheat yield, correlation with annual precipitation	636	1 39

	Technical Bulletins No.	Page
Fabrics—		
blanket—		
chemical properties, tests	572	6–7, 14–21
manufacture from wool, experiments	572	2–4
physicial properties, tests	572	5–6, 7–14
serviceability tests	572	1–22
cotton—		
duck, deterioration, experiments	726	1–33
effect of variations in pressure and in length of exposure during ironing upon. K. Melvina Downey and Ruth E. Elmquist	517	1–32
wear, effect on appearance	645	28
deterioration, experiments with cotton duck	726	3, 6–33
sizing films, properties, comparison	674	4–35
wool. *See* Wool fabric(s)		
See also Sheeting(s).		
Fallow—		
for water conservation, investigations at Mandan, N. Dak	617	31–37
plowing time, effect on quantity of water saved and subsequent wheat yield	617	36–37
Family(ies)—		
living—		
distribution of value, Knott County, Ky	576	25–31
goods and services purchased and furnished, Knott County, Ky	576	31–63
in Knott County, Ky. Faith M. Williams, Hazel K. Stiebeling, Idella G. Swisher, and Gertrude Schmidt Weiss	576	1–69
settler, relocation programs in Forest County, Wis	687	71–85, 102–103, 108–111
tenant. *See* Tenant(s), farm, family.		
Far East, *Popillia japonica* parasites and those of related Scarabaeidae, investigations from 1929 to 1933, inclusive. T. R. Gardner and L. B. Parker	738	1–36
Farm(s)—		
buildings, glued laminated arch construction, tests	691	76–81
dairy. *See* Dairy farm(s).		
families—		
living. *See* Family(ies) living.		
mobility, Knott County, Ky	576	15–19
income. *See* Income, farm.		
lands, ability to pay for sewage for irrigation	675	49–52
machinery. *See* Machinery; Machines.		
number and acreage in Washington County, Vt., 1850–1935	709	57
operators, age—		
distribution in Vermont and selected States, 1926, 1930, 1936	709	59
relation to stability of tenure, Cabot-Marshfield area, Vermont	709	25–27
prices. *See* Prices, farm.		
production—		
and prices, indices—		
and gross farm income in United States 1869–1937. Frederick Strauss and Louis H. Bean	703	1–154
and income, computation methods	703	8–15
derivation	703	19–22
estimation methods and sources of data	703	33–123
indices, 1869–1937	703	124–139
See also Crop(s).		
products—		
cash receipts, Cabot-Marshfield area, Vt., 1926, 1936	709	18, 19, 49
income, gross, 1869–1937	703	14–15, 23–25, 28, 31

	Technical Bulletins No.	Page
Farm(s)—Continued.		
products—continued.		
marketing facilities in Wisconsin—		
Barron County	750	57
Dodge County	750	13–14
prices, comparison with prices of logs and stumpage	626	139–145
supply response, analysis, discussion	709	2–5
Vermont, prices, 1921–38	709	59
sewage, municipal—		
description and operation	675	19–22
returns from	675	52–53
size, relation to wind erosion in southern Great Plains	556	20–21, 66
Farmers—		
buying power, relation to agricultural loans	521	27–29
credit for, availability measurement by country bank deposits	575	14–15
Federal financing, 1921–34	521	24–27
Farming—		
dairy, normalizing adjustments in Wisconsin	750	44–45, 74–75
type—		
in Cabot-Marshfield area, Vermont	709	18–21
influence upon movement of demand deposits in country banks	575	20–21
Fats—		
animal, nutritive properties. Ralph Hoagland and George G. Snider	725	1–12
composition and nutritive properties, comparison	725	9–10
digestibility, experiments with rats	725	7–9
domestic, prices, index numbers, 1910–39	737	6–11
growth values—		
and digestive coefficients, comparison	725	9
experiments with rats	725	6–7, 9
prices—		
index numbers—		
by months, 1922–39	737	19–23
by use, 1922–39	737	23–27
construction	737	11–17
wholesale—		
in United States, index numbers, 1910–39. Robert M. Walsh	737	1–28
index construction	737	5–6
nature of data	737	3–5
vegetable, nutritive properties. Ralph Hoagland and George G. Snider	725	1–12
Fattening—		
calves, beef, after weaning, comparison of feeds for. W. H. Black and E. A. Trowbridge	564	1–12
steers in southern Great Plains, various forms of milo grain for, comparison. W. H. Black, J. M. Jones, and F. E. Keating	581	1–16
Federal seed loans, financing, relation to agricultural rehabilitation and land use. Norman J. Wall	539	1–60
Feed(s)—		
concentrates, effect on beef production and quality, experiments	717	1–31
for fattening beef calves before and after weaning, comparison. W. H. Black and E. A. Trowbridge	564	1–12
for wintering steers in northern Great Plains, comparison. W. H. Black and O. R. Mathews	565	1–10
high-protein, production in United States, 1928–36	619	16
prices and index numbers—		
Cabot-Marshfield area, Vermont, 1922–38	709	58
Wisconsin, 1925–37	750	86
producing capacity, Wisconsin, 1925 and 1937	750	87, 92
soybean—		
bushels used, 1924–36	619	9
products, production, 1928–36	619	16

Feed(s)—Continued.
winter—
and summer, for steers on northern Great Plains, experiments — Technical Bulletins No. 628, Page 3–15
feeding to steers in northern Great Plains — 667, 6, 8–20
for yearling heifers in northern Great Plains, experiments — 635, 3–8
Feeding—
dairy cows on alfalfa hay alone. R. R. Graves, J. R. Dawson, D. V. Kopland, A. L. Watt, and A. G. Van Horn — 610, 1–47
value for milk production of alfalfa hay cut at three stages of maturity. J. R. Dawson, D. V. Kopland, and R. R. Graves — 739, 1–52
winter, beef calves in northern Great Plains, experiments — 529, 1–10
Fertilizer(s)—
costs and net profits or losses applied to rice in California, 1929–37 — 718, 13, 17
effect on composition of soybean hay and seed and of crop management on carbon, nitrogen, and reaction of Norfolk sand. J. E. Adams, H. M. Boggs, and E. M. Roller — 586, 1–35
for alfalfa, experiments at Stoneville, Miss — 701, 9–10
for potatoes, placement experiments — 669, 7–46
for rice, experiments in California. Loren L. Davis and Jenkin W. Jones — 718, 1–22
materials—
phosphatic, production by blast-furnace processes. P. H. Royster, K. G. Clark, T. P. Hignett, L. E. Bowe, H. I. Lansdon, J. C. Southard, and J. W. Turrentine — 543, 1–75
potassic, production by blast-furnace processes. P. H. Royster, K. G. Clark, T. P. Hignett, L. E. Bowe, H. I. Lansdon, J. C. Southard, and J. W. Turrentine — 543, 1–75
new nitrogenous, application to rice, experiments — 718, 13–17
placement—
effect on potato yields — 669, 24–46
for potatoes. G. A. Cumings and G. V. C. Houghland — 669, 1–48
treatment of potato plots for control of seed-corn maggot, experiments — 719, 8–9, 10–11
Fescue—
Chewnings, seed—
cool storage for overseas shipment, experiments — 670, 4–7
domestic, effect of moisture content and temperature on longevity, tests — 670, 9–21
dried before shipment, germination tests — 670, 7–8
longevity, relation to temperature and moisture content. Vivian Kearns and E. H. Toole — 670, 1–27
shipment in cool storage, germination, experiments — 670, 4–9
creeping red, seed, germination experiments — 638, 13–15
seed—
cold-storage, behavior at high temperatures — 670, 15
germination, temperature and other factors affecting. Vivian Kearns and E. H. Toole — 638, 1–36
Festuca—
capillata, seed, germination experiments — 638, 16–24, 30, 31, 32, 33
elatior—
seed, germination experiments — 638, 29–32
var. *arundinacea* seed, germination experiments — 638, 24–28, 30, 31
rubra strains—
seed, germination experiments — 638, 9–12
storage tests of seed — 670, 21–25
rubra var. *commutata*—
seed, germination experiments — 638, 3–8, 30, 31
See also Fescue, Chewnings.
See also Fescue.

	Technical Bulletins No.	Page
Feterita—		
Dwarf, description, history, distribution, and synonym	506	47
resistance to chinch bug injury, experiments	585	10–50
Spur, description, history, and distribution	506	46–47
Standard, description, history, distribution, and synonym	506	46
Feustel, Irvin C.:		
The Acidic Properties of Peat and Muck	690	1–42
The Comparative Moisture-Absorbing and Moisture-Retaining Capacities of Peat and Soil Mixtures. With H. G. Byers	532	1–26
Field(s)—		
abandoned, changes in weedy plant cover following barley and alfalfa crops in Idaho	654	7–19
bare portions, weedy plant cover in Idaho, changes	654	24–26
burned-over abandoned, changes in weedy plant cover in Idaho, factors affecting	654	22–24
old abandoned, weedy plant cover in Idaho, changes	654	19–22
water, requirements of wheat and corn at Mandan, N. Dak	617	27–31
Figs, treatment by carbon dioxide, effects	519	22
Finland, tobacco statistics, specified years	587	11, 14, 58–60, 113–114
Fir—		
silver, wind-thrown, losses, determination	733	19–21, 23
Douglas. *See* Douglas-fir.		
Fire—		
detection in forests of northern California, problems	574	1–12
effect(s) on—		
forage cover in longleaf pine region	683	22–35
longleaf pine lands, studies at McNeill, Miss. W. G. Wahlenberg, S. W. Greene, and H. R. Reed	683	1–52
longleaf pine stands	683	10–22, 45–47
forest. *See* Forest(s), fire.		
protection, ponderosa forests of Northwest	511	9, 12, 29–34, 73–77, 90
Firebreaks, credits for, in Northeastern States	651	45
Fisher, C. K.: The Bean Weevil and the Southern Cowpea Weevil in California. With A. O. Larson	593	1–71
Fisher, D. F.: A Study of Rapid Deterioration of Vegetable Seeds and Methods for Its Prevention. With Victor R. Boswell, E. H. Toole, and Vivian K. Toole	708	1–48
Fishes—		
damage to game duck food plants, and control	634	138
value as food of game ducks, and propagation	634	100–101
Fishing, commercial, damage to wildfowl feeding grounds	634	142
Fistulina hepatica, cause of butt rot in unburned sprout oak stands	684	33, 34, 35
Flax—		
rotations at Huntley Field Station, experiments	571	3–7, 13, 16–17, 31–33
susceptibility to sodium chlorate injury, experiments	648	3–13
tillage methods, effect on yields in rotation	536	58–63, 74
yields from irrigated rotations at Scotts Bluff, 1912–34	512	14
Flaxseed—		
income, gross, ratio to farm value, 1924–35	703	41
iodine number—		
determination, refractometric procedure	554	35–36
relation to refractive index	554	32–35

	Technical Bulletins No.	Page
Flaxseed—Continued.		
oil—		
content—		
determination by centrifugal method	554	17–19
determination by refractometric method	554	20–31
rapid determination. Lawrence Zeleny and D. A. Coleman	554	1–40
extraction, method	554	5–17
quality, measurement by iodine number	554	32–36
quality, rapid determination. Lawrence Zeleny and D. A. Coleman	554	1–40
testing methods, suitable, need for	554	2–5
See also Linseed oil.		
prices, farm, 1869–1937	703	143
production—		
entering into gross income, 1869–1937	703	127, 129
price, and gross income, 1869–1937	703	58–59
price, and income, estimation methods and sources of data	703	41
Flies, selenium tolerance, investigations	601	68
Flixweed—		
growth and survival on cleared sagebrush land in Idaho, study	654	7–43
insect population in southern Idaho	607	9, 11–14, 16, 18–20, 24–32, 34
reaction to curly top virus, experiments	624	7–9
Flood(s)—		
artificial, use for spreading water supply, experiments	578	9–10
control problems, relation to sedimentation	695	56–57, 96–102
destructiveness in upper Rio Grande watershed	567	14–18, 19–21, 30–35
Mississippi River, of 1927, effect on insect population of air, investigations	673	130–132
overbank, frequency and height, increase in Mississippi	695	47–50
Florida—		
cabbage production	646	13, 18–19
celery mosaic, southern, control by removing weeds that serve as sources of infection. F. L. Wellman	548	1–16
lettuce production	712	9, 12
strawberries, handling, precooling, and transportation. Dean H. Rose and E. A. Gorman, Jr	525	1–58
sugarcane red rot, studies	641	13–14, 16, 19, 24, 40, 55, 57, 58, 59, 60, 62, 89. 1938
Flour, wheat, exports, 1900–1935	535	7
Flowering-rush, value as game duck food	634	41
Foals—		
feeding—		
methods, experiments	661	9–11
on colostrum—		
experiments	661	12–13
substitutes, experiments	661	14
on cow's milk mixture as substitute for colostrum and dam's milk, experiments	661	8–9, 14–16
on dried-milk mixtures as substitutes for dam's milk, experiments	661	14–16
"joint ill," cause and symptoms	661	16
management for feeding experiments	661	11–12
rearing by use of colostrum, blood serum, and substitute milks. J. A. Gamble, I. P. Earle, and Paul E. Howe	661	1–35

	Technical Bulletins No.	Page
FOHRMAN, M. H.: Experiments in Breeding Holstein-Friesian Cattle for Milk- and Butterfat-Producing Ability, and an Analysis of the Foundation Cows and of the First Out-Bred Generation. With R. R. Graves	677	1–82
FOLSOM, J. W.: The Field Cricket in Relation to the Cotton Plant in Louisiana. With P. A. Woke	642	1–28
Food(s)—		
consumption, records for families in Knott County, Ky	576	35–44
habits of North American diving ducks. Clarence Cottam	643	1–140
of game ducks in United States and Canada. A. C. Martin and F. M. Uhler	634	1–157
samples, description and preparation for vitamin B_1 assays	707	9–12
selenium content, toxicity as shown by effect on rat. Hazel E. Munsell, Grace M. DeVaney, and Mary H. Kennedy	534	1–26
sources of vitamin B_1, classification	707	18
supplies, year-round estimates for families in Knott County, Ky	576	31–35
vitamin B_1—		
assay, statistic analysis of results	707	16–18
assay values	707	13–16
content in terms of crystalline thiamin. Lela E. Booher and Eva R. Hartzler	707	1–20
values, calculation method	707	8–9
Foodstuffs, staple—		
farm price indices, 1869–1937	703	145–146
production indices, 1869–1937	703	131
Forage—		
composition, longleaf pine lands of Mississippi, description	683	25–30
cover, longleaf pine stands, effect of fire and grazing	683	22–35
density and food value, longleaf pine lands of Mississippi	683	30–31
plant(s)—		
development—		
climatic factors affecting, Ephraim Canyon, Utah	686	14–19
fluctuations from year to year	686	12–14
forecasting from date of snow melt	686	19–23, 28, 29
in Ephraim Canyon, Utah	686	5–14
growing on longleaf pine lands at McNeill, Miss., list	683	51–52
growing season, character, indication by records of normal development	686	10–12
production and value on range and forest lands of upper Rio Grande watershed	567	73
sagebrush-bunchgrass, effect of overgrazing, experiments	600	21–35
yield, effect of intensity and frequency of clipping, experiments	681	14–17, 25–27, 29–31
Forbs native to Great Plains, list	549	53–54
Forest(s)—		
Appalachian—		
cull of merchantable hardwoods, percentage	570	7–20
cull studies, important considerations	570	23–26
decay in merchantable oak, yellow poplar, and basswood	570	1–27
even-aged upland, volume tables	560	60–85
extent and importance in United States	626	2–4
fire—		
detection—		
lookout coverage, goal	574	29–30
lookout system, results	574	30–31
lookouts, effective range of vision for	574	25–29
on national forests of northern California, principles. S. B. Show and E. I. Kotok	574	1–32
problem, analysis and solution	574	1–12
system, development in northern California	574	10–12
system, place of different agencies in	574	12–19

	Technical Bulletins No.	Page
Forest(s)—Continued.		
fire—continued.		
hazards—		
causative	551	105–112, 158–160, 161–163, 164–165,
causative, in Northeastern States, description	651	20
causative, in Northeastern States, insurance rate, schedule	651	44–45
conflagration	551	112–119
conflagration, in Northeastern States, description	651	20–22
contributive	551	71–105, 156, 160, 163
contributive, in Northeastern States, description	651	14–20
contributive, in Northeastern States, insurance rate schedule	651	43–44
identification and evaluation for insurance rating and underwriting, methods	651	10–12, 43–45
insurance in Pacific Coast States. H. B. Shepard	551	1–168
primary lookout service, adequacy	574	19–25
protection, Northeastern States, effectiveness	651	16–20
protection, ponderosa forests of Northwest	511	9, 12, 29–34, 73–77, 90
land(s)—		
cut-over pine, growth possibilities	511	56–57
deterioration on upper Rio Grande watershed, causes	567	22–30
productivity maintenance, measures necessary in Northwest	511	10–61, 90
upper Rio Grande watershed, soil erosion and stream flow in relation to land resources and human welfare. Charles K. Cooperrider and Barnard A. Hendricks	567	1–88
management—		
Douglas-fir region of western Oregon and Washington	706	2–5
reduction of compression wood formation	546	29–30
upper Rio Grande watershed, recommendations	567	83–84
Middle Atlantic States, description	651	3–10
northeastern region, insurable value	651	10
Northeastern States, description	651	3–10
oak. *See* Oak(s) forests.		
pine. *See* Pine(s) forests.		
plots, distribution by region, site index, and age of stand	544	83
property, fire insurance on, application form for	651	24–28
protection against fire, effectiveness	551	94–105
regions, sap stain, seasonal and regional distribution	714	13–16
resources, regional development, effect on stumpage prices	626	149–150
Sitka spruce-western hemlock type, occurrence and characteristics	544	2–7
trees—		
bark type, determination, standardized procedure	742	21–22
volume losses due to wind throwing on Olympic Peninsula, Wash	733	1–29
valuation for fire insurance purposes	551	19–30
yield prediction in understocked stands, use of tables for	560	34
Forest Products Laboratory, laminated arches—		
design, manufacture, and erection	691	67–70
glued members, tests under continued loading	691	70–76
Forest Service, land purchases in Forest County, Wis	687	74, 87
Forestry—		
as land use in Forest County, Wis	687	14–18
intensive, in northwestern pine region, recommendations	511	61–85, 90–91
normal-yield studies, terms used, definitions	544	7–8

	Technical Bulletins No.	Page
FORSLING, C. L.: The Influence of Climate and Grazing on Spring-Fall Sheep Range in Southern Idaho. With G. W. Craddock	600	1–43
FORT, CHARLES A.:		
Comparative Chemical Composition of Juices of Different Varieties of Louisiana Sugarcane. With Nelson McKaig, Jr.	688	1–68
Windrowing and Storing of Sugarcane in Louisiana Following Injury by Freezing Temperatures. With J. I. Lauritzen and R. T. Balch	736	1–44
FOWLER, E. D.: Studies on the Possibilities of Devil's Shoestring (*Tephrosia virginiana*) and Other Native Species of *Tephrosia* as Commercial Sources of Insecticides. With A. F. Sievers, G. A. Russell, M. S. Lowman, C. O. Erlanson, and V. A. Little	595	1–40
Fowls, digestive tract, species of *Capillaria* parasitic in, experiments	516	1–24
Fox, D. E.: Occurrence of the Beet Leafhopper and Associated Insects on Secondary Plant Successions in Southern Idaho	607	1–44
France—		
bread grains, quality and type, and milling and baking practices	535	73–83
Government regulation of milling and grain trades	535	77–78
tobacco, statistics, specified years	587	11, 18, 23–25, 68–73, 113–114
Frederick soil series—		
comparison with Hagerstown series	678	24
development and description of profile	678	4
FREE, G. R.: Relative Infiltration and Related Physical Characteristics of Certain Soils. With G. M. Browning and G. W. Musgrave	729	1–52
Freezing—		
preservation—		
varietal suitability of peas, green or snap beans, lima beans, and sweet corn grown under eastern conditions, comparative studies. Joseph S. Caldwell, J. M. Lutz, H. H. Moon, and C. W. Culpepper	731	1–72
vegetables, comparative studies	731	1–69
temperatures, Louisiana, injury to sugarcane, windrowing and storage following. J. I. Lauritzen, Charles A. Fort, and R. T. Balch	736	1–44
FREY, RALPH W.: Western Hemlock Bark an Important Potential Tanning Material. With Charles C. Smoot	566	1–48
Frogbit, value as game duck food, and propagation	634	44, 118
Frost injury, Douglas-fir trees in Oregon and Washington	537	31–32
Fruit(s)—		
food of English sparrow	711	28–29
moth, oriental, parasites—		
collection, rearing, and shipment from Japan and Chosen	728	55–59
in Japan and Chosen and their introduction into United States. G. J. Haeussler	728	1–62
investigation in Japan and Chosen, scope	728	2–5
species reared from in—		
Japan and Chosen, distribution and importance	728	9–46
Japan and Chosen, list	728	10
surveys, methods	728	5–9
orchard. *See* Orchard fruits.		
overheating in transit, discussion	550	47–51
protection in transit from Pacific Northwest during winter months	550	1–53
transit and storage diseases as affected by initial carbon-dioxide treatments. Charles Brooks, C. O. Bratley, and L. P. McColloch	519	1–24
transportation, terms used, definitions	550	6–7

	Technical Bulletins No.	Page
Fullerton soil series, derivation and description of profile	678	6–7, 25
Fumigants, efficacy in soil treatments for control of pythium root rot of sugarcane	666	86–87
Fumigation—		
baled cotton with hydrocyanic acid for pink bollworm. A. C. Johnson, George G. Becker, and Lon A. Hawkins	623	1–46
cantaloups, with nitrogen trichloride, experiments in California	730	18, 68–69
peas, against weevil infestation, recommendations	599	32–34
soil, for control of pythium root rot of sugarcane, experiments	666	86–87
Fungi—		
butt-rotting—		
avenues of entrance into oak sprouts	684	12–13
from oak sprouts, studies	684	33–39
in sprout oak stands, control recommendations	684	38–39
cause of decay in merchantable oak, yellow poplar, and basswood	570	5–6
control by carbon dioxide treatments of fruits and vegetables, tests	519	3–6, 8, 14–23
isolated from discolored rice kernels. E. C. Tullis	540	1–12
pathogenicity, comparison with *Pythium arrhenomanes* on sugarcane and corn	666	17–25
sap-stain, spread, manner	714	22–27
sapwood-staining—		
development, requirements	714	17–20
types, description, and hosts	714	7–12
Fungicides—		
dust, efficiency against bunt, factors affecting	582	23–38
efficacy in control of oat smuts, experiments	568	1–15
use in control of—		
barley smuts	513	3–10
blue mold of tobacco, experiments	650	3–20
bunt, experiments	582	2–3, 8–43
damping-off of snap beans	647	17–21
volatile, influence on sweet cherries in storage. Fisk Gerhardt and A. Lloyd Ryall	631	1–20
Furnace, blast—		
experimental plant, description and use	543	8–17
general features, description	543	4–8
heat capacities at constant pressure	543	73
heats, sensible, above 77° F	543	74
processes for production of phosphatic and potassic fertilizer materials. P. H. Royster, K. G. Clark, T. P. Hignett, L. E. Bowe, H. I. Lansdon, J. C. Southard, and J. W. Turrentine	543	1–75
Furr, J. R.: Growth of Lemon Fruits in Relation to Moisture Content of the Soil. With C. A. Taylor	640	1–72
Furry, Margaret S.: Breaking Strength, Elongation, and Folding Endurance of Films of Starches and Gelatin Used in Textile Sizing	674	1–36
Fusarium—		
bulbigenum var. *lycopersici*—		
cause of fusarium wilt of tomatoes	705	1
differences in growth characters and pathogenicity, study	705	1–26
martii phaseoli, cause of dry root rot of snap beans	647	1
rot of muskmelons, history, causes, symptoms, and control	573	4–13
semitectum, development, temperature studies	520	11–14
sp., treatment by carbon dioxide	519	14
spp., cause of rot of muskmelons	573	5–7
tomato wilt—		
culture(s)—		
differences	705	10–19
groups, pathogenicity, significance of differences	705	21–22
occurrence of saltations	705	9–10

	Technical Bulletins No.	Page
Fusarium—Continued.		
tomato wilt—continued.		
culture(s)—continued.		
saltants, pathogenicity	705	23
types, variations	705	4–9
selections, pathogenicity variations	705	10–22
wilt isolations, growth characters and pathogenicity tested on three tomato varieties, differences. Frederick L. Wellman and Dorothy J. Blaisdell	705	1–29
GAHAGAN, J. M.: Lag-Screw Joints: Their Behavior and Design. With J. A. Newlin	597	1–27
GAINES, JOHN G.: Control of the Blue Mold (Downy Mildew) Disease of Tobacco by Spraying. With Edward E. Clayton, T. E. Smith, W. M. Lunn, and K. J. Shaw	650	1–23
Galleta grass, occurrence in Escalante Valley, Utah	713	16–19
GAMBLE, J. A.:		
Composition and Properties of Goat's Milk as Compared With Cow's Milk. With N. R. Ellis and A. K. Besley	761	1–72
Rearing Foals and Lambs by the Use of Colostrum, Blood Serum, and Substitute Milks. With I. P. Earle and Paul E. Howe	661	1–35
Game ducks. *See* Ducks, game.		
GARDNER, T. R.: Investigations of the Parasites of *Popillia japonica* and Related Scarabaeidae in the Far East From 1929 to 1933, Inclusive. With L. B. Parker	738	1–36
GARNER, W. W.: Further Observations of the Response of Various Species of Plants to Length of Day. With H. A. Allard	727	1–64
Gas analyzer, use in protecting shipments of apples and pears	550	8
Gas chamber, use for testing paper and description	605	3–10
Gelatin—		
used in textile sizing, films, breaking strength, elongation, and folding endurance. Margaret S. Furry	674	1–36
value for textile sizing, comparison with starches	674	4–35
Genetic relations of some color factors in lettuce. Ross C. Thompson	620	1–38
Georgia—		
barley varieties, yields, 1932–36. R. P. Bledsoe and R. R. Childs	735	8–9
blue mold disease of tobacco, control experiments	650	12–17, 19
sugarcane red rot, studies	641	3, 9, 13–14, 22–23, 40, 52–69, 91
Geraniol—		
attractiveness to Japanese beetle, comparison of various grades	501	1–14
components, physical properties and attractiveness to Japanese beetle	501	10–12
grades, relation between physical properties and chemical components and their attractiveness to Japanese beetle. F. W. Metzger and W. W. Maines	501	1–14
revised specifications for Japanese beetle traps	501	12
GERDES, FRANCIS L.:		
Effect of Artificially Drying Seed Cotton Before Ginning on Certain Quality Elements of the Lint and Seed and on the Operation of the Gin Stand. With Charles A. Bennett	508	1–62
Effect of Cleaning Seed Cotton on Lint Quality and Ginning Efficiency. With Arvid J. Johnson and Charles A. Bennett	663	1–64
Effects of Gin-Saw Speed and Seed-Roll Density on Quality of Cotton Lint and Operation of Gin Stands. With Charles A. Bennett	503	1–40
GERHARDT, FISK: The Storage of Sweet Cherries as Influenced by Carbon Dioxide and Volatile Fungicides. With A. Lloyd Ryall	631	1–20

	Technical Bulletins No.	Page
Germanium, occurrence in soils of erosion experiment stations, determination	552	7–8, 15
Germany—		
bread grains, quality and type, and milling and baking practices	535	83–103
grain tariffs	535	88–89
river water, selenium content	601	49–50
tobacco statistics, specified years	587	11, 14, 23–25, 73–80, 113–114
Germination—		
fescue seed—		
effect of temperature and moisture, experiments	670	4–25
temperature and other factors affecting. Vivian Kearns and E. H. Toole	638	1–36
lettuce seed, factors influencing. Ross C. Thompson	655	1–20
pea seed, effect of pea weevil on, experiments	599	23–24
problems of cotton, relation to anatomical structure of seed coat. D. M. Simpson, Caroline L. Adams, and G. M. Stone	734	1–24
Gin, cotton. *See* Cotton gin.		
Ginning, cotton. *See* Cotton ginning.		
Gish, P. T.: Yields of Barley Varieties, 1932–36: Virginia. With J. W. Taylor	735	45–46
Glassworts, food of game ducks, environment, and propagation	634	79–80
Glick, P. A.: The Distribution of Insects, Spiders, and Mites in the Air	673	1–151
Gloucester—		
sandy loam—		
analyses, mechanical and chemical	609	18–20
colloid, chemical analyses and derived data	609	20–24, 45
description	609	5–6
soil series, description	609	5–6
Glue, use in laminated wooden arch, recommendations	691	65
Glypta cymolomiae, parasitism in oriental fruit moth larvae in Japan	728	10, 24
Goat milk, feeding to lambs as substitute for colostrum, experiments	661	23, 30
Goldeneye—		
American, range, characteristics, and food habits	643	56–65, 132
Barrow's range, characteristics, and food habits	643	65–68, 132
Goldenrods, response to length of day	727	26–30
Goldfields, food of game ducks	634	96
Goniozus sp., parasitism in oriental fruit moth cocoons in Japan	728	10, 29
Gooseberries—		
eradication for control of white pine blister rust in Western States, experiments	692	5–48
See also *Ribes*.		
Gorman, E. A., Jr.—		
Handling, Precooling, and Transportation of Florida Strawberries. With Dean H. Rose	525	1–58
Protection of Apples and Pears in Transit from the Pacific Northwest During the Winter Months. With E. D. Mallison and W. V. Hukill	550	1–55
Gould, Edwin: Removal of Lead Spray Residues From Apples Grown in the Shenandoah-Cumberland Valley. With M. H. Haller, C. C. Cassil, C. W. Murray, and J. H. Beaumont	622	1–32
Government—		
costs and revenues, Forest County, Wis	687	35–40
local, reorganization in Forest County, Wis	687	92, 98, 104–105

Grain(s)—	Technical Bulletins No.	Page
bread, production in Europe	535	31–41, 46–169, 171–179, 182–183
delivery upon futures contracts, problem	747	60–70
demand, changing, influence upon price	747	22–23
food of English sparrows	711	23–26, 44–45
futures—		
broad relation to prices	747	23–33
contracts, nature	747	24–25
hedging—		
and visible supply	747	33–41
influence on prices	747	39–41
leading hedgers, net commitments	747	36–39
market—		
and prices, 15-year survey, 1923–38. G. Wright Hoffman and J. W. T. Duvel	747	1–78
general observations	747	42–43
open contracts, influence of commercial stocks	747	33–36
prices, comparison with—		
cash	747	29–30
volume and open contracts	747	26–29
speculators, large-scale, trading	747	43–60
traders, types	747	30–32
vs. cash dealings	747	25–26
prices—		
and futures market, 15-year survey, 1923–38. G. Wright Hoffman and J. W. T. Duvel	747	1–78
broad relation to futures	747	23–33
cash—		
basis in futures prices	747	30
comparison with futures prices	747	29–30
situation, discussion	747	9–23
subsequent to futures price changes	747	30
general level, influence	747	10–12
influence of changing—		
demand	747	22–23
supplies	747	12–13
post-war, variations	747	4–7
speculators, large-scale, trading, effect on prices	747	41–60
supplement, feeding to steers on northern Great Plains	628	3–15
supply, visible, and hedging	747	33–41
susceptibility to sodium chlorate injury, experiments	648	3–14
trade, volume, and open commitments, 1923–38	747	8
volume and open contracts, comparison with futures prices	747	26–29
Grain Futures Act, passage and results	747	1–3
Grama—		
black—		
characteristics, comparison with tobosa grass	681	6
density and yield, effect of intensity and frequency of clipping. R. H. Canfield	681	1–32
persistent clipping, effects	681	9–19, 29–30
reproduction, description	681	17–18
blue, drought survival in central and southern Great Plains, 1935	549	1–50
grass, blue, grazing methods, effects	547	2–18
Granitic materials, soils developed from in New England and the Piedmont, and their colloids, chemical and physical properties. Irvin C. Brown and Horace G. Byers	609	1–56

	Technical Bulletins No.	Page
Grape(s)—		
American—		
decay in storage, factors influencing, experiments	606	2–18
quality in storage, factors influencing. J. M. Lutz	606	1–27
shattering in storage, factors influencing, experiments	606	2–18
boron injury, symptoms	746	49–50
composition, changes in storage, experiments	606	22–24
Concord, respiration in storage, experiments	606	22
container size, influence on shattering and decay in storage	606	16–17
farm price indices, 1869–1937	703	147
flavor, deterioration in storage, tests	606	19
maturity, influence on composition	606	24
phylloxera-resistant rootstocks, vinifera varieties grafted on, testing in California. George C. Husmann, Elmer Snyder, and Frederick L. Husmann	697	1–64
production—		
indices, 1869–1937	703	133
price, and gross income, 1889–1937	703	87
price, and income, estimation methods and source of data	703	85–87
rough handling, influence on shattering and decay in storage	606	15–16
storage—		
humidity, effect on quality, experiments	606	12–14, 19–20
temperatures, effect on quality, experiments	606	2–12, 19–21
varieties, storage life, length, experiments	606	21–22
vinifera—		
grafting for phylloxera resistance, experiments	697	16–21
industry, development in California	697	2–3
tested in experimental vineyards of California, list	697	12–16
varieties grafted on phylloxera-resistant rootstocks, testing in California. George C. Husmann, Elmer Snyder, and Frederick L. Husmann	697	1–64
washing, influence on shattering and decay	606	15–16, 17–18
weight losses in storage, experiments	606	19
wild, food of game ducks, and description	634	88
Grapefruit, decay, treatment by carbon dioxide, experiments	519	18–22
Grapevines, phylloxera injury, symptoms and cause	697	3–5
Grapholitha molesta—		
egg, parasites collected in Japan and Chosen	728	11, 46
parasites in Japan and Chosen and their introduction into United States	728	1–61
secondary parasitization on in Japan and Chosen	728	53–55
stages, parasitization in Japan and Chosen	728	46–55
stages within cocoon, parasites infesting in Orient	728	28–46, 50–53
twig-infesting larvae, parasites collected in Japan and Chosen	728	11–28, 46–49
Grass(es)—		
growing on longleaf pine lands at McNeill, Miss., list	683	51
immature, hay and silage made from, relative values for milk production, experiments	649	1–31
native—		
character in northern Great Plains	547	2–7
grazing, effect of various methods on northern Great Plains	547	2–18
pasture—		
growth conditions at Beltsville, Md., experiments	538	7–10
planting and cultivation at Beltsville, Md	538	5–7
range, use in feeding experiments with steers	667	6–7
response to length of day	727	35–38
seeds, food of English sparrows	711	26–27

	Technical Bulletins No.	Page
Grass(es)—Continued.		
silage from, methods of making. T. E. Woodward and J. B. Shepherd	611	1–34
species, native—		
in central and southern Great Plains, drought survival, 1935. D. A. Savage	549	1–55
to Great Plains, list	549	52
storing in large silos, experiments	611	23–24
supplements to, feeding to steers in Appalachian region, effect of method on beef production and quality. W. H. Black, R. L. Hiner, L. B. Burk, Lucy M. Alexander, and C. V. Wilson.	717	1–32
winter range, feeding experiments with beef cattle	603	2–20
See also under specific name.		
Grassland(s)—		
New Mexico, vegetation-erosion conditions, comparison	567	48–55
Pacific, plant cover, relation to leafhopper population	557	8–10
semidesert—		
climate and site	681	3–5
forage-clipping experiments	681	1–31
Graves, R. R.:		
Experiments in Breeding Holstein-Friesian Cattle for Milk- and Butterfat-Producing Ability, and an Analysis of the Foundation Cows and of the First Out-Bred Generation. With M. H. Fohrman	677	1–82
Feeding Dairy Cows on Alfalfa Hay Alone. With J. R. Dawson, D. V. Kopland, A. L. Watt, and A. G. Van Horn	610	1–47
Incomplete Milking in Relation to Milk Production and Udder Troubles in Dairy Cows. With T. E. Woodward and R. P. Hotis	522	1–27
Milk and Butterfat Production by Dairy Cows on Four Different Planes of Feeding. With George Q. Bateman, J. B. Shepherd, and George B. Caine	724	1–36
Relative Values for Milk Production of Hay and Silage Made From Immature Pasture Herbage. With J. R. Dawson and D. V. Kopland	649	1–32
Yield, Chemical Composition, and Feeding Value for Milk Production of Alfalfa Hay Cut at Three Stages of Maturity. With J. R. Dawson, D. V. Kopland, and R. R. Graves	739	1–52
Gravity, effect on rate of flow of capillary moisture	579	20–21, 24–25
Grazing—		
close, effect on black grama and tobosa grass, experiments	681	1–31
control for full utilization of grasses, recommendations	598	20–21
cut-over ponderosa pine land	511	51–53, 90
different methods, effect on native vegetation and gains of steers in northern Great Plains. W. H. Black, A. L. Baker, V. I. Clark, and O. R. Mathews	547	1–19
effect upon erosion on Boise River watershed	528	24–29
Hohenheim system at Beltsville, Md., experiments	660	10–14, 17–20, 22–25, 27
influence on		
ranges in southern Idaho	600	21–35
spring-fall sheep range in southern Idaho. G. W. Craddock and C. L. Forsling	600	1–43
livestock, damage to wildfowl feeding grounds	634	142
method, effect on beef production and plant population of pastures at Beltsville, Md. M. A. Hein and A. C. Cook	538	1–35
periods—		
determination in Ephraim Canyon, Utah	686	23–27, 28–29
on mountain range, determination by weather and plant-development data. David F. Costello and Raymond Price	686	1–31

	Technical Bulletins No.	Page
Grazing—Continued.		
rate, effect on beef production and plant population of pastures at Beltsville, Md. M. A. Hein and A. C. Cook	538	1–35
rotation, economy in comparison with that in continuous grazing	660	29–30
summer, experiments with—		
steers at Ardmore Experiment Station, S. Dak	628	3, 4, 6–7, 9–10, 11–12, 13–14, 15
yearling heifers in northern Great Plains	635	4–8
systems, effect on—		
gains of cattle	538	22–31
plant population	538	11–13
Greasewood, occurrence in Escalante Valley, Utah	713	31–36
Great Britain. *See* British Isles; United Kingdom.		
Great Plains—		
annual precipitation, correlation with yield of spring wheat. John S. Cole	636	1–40
central and southern, native grass species, drought survival, 1935. D. A. Savage	549	1–55
drought conditions, 1932–35	549	2–6
field stations, spring wheat yield, correlation with annual precipitation	636	1–39
forbs native to, list	549	53–54
grasses native to, list	549	52
northern—		
beef-cattle production, problems	603	1–2
cattle production, problems	667	1–2
different grazing methods, effect on native vegetation and gains of steers. W. H. Black, A. L. Baker, V. I. Clark, and O. R. Mathews	547	1–19
winter and summer range, supplementing, effect on gains of steers. W. H. Black and V. I. Clark	628	1–16
winter feeding of cattle on, value of cottonseed cake	603	2–21
wintering—		
beef calves in, effect of different methods on winter gains and feed costs and on subsequent summer gains. W. H. Black, J. R. Quesenberry, and A. L. Baker	529	1–11
steers in, comparison of feeds for. W. H. Black and O. R. Mathews	565	1–10
steers on different planes of nutrition	667	1–20
yearling heifers in, comparison of alfalfa and western wheatgrass hays and their influence on summer gains. A. L. Baker	635	1–8
southern—		
climate, data	581	1–2
fattening steers, various forms of milo grain for, comparison. W. H. Black, J. M. Jones, and F. E. Keating	581	1–16
wind-erosion area—		
agriculture, description	556	14–21
crop and livestock production, 1930 and 1935	556	65
description	556	4–8
land tenure, value and size of farms, 1930 and 1935	556	66
soil conservation reconnaissance survey. Arthur H. Joel	556	1–68
soils, description	556	8–14
spring wheat, yield, correlation with annual precipitation. John S. Cole	636	1–40
subsoil moisture under semiarid conditions	637	1–70
Greece, tobacco statistics, specified years	587	11, 23–25, 107–111, 113

	Technical Bulletins No.	Page
Green manure—		
crops, effect of tillage methods on yield in rotation	536	69–71, 73
value of bur-clover for rice, experiments	718	18–19
GREENE, S. W.: Effects of Fire and Cattle Grazing on Longleaf Pine Lands, as Studied at McNeill, Miss. With W. G. Wahlenberg and H. R. Reed	683	1–52
Greenville soil series, derivation and description of profile	678	7–8, 24–25
Ground—		
cover, protective, restoration on upper Rio Grande watershed	567	74–77, 84, 85
water. *See* Water(s), ground.		
GROVE, ERNEST W.: Soybeans in the United States; Recent Trends and Present Economic Status	619	1–31
Guizotia sp., response to length of day	727	15–18
Gully(ies)—		
development—		
Piedmont, conditions governing	633	4–37
stages in South Carolina Piedmont	633	44–75
erosion. *See* Erosion, gully.		
forms, classification	633	43–44
history, reconstruction methods	633	94–95
initiation, study in South Carolina Piedmont	633	39–44
Gum—		
red—		
sap stain, chemical control, experiments	714	42–67
sapwood—		
physical and chemical properties, progressive effects of *Polyporus versicolor* on. Theodore C. Scheffer	527	1–46
relation of strength to chemical properties, effect of *Polyporus versicolor* on	527	40–41
white rot of, physical and chemical studies	527	1–43
volume tables	560	67, 74, 80, 84
yields, variations associated with weather and specific days between chippings	510	1–34
HAEUSSLER, G. J.: Parasites of the Oriental Fruit Moth in Japan and Chosen and Their Introduction Into the United States	728	1–62
Hagerstown soil series—		
development and description of profiles	678	2–4
profile differences	678	23–24
HALLER, M. H.:		
Effect of Storage Temperatures on Peaches. With P. L. Harding	680	1–32
Removal of Lead Spray Residues From Apples Grown in the Shenandoah-Cumberland Valley. With C. C. Cassil, C. W. Murray, J. H. Beaumont, and Edwin Gould	622	1–32
Halophila englmannii, value as game duck food	634	42
Haltichella n. sp., parasitism in oriental fruit moth cocoon in Japan and Chosen	728	10, 32–33
Hamaxia incongrua, biology and parasitism in Japanese beetle adults in Japan	738	5
HAMLETT, G. W. D.: The Reproductive Cycle of the Coyote	616	1–12
HANKINS, J. M.:		
Deterioration of Book and Record Papers. With T. D. Jarrell and F. P. Veitch	541	1–20
Deterioration of Paper as Indicated by Gas Chamber Tests. With T. D. Jarrell and F. P. Veitch	605	1–22
HANKINS, O. G.: Relationships Among Production and Grade Factors of Beef. With L. B. Burk	665	1–40
HANSEN, DAN:		
Irrigated Crop Rotations at the Huntley (Mont.) Field Station, 1912–35. With Stephen H. Hastings	571	1–38
Yields of Barley Varieties, 1932–36: Montana. With Clyde McKee, W. B. Nelson, M. A. Bell, and J. L. Sutherland	735	23–25

	Technical Bulletins No.	Page
HAPP, STAFFORD C.: Some Principles of Accelerated Stream and Valley Sedimentation. With Gordon Rittenhouse and G. C. Dobson	695	1–134
HARDING, PAUL L.:		
Effect of Storage Temperatures on Peaches. With M. H. Haller	680	1–32
Influence of Packing and Handling Methods on Condition of Apples Barreled for Export. With J. M. Lutz and Dean H. Rose	559	1–26
Transportation of Apples From the Shenandoah-Cumberland Section to Overseas Markets. With Charles L. Powell	523	1–27
Hardpan—		
definition and characteristics	745	1–2
formation in Central Valley, Calif	745	29–35
in certain soil complexes of California. C. C. Nikiforoff	745	1–46
position in two fields in Central Valley, Calif	745	14–17
relation to soil maturity, discussion	745	41–43
thickness and firmness, Central Valley, Calif	745	20–22
"windows" and microrelief, occurrence in California	745	17–20
Hardwood(s)—		
chemical treatments for sap-stain control, commercial-scale tests	714	60–63
cull—		
percentage in Appalachian region	570	7–20
studies, important considerations	570	23–26
iron tannate stain, cause, description, and prevention	714	6–7
log prices, 1900–1934	626	104, 108, 114–115
lumber prices f. o. b. the mill, specified years, 1899–1934	626	117–119, 124–128
merchantable, cull estimation, method based on wounding	570	20–23
mold, chemical control	714	63
oxidation stains, importance, description, and control	714	4–5
region, Allegheny—		
description	651	9–10
fire insurance rating schedule, construction	651	39–41
stumpage prices, analyses and statistics	626	26–31, 34–64, 76–78
HARDY, J. I.: A Serviceability Test on Blankets Made From Four Blends of Wool. With Margaret B. Hays and Ruth E. Elmquist	572	1–24
HARLAN, H. V.: A Study of Methods in Barley Breeding. With M. L. Martini and Harland Stevens	720	1–25
Harmolita—		
ainsliei, n. sp., technical description	518	9–10
bambusae, n. sp., technical description	518	20
(*Isosoma*), chalcid flies of America north of Mexico, second revision with descriptions of 20 new species. W. J. Phillips	518	1–26
comatae, n. sp., technical description	518	9
dakota, n. sp., technical description	518	14
danthoniae, n. sp., technical description	518	18–19
females, identification key	518	3–6
flavicoxa, n. sp., technical description	518	13–14
gahani, n. sp., technical description	518	18
holci, n. sp., technical description	518	19–20
jonesi, n. sp., technical description and host	518	15–16
koebelei, n. sp., technical description	518	11–12
longipetiolata, n. sp., technical description	518	16–17
minuenda, n. sp., technical description	518	6–7
oregon, n. sp., technical description	518	14–15
pacifica, n. sp., technical description	518	12–13
poosi, n. sp., technical description	518	10–11
sativi, n. sp., technical description and occurrence	518	7–8
stipicola, n. sp., technical description and specimens	518	8–9
stipiphaga, n. sp., technical description	518	17–18
stipiphila, n. sp., technical description	518	16
utahensis, n. sp., technical description	518	11

	Technical Bulletins No.	Page
HARPER, V. L.: Variations in Naval-Stores Yields Associated With Weather and Specific Days between Chippings. With Lenthall Wyman	510	1–35
HARRIS, LIONEL:		
Influence of Farm Manure on Yields and Sucrose of Sugar Beets. With Stephen H. Hastings and S. B. Nuckols	614	1–12
Yields of Barley Varieties, 1932–36: Nebraska. With T. E. Kiesselbach, W. E. Lyness, and L. L. Zook	735	25–27
HARTMAN, GLENN: Yield of Barley Varieties, 1932–36: Wyoming. With A. L. Nelson and R. S. Towle	735	52–53
HARTZLER, EVA R.: The Vitamin B_1 Content of Foods in Terms of Crystalline Thiamin. With Lela E. Booher	707	1–20
HASTINGS, STEPHEN H.:		
Influence of Farm Manure on Yields and Sucrose of Sugar Beets. With S. B. Nuckols and Lionel Harris	614	1–12
Irrigated Crop Rotations at the Huntley (Mont.) Field Station, 1912–35. With Dan Hansen	571	1–38
Irrigated Crop Rotations in Western Nebraska, 1912–34	512	1–36
Hawaii—		
seleniferous soils, "nontoxic," survey	702	48–51
soil(s)—		
and vegetation, selenium content	601	51–55
profiles, certain, chemical and physical studies. George J. Hough and Horace G. Byers	584	1–27
Hawaiian Islands, mites of subfamily Tarsoneminae, revision. H. E. Ewing	653	1–64
HAWKINS, LON A.: Fumigation of Baled Cotton With Hydrocyanic Acid for the Pink Bollworm. With A. C. Johnson and George G. Becker	623	1–46
HAWKINS, R. S.: Yields of Barley Varieties, 1932–36: Arizona. With A. T. Bartel and C. J. King	735	3–4
Hay—		
alfalfa—		
chemical analyses and nutrients	610	24–25
color, leafiness, and grade at three stages of maturity	739	21–23
comparison with western wheatgrass hay for wintering yearling heifers in northern Great Plains and their influence on summer gains. A. L. Baker	635	1–8
composition at three stages of maturity	739	14–19
consumption when fed alone during lactation of cows, experiments	610	20–24, 41–42
curing at Stoneville, Miss	701	18–20
cut at three stages—		
digestion trials	739	23–26
of maturity, yield, chemical composition, and feeding value for milk production. J. R. Dawson, D. V. Kopland, and R. R. Graves	739	1–52
feeding alone to dairy cows. R. R. Graves, J. R. Dawson, D. V. Kopland, A. L. Watt, and A. G. Van Horn	610	1–47
production costs at three stages of maturity, comparison	739	46–47
production, Yazoo-Mississippi area	682	66–69
quality and yield, cuttings at different stages	739	14–23
yield and nutrients at three stages of maturity	739	19–21
crops, silage from, making, recommendations	611	29–30
made from immature pasture herbage, value for milk production. R. R. Graves, J. R. Dawson, and D. V. Kopland	649	1–32
pea, weevil infestation	599	30
prices, farm, 1869–1937	703	143
production—		
entering into gross income, 1869–1937	703	127, 129
price, and—		
gross income, 1869–1937	703	61–62
income, estimation methods and source of data	703	59–61

	Technical Bulletins No.	Page
Hay—Continued.		
soybean—		
acreage harvested, 1924–37	619	7, 25–28
calcium and potassium content, experiments	586	11–16, 31
composition, effect of fertilizers. J. E. Adams, H. M. Boggs, and E. M. Roller	586	1–35
nitrogen content, effect of fertilizers, experiments	586	6, 8–9, 15–16, 31
phosphoric-acid content, effect of fertilizers, experiments	586	9–11, 15
production, man labor and power used, Yazoo-Mississippi region	682	64–66
yields, effects of fertilizers, experiments	586	3–6
wheatgrass, western, comparison with alfalfa hay for wintering yearling heifers in northern Great Plains and their influence on summer gains. A. L. Baker	635	1–8
HAYS, MARGARET B.:		
A Serviceability Test on Blankets Made From Four Blends of Wool. With Ruth E. Elmquist and J. I. Hardy	572	1–24
Manufacturing and Serviceability Tests on Sheetings Made From Two Selected Mill Types of Cotton. With Ruth Elmquist Rogers and John T. Wigington	645	1–32
Hays silty clay loam—		
analyses, mechanical and chemical	502	28–30
description	502	8
Health, public, safeguards and regulations for sewage irrigation	675	25–39
HEARN, W. E.: The Chemical Composition of Soils and Colloids of the Norfolk and Related Soil Series. With R. S. Holmes and H. G. Byers	594	1–34
Heaters for shipping apples and pears, description and results	550	21–47
HEDGCOCK, GEORGE G.: Decay in Merchantable Oak, Yellow Poplar, and Basswood in the Appalachian Region. With George H. Hepting	570	1–30
Hegari, resistance to chinch bug injury, experiments	585	12, 15–17, 37
Heifers—		
pregnant—		
exposure to *Brucella abortus*, porcine type	629	1–5
susceptible to contagious abortion by exposure to artificially infected swine	629	5–8
winter-feeding experiments in northern Great Plains	635	1–8
yearling—		
vaccination against Bang's disease. J. M. Buck, W. E. Cotton, and H. E. Smith	658	1–7
wintering in northern Great Plains, comparison of alfalfa and western wheatgrass hays and their influence on summer gains. A. L. Baker	635	1–8
See also Cow(s).		
HEIN, M. A.:		
Effect of Method and Rate of Grazing on Beef Production and Plant Population of Pastures at Beltsville, Md. With A. C. Cook	538	1–35
The Hohenheim System in the Management of Permanent Pastures for Dairy Cattle. With T. E. Woodward and J. B. Shepherd	660	1–34
Helianthus—		
spp., response to length of day	727	33–35
tuberosus. *See* Jerusalem-artichoke.		
Heliothis obsoleta. *See* Corn earworm.		
Heliotrope, food of game ducks, and propagation	634	94–95
Helminths, parasitic in domestic ruminants, eggs of various genera, differentiation in United States	694	1–9
Hemitarsonemus—		
latus, technical description, hosts, and localities	653	54–57
n. g., identification, description, and species	653	51–57
tepidariorum, technical description, hosts and localities	653	52–53

	Technical Bulletins No.	Page
Hemiteles spp., parasitism in oriental fruit moth cocoons in Japan and Chosen	728	10, 39–40
Hemlock—		
eastern, boards, strength in glued laminated arches, tests	691	31–32
stumpage prices, 1900–1934	626	78, 87, 88, 89
western—		
bark—		
artificial drying	566	19–26
availability, factors influencing	566	12–19
curing in woods, feasibility and procedure	566	17–18
extraction and yield of tannin	566	26–30
important potential tanning material. Charles C. Smoot and Ralph W. Frey	566	1–48
lack of development for tanning	566	5–7
peeling methods	566	13–17
powdered extract, probable selling price	566	42–43
tannin content	566	10–12
tannin content, seasonal variation	566	18–19
botanical range	566	7–8
even-aged stands—		
increment and rotation tables	544	45–50
normal mortality	544	34–35
stand, height, and length tables	544	50–62, 84–85
volume tables	544	62–82, 85
yield. Walter H. Meyer	544	1–86
yield tables, application	544	35–45, 83–84
extracts, properties	566	32–33
physical characteristics	566	9–10
visible supply and yield of bark	566	8–9
wind-thrown, losses, determination	733	17–19, 23–28
wood and bark, tannin content	566	13–14
Henderson, Sidney: A Land Program for Forest County, Wisconsin, Based on an Analysis of Land Use Problems. With V. Webster Johnson and James H. Marshall	687	1–112
Hendricks, Barnard A.: Soil Erosion and Stream Flow on Range and Forest Lands of the Upper Rio Grande Watershed in Relation to Land Resources and Human Welfare. Charles K. Cooperrider and Barnard A. Hendricks	567	1–88
Henson, Paul R.: Alfalfa Experiments at Stoneville, Miss., 1935–37. With H. L. Westover	701	1–24
Hepting, George H.: Decay in Merchantable Oak, Yellow Poplar, and Basswood in the Appalachian Region. With George G. Hedgcock	570	1–30
Herbage, pasture, studies at Beltsville, Md	538	13–21, 32
Herbicides, efficacy in eradication of ribes, experiments	692	6–40
Herbs growing on longleaf pine lands at McNeill, Miss., list	683	52
Hermon—		
sandy loam—		
analyses, mechanical and chemical	609	15–16
colloid, chemical analyses and derived data	609	16–18, 45
description	609	4–5
soil series, description	609	4–5
Herpestomus sp., parasitism in oriental fruit moth cocoons in Japan	728	10, 40
Hessian fly—		
fall generation, *Platygaster hiemalis* attacking	689	13–15
parasite(s)—		
attacking, comparative importance	689	3–13
collection	689	1–2
forms, general key	715	11–13

	Technical Bulletins No.	Page
Hessian fly—Continued.		
parasite(s)—continued.		
keys based on remains left in host puparium. C. C. Hill and J. S. Pinckney	715	1–24
of St. Lawrence Plain, N. Y.	689	13
status and relative importance in Atlantic States. C. C. Hill, J. S. Pinckney, and E. J. Udine	689	1–15
supplementary key based on chalcidoid larval exuvia	715	13
spring generation, parasitization and mortality	689	2–3
Heteroptera, collections made by airplane—		
in Louisiana	673	4, 5, 10, 16, 23–25, 58, 62–64, 90
in Mexico	673	134, 138
Heywang, Burt W.: Loss, During Storage, of Vitamin A From Alfalfa Leaf Meals Fed to Chickens. With Rudolph B. Morgan	632	1–8
Hickory, volume tables	560	64, 71, 77
Hightide-bush, value as food of game ducks	634	96
Hignett, T. P.: Blast-Furnace Processes for the Production of Phosphatic and Potassic Fertilizer Materials. With P. H. Royster, K. G. Clark, L. E. Bowe, H. I. Lansdon, J. C. Southard, and J. W. Turrentine	543	1–75
Hill, C. C.:		
Keys to the Parasites of the Hessian Fly Based on Remains Left in the Host Puparium. With J. S. Pinckney	715	1–24
Status and Relative Importance of the Parasites of the Hessian Fly in the Atlantic States. With J. S. Pinckney and E. J. Udine	689	1–15
Hill, D. D.: Yields of Barley Varieties, 1932–36: Oregon. With D. E. Richards, Obil Shattuck, D. E. Stephens, and J. Foster Martin	735	36–38
Hiner, R. L.: Beef Production and Quality as Affected by Method of Feeding Supplements to Steers on Grass in the Appalachian Region. With W. H. Black, L. B. Burk, Lucy M. Alexander, and C. V. Wilson	717	1–32
Hinman, F. G.: Biology of the Pea Weevil in the Pacific Northwest With Suggestions for Its Control on Seed Peas. With A. O. Larson and T. A. Brindley	599	1–48
Hoagland, Ralph: Nutritive Properties of Certain Animal and Vegetable Fats. With George G. Snider	725	1–12
Hoffman, G. Wright: Grain Prices and the Futures Market: A 15-Year Survey, 1923–1938. With J. W. T. Duvel	747	1–78
Hog(s)—		
dressing yields, computation	621	12–15, 19–21
production, price, and—		
gross income, 1869–1937	703	119–120
income, estimation methods and source of data	703	116–117
shrinkage—		
and dressing yields. Knute Bjorka	621	1–22
excretory and tissue, segregation method	621	3, 10, 15
in transit, experiments	621	1–2, 3–12, 16–18
slaughter, production—		
entering into gross income, 1869–1937	703	134, 136
indices, 1869–1937	703	135, 137
tissue, shrinkage in transit, experiments	621	8–10
Hohenheim system, use in management of permanent pastures for dairy cattle. T. E. Woodward, J. B. Shepherd, and M. A. Hein	660	1–34
Hole, Erling: Supply Responses in Milk Production in the Cabot-Marshfield Area, Vermont. With R. H. Allen and R. L. Mighell	709	1–60
Holland. *See* Netherlands.		

	Technical Bulletins No.	Page
HOLMES, R. S.:		
The Chemical Composition of Soils and Colloids of the Norfolk and Related Soil Series. With W. E. Hearn and H. G. Byers	594	1–34
Trace Elements in the Soils From the Erosion Experiment Stations, With Supplementary Data on Other Soils. With C. S. Slater and H. G. Byers	552	1–24
HOLZMAN, BENJAMIN: Sources of Moisture for Precipitation in the United States	589	1–42
Homoptera, collections made by airplane—		
in Louisiana	673	4, 5, 16, 25–29, 58, 64–67, 90
in Mexico	673	134, 138
Honey—		
comb and extracted, cost of supplies for in California, 1933	656	11
extracted—		
disposition in California, 1933	656	9, 10
production cost in California. R. L. Adams and Frank E. Todd	656	1–35
prices, comparison with costs of production in California, 1933	656	19–20, 26–27
production—		
cost in California, 1933	656	11–17, 18–29
in California, 1933	656	9–10
yield, relation to size of apiary	656	23
HOOTON, DALTON R.: Differential Growth Rates in Cotton Varieties and Their Response to Seasonal Conditions at Greenville, Tex. With Homer C. McNamara and Dow D. Porter	710	1–44
HOPE, CLAUDE: The Effect of Crazy Top Disorder on Cotton Plants and Its Control by Irrigation Management. With C. J. King and Orlan Parker	515	1–44
HOPP, HENRY: Methods of Distinguishing Between the Shipmast and Common Forms of Black Locust on Long Island, N. Y	742	1–24
Hopperburn, cause, symptoms, and plants affected	618	9–10, 36
Horistonotus uhlerii—		
artificial control	659	29–36
control recommendations	659	36–37
life history	659	10–14
natural enemies and checks	659	926–29
origin and distribution	659	2–3
seasonal history and habits	659	14–26
technical descriptions	659	4–6
HOTIS, R. P.: Incomplete Milking in Relation to Milk Production and Udder Troubles in Dairy Cows. With T. E. Woodward and R. R. Graves	522	1–27
HOUGH, GEORGE J.: Chemical and Physical Studies of Certain Hawaiian Soil Profiles. With Horace G. Byers	584	1–27
HOUGHLAND, G. V. C.: Fertilizer Placement for Potatoes. With G. A. Cumings	669	1–48
Household operation, furnishings, and equipment, Knott County, Ky	576	52–55, 67–68
Housing, construction and facilities, Knott County, Ky	576	48–52
HOWARD, N. F.: *Paradexodes epilachnae*, a Tachinid Parasite of the Mexican Bean Beetle. With B. J. Landis	721	1–32
HOWE, E. W.: The Sand Wireworm and Its Control in the South Carolina Coastal Plain. With J. N. Tenhet	659	1–39
HOWE, PAUL E.: Rearing Foals and Lambs by the Use of Colostrum, Blood Serum, and Substitute Milks. With J. A. Gamble and I. P. Earle	661	1–35

	Technical Bulletins No.	Page
HOWELL, L. D.:		
Cotton Prices in Relation to Cotton Classification Service and to Quality Improvement. With Leonard J. Watson	699	1–55
Cotton Prices in Spot and Futures Markets	685	1–72
Cotton Sold in the Seed in the United States	662	1–24
Relation of Spot Cotton Prices to Prices of Futures Contracts and Protection Afforded by Trading in Futures. With Leonard J. Watson	602	1–100
HUBBARD, V. C.: Yields of Barley Varieties, 1932–36: Oklahoma. With W. M. Osborn	735	35–36
HUBER, L. L.: Experiments on Breeding Corn Resistant to the European Corn Borer. With Marion T. Meyers, C. R. Neiswander, F. D. Richey, and G. H. Stringfield	583	1–30
HUKILL, W. V.: Protection of Apples and Pears in Transit From the Pacific Northwest During the Winter Months. With E. D. Mallison and E. A. Gorman, Jr.	550	1–55
HUME, A. N.: Yields of Barley Varieties, 1932–36: South Dakota. With S. P. Swenson, K. H. Klages, and Beyer Aune	735	40–42
HUMFELD, HARRY:		
Physical and Chemical Changes Produced in Bleached Cotton Duck by *Chaetomium globosum* and *Spirochaeta cytophaga*. With Ruth Elmquist Rogers and Helen G. Wheeler	726	1–35
The Sterilization of Wool and Its Effect on Physical and Chemical Properties of a Wool Fabric. With Ruth E. Elmquist and James H. Kettering	588	1–27
Humidity—		
effect on—		
development of apple scab in storage	563	15–19, 20–21
drying rate of Kieffer pears, experiments	592	23–26
energy metabolism of chick embryo	553	29–32, 41, 43
hatch of hens' eggs and on energy metabolism of chick embryos. H. G. Barott	553	1–46
insects in upper air in Louisiana	673	100–102
life cycle of bean weevil and southern cowpea weevil	593	49–52
spotting and stickiness of shelled lima beans	625	4–5
survival of *Empoasca* spp.	618	15–16, 18, 19, 23, 25, 26, 43
in storage houses for potatoes, regulations	615	29–33, 36–37
influence on shattering and decay of grapes in cold storage, experiments	606	12–14
Hungary—		
bread grains, quality and type, and milling and baking practices	535	103–115
Government regulation of grain and milling industries	535	108–109
tobacco statistics, specified years	587	11, 16, 23–25, 103–107, 113–114
Huntley Field Station, Huntley, Mont., irrigated crop rotations, 1912–35. Stephen H. Hastings and Dan Hansen	571	1–38
HURD-KARRER, ANNIE M.: Comparative Susceptibility of Crop Plants to Sodium Chlorate Injury	648	1–15
HUSMANN, FREDERICK L.: Testing Vinifera Grape Varieties Grafted on Phylloxera-Resistant Rootstocks in California. With George C. Husmann and Elmer Snyder	697	1–64
HUSMANN, GEORGE C.: Testing Vinifera Grape Varieties Grafted on Phylloxera-Resistant Rootstocks in California. With Elmer Snyder and Frederick L. Husmann	697	1–64
HUTCHINS, WELLS A.: Sewage Irrigation as Practiced in the Western States	675	1–60

	Technical Bulletins No.	Page
HUTSON, J. B.: Consumption and Production of Tobacco in Europe	587	1–115
Hydrochloric acid—		
solution, use in washing grapes, effects	606	17
washing solution, effect upon lead spray residues on apples	622	23, 24
Hydrocyanic acid—		
distribution in fumigation chamber containing baled cotton	623	15–25, 44–45
dosage lethal to pink bollworm larvae	623	27–29
fumigation of baled cotton for pink bollworm. A. C. Johnson, George G. Becker, and Lon A. Hawkins	623	1–46
gas, use in fumigating peas, recommendations	599	33–34
removal from fumigated cotton bales	623	25–27
Hydrogen-ion concentration, relation to solubility of boron in soils	696	15–20
Hygrothermographs, use in shipping apples and pears	550	8
Hylemya cilicrura—		
life stages, technical description	723	3–7
See also Seed(s) corn maggot.		
Hymenoptera, collections made by airplane—		
in Louisiana	673	4, 5, 10, 16, 39–51, 58, 73–77, 89–90
in Mexico	673	136, 138
Hyperparasites in oriental fruit moth in Japan and Chosen, extent and importance	728	53–55
Ice—		
cream—		
commercial, production, selected years, 1859–1938	722	45, 71
production and consumption	722	11–12
masses in flowing water, damage to game duck food, and control	634	121–122
meltage rates during loading and precooling cantaloups	730	34–36
salting during precooling of cantaloups, recommendations	730	36–37
supplies and consumption, refrigerator cars	525	45–46
Icing, body, of vegetables in transit refrigeration. E. D. Mallison and W. T. Pentzer	627	1–42
Idaho—		
barley varieties, yields, 1932–36. C. A. Michels, R. E. Knight, and Harland Stevens	735	9–11
cleared sagebrush land, changes in weedy plant cover and their probable causes	654	1–43
land abandoned in, abundance of weeds as hosts of beet leafhopper and associates	607	12–16, 36–42
lettuce production	712	10, 14
north, sap stain, seasonal and regional distribution	714	16
onion production	555	1–5, 8, 13–14
ponderosa pine forests, minor vegetation, list	630	6
Snake River Plains, cultural history	607	2–5
southern—		
beet leafhopper and associated insects, occurrence on secondary plant successions. D. E. Fox	607	1–44
curly top epidemiology, studies with special reference to sugar beets and weed hosts of vector *Eutettix tenellus*. James M. Wallace and Albert M. Murphy	624	1–47
precipitation, effect on weedy plant cover	654	33–36
soil moisture, effect on weedy plant cover	654	36
spring-fall sheep range, influence of climate and grazing. G. W. Craddock and C. L. Forsling	600	1–43

	Technical Bulletins No.	Page
Illinois—		
barley varieties, yields, 1932–36. W. L. Burlison and G. H. Dungan	735	11–12
cabbage production	646	15, 22
onion production	555	2–4, 8, 12
Immer, F. R.: Yields of Barley Varieties, 1932–36: Minnesota	735	18–21
Imperial Valley, California, beekeeping	656	4–5
Inareolata molestae, parasitism in oriental fruit moth larvae in Japan and Chosen	728	10, 17, 21–24
Income—		
and types of farming—		
Barron County, Wis	750	55–57
Dodge County, Wis	750	10–13
family, sources in Knott County, Ky	576	21–25
farm—		
and indices of production and prices, computation methods	703	8–15
estimation methods and sources of data	703	33–123
gross—		
1869–1937	703	14–15, 23–25, 28
and indices of farm production and prices in United States, 1869–1937. Frederick Strauss and Louis H. Bean	703	1–154
indices, 1869–1937	703	31
in Forest County, Wis	687	13–14
gross, from farm production, changes, 1869–1929	703	6
plantation net, definition of term	682	6
Index—		
numbers of prices—		
corn, 1910–34	626	145
cotton, 1910–34	626	142–143
farm products, 1900–1934	626	140
farm, Wisconsin, 1925–37	750	86
fats and oils, wholesale, in United States, 1910–39. Robert M. Walsh	737	1–28
feed, Wisconsin, 1925–37	750	86
potato, 1910–34	626	145
stumpage	626	27, 73, 83, 84, 104, 138, 147
tobacco, 1909–35	626	144
wholesale, 1913–34	626	148
of demand deposits of country banks, construction	575	9–14
Indian Service, land purchases in Forest County, Wis	687	88
Indiana, onion production	555	1–5, 7, 12
Infants, feeding goat's milk, comparison with human milk and cow's milk	671	61–62, 63
Inheritance of—		
butterfat production in Holstein-Friesian cattle at Beltsville, Md	677	1–81
color factors in lettuce, study	620	4–36
milk production in Holstein-Friesian cattle at Beltsville, Md	677	1–81
"Inland Empire"—		
lumber and lumber-log prices, 1913–34	626	135
stumpage prices, analysis and statistics	626	94–98
Insect(s)—		
altitudinal distribution in air, collections in Louisiana	673	12–16
associated with beet leafhopper, occurrence on secondary plant successions in southern Idaho. D. E. Fox	607	1–44
associates of beet leafhopper in Idaho, species, abundance, habits, and importance	607	6–11

	Technical Bulletins No.	Page
Insect(s)—Continued.		
collections by airplane—		
in Louisiana	673	16–93
in Mexico	673	133–139
in upper air, United States and abroad	673	142–143
sources and routes of migration	673	140–141
damage to game duck food plants	634	139
distribution in air—		
P. A. Glick	673	1–151
meteorological factors, studies in Louisiana	673	93–130
food of English sparrow	711	14–21, 35–44
in upper air, collection by airplane, data	673	1–146
mistaken for seed-corn maggot	719	4
population of air, effect of Mississippi River flood of 1927, investigations	673	130–132
seasonal distribution in air, collections in Louisiana	673	9–12
selenium tolerance, investigations	601	68
traps, airplane, types, operation, and efficiency in Louisiana experiments	673	6–9
value as food of game ducks, list, and propagation	634	98–99
wingless, collections by airplane in Louisiana	673	87–90
Insecticides—		
commercial sources, possibilities of devil's shoestring (*Tephrosia virginiana*) and other native species of *Tephrosia*, studies. A. F. Sievers, G. A. Russell, M. S. Lowman, E. D. Fowler, C. O. Erlanson, and V. A. Little	595	1–40
effectiveness against pea weevil, tests	599	38–40
efficacy in control of potato leafhopper on beans, tests	740	2–3, 5–58
ineffectiveness in control of sand wireworms	659	32–34
Insurance—		
fire—		
policy contract, applicability to forest properties	551	7–15
principles applicable to forest properties	551	5–18
types of carriers	551	15–18
forest fire—		
adjustment of losses	551	30–32
application, practical considerations	551	18–32
detailed field analysis	551	56–71
forms for regional use, recommendations	551	119–133
forms for use in Northeast, recommendations	651	22–28
in Northeastern States. H. B. Shepard	651	1–46
in Pacific Coast States. H. B. Shepard	551	1–168
need in United States	551	3–4
rates, proposed schedules	551	155–168
rating schedule, construction	651	38–42, 43–45
rating schedules, construction, recommendations	551	133–155
study	551	33–55
Intermountain Forest and Range Experiment Station, Utah, mountain brome, growth in relation to carbohydrate content	598	2–23
Iodine—		
number of soybean oil, determination, rapid method. Lawrency Zeleny and M. H. Neustadt	748	1–23
value as fungicide in storing sweet cherries, experiments	631	4, 7–8, 11–14
Iowa—		
barley varieties, yields, 1932–36. L. C. Burnett	735	12–13
Clarinda—		
precipitation records	558	10–14
soil and water conservation investigations at Soil Conservation Experiment Station, Missouri Valley loess region. G. W. Musgrave and R. A. Norton	558	1–182
onion production	555	3–4, 7, 10, 13
soil, loessial, description	558	3–4

	Technical Bulletins No.	Page
IRELAND, H. A.: Principles of Gully Erosion in the Piedmont of South Carolina. With C. F. S. Sharpe and D. H. Eargle	633	1–143
Iron—		
deficiency, occurrence and symptoms on field-grown tobacco	612	25, 27
oxide content of sugarcane juices, comparison of varieties	688	41–42
Ironer, household, use, experiments	517	3–6
Ironing, cotton fabrics, effect of variations in pressure and length of exposure upon. K. Melvina Downey and Ruth E. Elmquist	517	1–32
Irrigation—		
canals, flow of water. Fred C. Scobey	652	1–79
crop rotations at Huntley (Mont.) Field Station, 1912–35. Stephen H. Hastings and Dan Hansen	571	1–38
lemon—		
orchards, experiments	640	1–70
trees, differences in interval, effect on fruit growth	640	43–64, 66–67
of cotton, effect on crazy top disorder	515	31–39
practices, citrus orchards of southern California	640	1–2
rotated crops in western Nebraska, 1912–34. Stephen H. Hastings	512	1–36
sewage—		
areas practicing, list	675	60
cost to user	675	47
economic feasibility in West	675	44–54
pollution of ground waters, possibility	675	34–36
practices in Western States. Wells A. Hutchins	675	1–60
public regulation	675	37–39
safeguards and regulations of public-health authorities	675	25–39
State policies concerning	675	28–30, 37–38
supplemental, extension in general farming areas	675	48–49
sugar-beet rotations with applications of farm manure, experiments	614	2–4
systems, notation and nomenclature	652	2–4
water(s)—		
boron content, effect on plants, Central Valley of California	746	9–10
of Hollister area, Calif.—		
analyses	746	24–28
quality. Frank M. Eaton, Roy D. McCallum, and Miles S. Mayhugh	746	1–60
selenium content	530	23
supply, sewage as a source	675	4–8
use	675	8–15
works, primitive, destruction by accelerated run-off on upper Rio Grande watershed	567	14–18
Ischnus spp., parasitism in oriental fruit moth cocoons in Japan and Chosen	728	40–41
Isoptera, collections made by airplane in Louisiana	673	4, 10, 16, 21, 60
Isosoma. See *Harmolita*.		
Italy—		
bread grains, quality and type, and milling and baking practices	535	115–122
Government regulation of grain and milling industries	535	119–120
tobacco statistics, specified years	587	11, 16, 23–25, 92–96, 113–114
Itoplectis epinotiae, parasitism in oriental fruit moth cocoons in Japan and Chosen	728	10, 41–42
JACQUOT, H. D.: Yields of Barley Varieties, 1932–36: Washington. With E. G. Schafer and O. E. Barbee	735	46–48

	Technical Bulletins G.	No.	Page
Japan—			
oriental fruit moth—			
parasites—			
and their introduction into United States. J. Haeussler		728	1–62
collection, rearing, and shipment		728	55–59
species reared		728	9–46
stages, parasitization		728	46–55
parasites of *Popillia japonica* and related Scarabaeidae, investigations, 1929–33		738	1–35
Japanese beetle—			
attractiveness of various grades of geraniol to, relation to physical properties and chemical components. F. W. Metzger and W. W. Maines		501	1–14
control, study in Far East, 1929–33		738	1–35
JARRELL, T. D.:			
Deterioration of Book and Record Papers. With J. M. Hankins and F. P. Veitch		541	1–20
Deterioration of Paper as Indicated by Gas Chamber Tests. With J. M. Hankins and F. P. Veitch		605	1–22
JAYNES, H. A.: Experiments With *Trichogramma minutum* Riley as a Control of the Sugarcane Borer in Louisiana. With E. K. Bynum		743	1–43
Jerusalem-artichoke—			
culture—			
recommendations		514	68–69
studies. Victor R. Boswell, C. E. Steinbauer, M. F. Babb, W. L. Burlison, W. H. Alderman, and H. A. Schoth		514	1–70
levulose content		514	11–14
planting, time, depth, and distances		514	20–51
seed piece, size, studies		514	14–20
tops, harvesting, methods and results		514	51–62
tuber(s)—			
biochemical analysis, methods		657	6–9, 20–21
carbohydrate composition, changes during entrance into rest period		657	14–18
catalase activity during initiation of rest period		657	12–14
chemical composition, effect of temperature treatments		657	35–43
chemical treatments for hastening emergence from rest or sprouting		657	18–19, 21–27
distribution during period of tuberization and entrance into rest		657	9–11
emergence from rest period, experiments		657	18–46
entrance into rest period, experiments		657	6–18
physiological studies with special reference to rest period. Clarence E. Steinbauer		657	1–52
temperature treatments for hastening emergence from rest or sprouting		657	19–20, 27–43
varietal studies. Victor R. Boswell, C. E. Steinbauer, M. F. Babb, W. L. Burlison, W. H. Alderman, and H. A. Schoth		514	1–70
varieties, characteristics, yields, and sugar content		514	7–14
volunteer growth, eradication		514	62–65, 68
JOEL, ARTHUR H.: Soil Conservation Reconnaissance Survey of the Southern Great Plains Wind-Erosion Area		556	1–68
JOHNSON, A. C.: Fumigation of Baled Cotton With Hydrocyanic Acid for the Pink Bollworm. With George G. Becker and Lon A. Hawkins		623	1–46
JOHNSON, ARVID J.: Effect of Cleaning Seed Cotton on Lint Quality and Ginning Efficiency. With Francis L. Gerdes and Charles A. Bennett		663	1–64
JOHNSON, H. W.: Bacterial Wilt of Lespedeza. With T. T. Ayers and C. L. Lefebvre		704	1–23

	Technical Bulletins No.	Page
JOHNSON, V. WEBSTER: A Land Program for Forest County, Wisconsin, Based on an Analysis of Land Use Problems. With Sidney Henderson and James H. Marshall	687	1–112
Joints, lag-screw—		
behavior and design. J. A. Newlin and J. M. Gahagan	597	1–27
safe lateral loads for, calculation	597	24–25
JONES, J. M.: Comparison of Various Forms of Milo Grain for Fattening Steers in the Southern Great Plains. With W. H. Black and F. E. Keating	581	1–16
JONES, JENKIN W.: Fertilizer Experiments With Rice in California. With Loren L. Davis	718	1–22
Jornada Experimental Range, N. Mex., forage-clipping experiment	681	1–31
Juices—		
of different varieties of Louisiana sugarcane, comparative chemical composition. C. A. Fort and Nelson McKaig, Jr	688	1–68
See also under specific kinds.		
Juniper, occurrence in Escalante Valley, Utah	713	26–27
Kafir—		
Dawn, description, history, distribution, and synonyms	506	52
distribution, effect of chinch bug injury	585	5
Dwarf Blackhull, description, history, distribution, and synonyms	506	51
Pearl, description, history, and distribution	506	53
Pink, description, history, and distribution	506	54
Red, description, history, and distribution	506	55
Reed, description, history, and distribution	506	52–53
resistance to chinch bug injury, experiments	585	5–50
Rice, description, history, and distribution	506	53
Standard Blackhull, description, history, distribution, and synonyms	506	49–50
Sunrise, description, history, distribution, and synonym	506	51–52
Texas Blackhull, description, history, and distribution	506	51
Western Blackhull, description, history, and distribution	506	51
White, description, history, distribution, and synonym	506	53–54
KALMBACH, E. R.: Economic Status of the English Sparrow in the United States	711	1–66
Kansas—		
barley varieties, yields, 1932–36. H. H. Laude, A. F. Swanson, and E. H. Coles	735	13–16
Colby agricultural substation, subsoil moisture experiments	637	57–65
Ft. Hays agricultural substation, subsoil moisture experiments	637	47–57
native grasses, drought survival, 1935	549	2–3, 4–5, 20, 36, 44, 46–49
sewage-irrigation policy	675	29
soils—		
loessial, description	558	6
selenium content	530 601	24–57 4–5
sorghums, resistance to chinch bugs	585	1–52
vegetation, selenium content	530	25–57
wind-erosion area, soil conservation reconnaissance survey	556	1–68
Kansas City lettuce market, description	712	60
Kaoliang, Manchu Brown, description, history, distribution, and synonyms	506	55–56
Kaolin, grinding with soil, effect on boron fixation and exchange reactions	696	46–47
Katathermometer, use in dairy stables	591	28
KEARNS, VIVIAN:		
Relation of Temperature and Moisture Content to Longevity of Chewings Fescue Seed. With E. H. Toole	670	1–27
Temperature and Other Factors Affecting the Germination of Fescue Seed. With E. H. Toole	638	1–36

	Technical Bulletins No.	Page
KEATING, F. E.: Comparison of Various Forms of Milo Grain for Fattening Steers in the Southern Great Plains. With W. H. Black and J. M. Jones	581	1–16
Keith silt loam—		
analyses, mechanical and chemical	502	26–28
description	502	6–7
KELLEY, M. A. R.: Relation of Stable Environment to Milk Production. With I. W. Rupel	591	1–60
Kelvin—		
gravelly loam—		
analyses, mechanical and chemical	502	40–43
description	502	13
sandy loam—		
analyses, mechanical and chemical	502	40–43
description	502	13
KEMP, W. B.: Yields of Barley Varieties, 1932–36: Maryland. With R. G. Rothgeb	735	17
KENNEDY, MARY H.: Toxicity of Food Containing Selenium as Shown by Its Effect on the Rat. With Hazel E. Munsell and Grace M. DeVaney	534	1–26
Kentucky, Knott County—		
families, analytical data	576	8–19
family living in. Faith M. Williams, Hazel K. Stiebeling, Idella G. Swisher, and Gertrude Schmidt Weiss	576	1–69
topography and population trends	576	6–8
KETTERING, JAMES H.: The Sterilization of Wool and Its Effect on Physical and Chemical Properties of a Wool Fabric. With Harry Humfeld and Ruth E. Elmquist	588	1–27
KEZER, ALVIN: Yields of Barley Varieties, 1932–36: Colorado. With D. W. Robertson, D. W. Koonce, and J. J. Curtis	735	6–8
KIESSELBACH, T. A.: Yields of Barley Varieties, 1932–36: Nebraska. With W. E. Lyness, L. L. Zook, and Lionel Harris	735	25–27
KING, B. M.: Yields of Barley Varieties, 1932–36: Missouri	735	21–23
KING, C. J.:		
The Effect of Crazy Top Disorder on Cotton Plants and Its Control by Irrigation Management. With Claude Hope and Orlan Parker	515	1–44
Yields of Barley Varieties, 1932–36: Arizona. With R. S. Hawkins and A. T. Bartel	735	3–4
KLAGES, K. H.: Yields of Barley Varieties, 1932–36: South Dakota. With S. P. Swenson, A. N. Hume, and Beyer Aune	735	43–42
Klamath region, Oregon, stumpage prices, analysis and statistics	626	85, 90–91
KNIGHT, ELMER W.: Subsoil Waters of Newlands (Nev.) Field Station. With Carl S. Scofield and C. Lloyd Moon	533	1–31
KNIGHT, R. E.: Yields of Barley Varieties, 1932–36: Idaho. With C. A. Michels and Harland Stevens	735	9–11
Kohlrabi, treatment by carbon dioxide, experiments	519	17
KOONCE, D. W.: Yields of Barley Varieties, 1932–36: Colorado. With Alvin Kezer, D. W. Robertson, and J. J. Curtis	735	6–8
KOPLAND, D. V.:		
Feeding Dairy Cows on Alfalfa Hay Alone. With R. R. Graves, J. R. Dawson, A. L. Watt, and A. G. Van Horn	610	1–47
Relative Values for Milk Production of Hay and Silage Made From Immature Pasture Herbage. With R. R. Graves and J. R. Dawson	649	1–32
Yield, Chemical Composition, and Feeding Value for Milk Production of Alfalfa Hay Cut at Three Stages of Maturity. With J. R. Dawson and R. R. Graves	739	1–52
KOTOK, E. I.: Principles of Forest-Fire Detection on the National Forests of Northern California. With S. B. Show	574	1–32
KRAEBEL, C. J.: Effect of Accelerated Erosion on Silting in Morena Reservoir, San Diego County, Calif. With F. F. Barnes and R. S. LaMotte	639	1–22

	Technical Bulletins No.	Page
Labiateae, response to length of day	727	39–45
Labor—		
beekeeping, statistics for California, 1933	656	12–14, 24–26
costs for tractor logging, southern pines	700	13–14, 15
use on plantations, Yazoo-Mississippi Delta area	682	50–54, 56–73, 79–86, 87
Laborer(s), wage—		
cost to plantation operator, Yazoo-Mississippi Delta area	682	50–52
on plantations, meaning of term	682	6
Lactuca sativa. *See* Lettuce.		
Lakes—		
fluctuating water levels, damage to game duck food, and control	634	116–118
region, stumpage prices, analysis and statistics	626	45–49, 75–79, 109, 125
waterfowl, silting, causes and control	634	123–124
LAKIN, H. W.:		
Selenium Occurrence in Certain Soils in the United States, With a Discussion of Related Topics; Fourth Report. With K. T. Williams and Horace G. Byers	702	1–60
Selenium Occurrence in Certain Soils in the United States, With a Discussion of Related Topics: Third Report. With Horace G. Byers, John T. Miller, and K. T. Williams	601	1–75
Lambs—		
blood serums, proteins, studies	661	22, 28–29
feeding—		
cow's colostrum as substitute for ewe's colostrum, experiments	661	17–18, 24–26, 29
dried skim milk after ewe's colostrum, experiments	661	27–29
dried cow's milk from birth, experiments	661	23–24
fresh milk as substitute for colostrum, experiments	661	23
methods, experiments	661	19–21
sheep serum followed by dried whole cow's milk, experiments	661	26–27, 29
management for feeding experiments	661	21–22
production—		
influence of climate, experiments	600	19–21
price, and—		
gross income, 1869–1937	703	122–123
income, estimation methods and source of data	703	121–122
rearing by use of colostrum, blood serum, and substitute milks. J. A. Gamble, I. P. Earle, and Paul E. Howe	661	1–35
slaughter, production—		
entering into gross income, 1869–1937	703	134, 136
indices, 1869–1937	703	135, 137
LA MOTTE, R. S.: Effect of Accelerated Erosion on Silting in Morena Reservoir, San Diego County, Calif. With F. F. Barnes and C. J. Kraebel	639	1–22
LANCHESTER, H. P.: The External Anatomy of the Larva of the Pacific Coast Wireworm	693	1–40
Land(s)—		
abandoned, in Idaho, abundance of weeds as host plants of beet leafhopper and associates	607	12–16, 36–42
area of United States, classes and acreage	626	2–3
classification in Forest County, Wis	687	50–60
county-owned, handling in Forest County, Wis	687	89–92
fallowed, spring wheat yield, relation to annual precipitation in Great Plains, experiments	636	26–28
forest. *See* Forest land(s).		
irrigable, survey for sewage utilization	675	15–22

	Technical Bulletins No.	Page
Land(s)—Continued.		
longleaf pine—		
dual use, experiments in Mississippi	683	2–52
effects of fire and cattle grazing on, studies at McNeill, Miss. W. G. Wahlenberg, S. W. Greene, and H. R. Reed	683	1–52
organization—		
in Yazoo-Mississippi Delta area	682	19–23
relation to crop production per tenant family, Yazoo-Mississippi area	682	40–41
problems, development in Forest County, Wis	687	4–49
program for Forest County, Wisconsin, based on analysis of land use problems. V. Webster Johnson, Sidney Henderson, and James H. Marshall	687	1–112
public acquisition and management in Forest County, Wis	687	86–92, 104, 108–111
publicly owned, policies	687	104
purchases—		
by Indian Service in Forest County, Wis	687	88
of Bureau of Agricultural Economics in Forest County, Wis	687	74–75, 80–85, 88–89
of Forest Service in Forest County, Wis	687	66, 70, 74, 87
range. *See* Range land(s).		
recreational use in Forest County, Wis	687	18–20
resources, upper Rio Grande watershed, relation to soil erosion and stream flow on range and forest lands. Charles K. Cooperrider and Barnard A. Hendricks	567	1–88
rural, taxable, major uses in Forest County, Wis., 1927–36	687	7
sagebrush, cleared, weedy plant cover on, changes and their probable causes. R. L. Piemeisel	654	1–44
sloping, relation to wind erosion	556	40–42
taxation, problems in Forest County, Wis	687	20–33
use—		
adjustment, policies and programs in Forest County, Wis	687	50–98, 99–105
classification, recommendations for Forest County, Wis	687	100–101
in South Carolina Piedmont, past and present	633	31–37
problems, analysis, basis of land program for Forest County, Wis. V. Webster Johnson, Sidney Henderson, and James H. Marshall	687	1–112
problems in Forest County, Wis	687	4–20
readjustment for erosion control	556	50–53, 56–57
relation to—		
erodibility	556	37–39
erosion	556	32–34, 67–68
Federal seed-loan financing. Norman J. Wall	539	1–60
ratio of assessed to true value in Forest County, Wis	687	32–33
tax delinquency in Forest County, Wis	687	30–32
upper Rio Grande watershed, studies	567	79–83, 85
LANDIS, B. J.: *Paradexodes epilachnae*, a Tachinid Parasite of the Mexican Bean Beetle. With N. F. Howard	721	1–32
LANGSFORD, E. L.: Plantation Organization and Operation in the Yazoo-Mississippi Delta Area. With B. H. Thibodeaux	682	1–92
LANSDON, H. I.: Blast-Furnace Processes for the Production of Phosphatic and Potassic Fertilizer Materials. With P. H. Royster, K. G. Clark, T. P. Hignett, L. E. Bowe, J. C. Southard, and J. W. Turrentine	543	1–75
Larch-fir stands in ponderosa pine forests—		
intensive forestry measures	511	80
slash disposal	511	28
Lards, nutritive properties, experiments	725	1–11

	Technical Bulletins No.	Page
LARSON, A. O.:		
Biology of the Pea Weevil in the Pacific Northwest With Suggestions for Its Control on Seed Peas. With T. A. Brindley and F. G. Hinman	599	1–48
The Bean Weevil and the Southern Cowpea Weevil in California. With C. K. Fisher	593	1–71
Larva of Pacific Coast wireworm, external anatomy. H. P. Lanchester	693	1–40
LATTA, RANDALL: Vapor-Heat Treatment for the Control of Narcissus Bulb Pests in the Pacific Northwest	672	1–54
Latvia, tobacco statistics, specified years	587	60–61, 113–114
LAUDE, H. H.: Yields of Barley Varieties, 1932–36: Kansas. With A. F. Swanson and E. H. Coles	735	13–16
LAURITZEN, J. I.: Windrowing and Storing of Sugarcane in Louisiana Following Injury by Freezing Temperatures. With Charles A. Fort and R. T. Balch	736	1–44
LAWSON, F. R.: Types of Vegetation in the San Joaquin Valley of California and Their Relation to the Beet Leafhopper. With R. L. Piemeisel	557	1–28
Lead—		
arsenate, spray residues, removal from apples, experiments	622	1–30
poisoning of ducks, cause, extent, and importance	643	39
spray residues, removal from apples grown in Shenandoah-Cumberland Valley. M. H. Haller, C. C. Cassil, C. W. Murray, J. H. Beaumont, and Edwin Gould	622	1–32
Leafhopper—		
Empoasca fabae, control as bean pest, studies of methods and materials. Dwight M. DeLong	740	1–64
ovicides, efficiency tests	740	3–4
Leathers—		
industry, tannin consumption	566	2–5
sole, tanned with western hemlock, durability tests	566	36–37
Lebanon soil series, derivation and description of profile	678	8–9, 25–26
LEFEBVRE, C. L.: Bacterial Wilt of Lespedeza. With T. T. Ayers and H. W. Johnson	704	1–23
Legumes—		
growing on longleaf pine lands at McNeill, Miss., list	683	52
silage—		
feeding value, experiments	611	24–26
from, methods of making. T. E. Woodward and J. B. Shepherd	611	1–34
making, experiments	611	16–23, 28–30
winter, production in Yazoo-Mississippi Delta area	682	70–72
Leguminosae, response to length of day	727	39–45
LEITH, B. D.: Yields of Barley Varieties, 1932–36: Wisconsin. With E. J. Delwiche	735	49–52
Lemon(s)—		
bud selection—		
and progeny tests of bud variations	531	1–42
commercial importance	531	41
bud variations—		
frequency and significance	531	4
progeny tests	531	17–19
commercial quality of different strains	531	38–39
Eureka—		
bud selection and progeny tests of bud variations. A. D. Shamel, C. S. Pomeroy, and R. E. Caryl	531	1–44
strains, progeny data	531	20–26
variations, descriptions of strains	531	5–10
fruits—		
apparent growth rates, aid in irrigating trees	640	67–68
growth—		
effect of differences in irrigation interval	640	43–64, 66–67
in relation to moisture content of soil. J. R. Furr and C. A. Taylor	640	1–72
relation to moisture content of soil, experiments	640	21–37

	Technical Bulletins No.	Page
Lemon(s)—Continued.		
leaves, accumulation of boron in, association with soil-solution concentrations	696	34–38
Lisbon—		
bud selections and progeny tests of bud variations. A. D. Shamel, C. S. Pomeroy, and R. E. Caryl	531	1–44
strains, progeny data	531	27–38
variations, descriptions of strains	531	10–17
orchards—		
irrigation experiments	640	1–70
soil moisture determinations	640	16–21
tree(s)—		
inferior strains, elimination	531	40–41
irrigation interval, differences, effect on fruit growth	640	43–64, 66–67
moisture deficit, determination	640	67
progeny, performance records	531	19–20
relative inherent stability	531	39–40
response to soil-moisture conditions, measurements	640	12–16
root distribution, variability, effect on rates of extraction of soil moisture	640	16–21
size, effect of water storage	640	65–66
Lepidoptera, collections made by airplanes—		
in Louisiana	673	4, 5, 10, 16, 38–39, 71–73, 91
in Mexico	673	135
Lespedeza, bacterial wilt—		
T. T. Ayers, C. L. Lefebvre, and H. W. Johnson	704	1–23
causal organism, studies	704	2–20
control measures, recommendations	704	20–21
occurrence and description	704	1–2
Lettuce—		
anthocyanin—		
color types, description	620	9–10
factors for, genetic relations	620	9–10, 24–25
chlorophyll—		
characters exhibiting Mendelian inheritance	620	27–31
deficiency exhibiting non-Mendelian inheritance	620	31–33
color—		
characters, factors causing variation	620	10–11
factors, genetic relations. Ross C. Thompson	620	1–38
types, genetic analysis	620	11–21
types, separation	620	11
commercial—		
acreage, yield, and production	712	5–8
marketing. Raymond L. Spangler	712	1–82
production	712	1–2
types and varieties	712	2–5
crop, financing, methods	712	32–34
crop movement by months	712	40–45
depollination and hybridization	620	5–9
diseases, effect of carbon dioxide treatments	519	17–18
freezing in transit, influence of low-temperature body ice	627	25–27
genetic relations of some color factors. Ross C. Thompson	620	1–38
grading, sizing, and packing	712	18–26
harvesting practices	712	15–18
hybrids, linkage, evidence of, investigations	620	21–24, 25–26
inheritance of chlorophyll characters	620	27–33
inspection, Federal-State	712	26–29
markets—		
city, description	712	53–63
city, distribution methods and channels	712	51–53
information, sources and nature	712	36–37
supplies, source	712	45–51

	Technical Bulletins No.	Page
Lettuce—Continued.		
prices in—		
city markets	712	73–79
producing districts	712	63–73
producing areas and districts, important, description	712	8–15
production, costs	712	32–34
refrigeration—		
in transit by body icing	627	4–29
practices and costs	712	30–32
sale methods in producing districts	712	34–36
seed—		
age, relation to dormancy	655	3–4
color, inheritance studies	620	34–36
color, types and genetics	620	34–36
germination, factors influencing, and dormancy. Ross C. Thompson	655	1–20
shipments—		
carlot, boat, and motortruck	712	37–40
distribution	712	45–51
trade, foreign	712	51
transportation costs	712	29–32
Leukel, R. W.:		
Further Experiments on the Control of Barley Smuts	513	1–12
Seed Treatment Experiments With Oats Naturally and Artificially Inoculated With Smuts	568	1–16
Studies on Bunt, or Stinking Smut, of Wheat and Its Control	582	1–48
Levulose content of Jerusalem-artichoke	514	11–14
Lewis, M. R.: Rate of Flow of Capillary Moisture	579	1–30
Light—		
effect on germination of fescue seed, experiments	638	8, 12, 15, 24, 28, 29, 32–33
influence on germination of dormant lettuce seed	655	4–14, 16–18, 19
intensity, effect upon insects in upper air, experiments	673	122–126
response of various species of plants to, experiments	727	1–64
Lima beans. *See* Bean(s), lima.		
Lime—		
content of sugarcane juices, comparison of varieties	668	31–33
sulfur spray, efficacy in control of potato leaf-hopper on beans, experiments	740	32–34, 38–40, 42–43
Limestone, soils derived from, chemical study. Lyle T. Alexander, Horace G. Byers, and Glen Edgington	678	1–27
Limonius californicus—		
dissemination	744	8–9
distribution and nature of injury	744	2–8
elaterids associated with	744	13–14
life history—		
stages, description	744	10–12
studies	744	14–82
natural control	744	83–84
oviposition studies	744	67–78
seasonal history	744	82–83
Lindgren, Ralph M.: Stains of Sapwood and Sapwood Products and Their Control. With Theodore C. Scheffer	714	1–124
Linseed—		
meal, prices at Minneapolis, by months, 1929–36	619	21
oil—		
production in United States, 1928–36	619	15
raw, prices at Minneapolis, 1929–36	619	20
See also Flaxseed oil.		
Liriodendron tulipifera. *See* Poplar, yellow.		
Lithuania, tobacco statistics, specified years	587	60, 62, 113–114

	Technical Bulletins No.	Page
LITTLE, V. A.: Studies on the Possibilities of Devil's Shoestring (*Tephrosia virginiana*) and Other Native Species of *Tephrosia* as Commercial Sources of Insecticides. With A. F. Sievers, M. S. Lowman, E. D. Fowler, and C. O. Erlanson	595	1–40
Livestock—		
loans secured by	521	29, 30, 32–35, 38, 40–56
pasturage on sewage,irrigated fields, regulations	675	34
poisoning by arrowgrass, investigations in Utah	580	1–16
production—		
in Wisconsin, 1925–38, statistics	750	85, 88, 90, 92
southern Great Plains wind-erosion area, 1930 and 1935	556	65
Living, family. *See* Family(ies) living.		
Loams. *See* under specific series.		
Loans—		
agricultural—		
classified by type of bank	521	49–56
from federally sponsored agencies, data, 1923–36	575	21–27
held by banks—		
factors affecting	521	8–27
in towns and cities of various population groups	521	37–49
trends	521	2–8
held on December 31, 1934, classification by type of security	521	29–37
of commercial banks. Norman J. Wall	521	1–56
relation to rural buying power	521	27–29
bank—		
refunding into long-term obligations	521	17–21
relation to price level	521	9–17
personal and collateral, trends	521	3–6
Locust—		
black—		
bark type, determination, standardized procedure	742	21–22
common forms, distinguishing from shipmast on Long Island, N. Y., methods. Henry Hopp	742	1–24
shipmast—		
distinguishing from common forms of black locust on Long Island, N. Y., methods. Henry Hopp	742	1–24
superiority to common forms of black locust	742	2
trees—		
mature, characters, differentiation	742	5–16
young, characters, differentiation	742	16–19
Log(s)—		
prices—		
comparison with prices of stumpage	626	98–117
records, comparison with those of stumpage and lumber	626	13–14
relation to prices of other commodities	626	135–147
southern pine—		
short, loading costs	700	34–36
skidding—		
costs for selected cases in South, East, and West, comparison	700	31–34
costs, studies	700	2–63
time and cost by tree size and distance	700	22–31
stored, sap-stain control	714	86–95
treatments for sap stain, commercial use and cost	714	93–95
Logging—		
damage to reserve stand, southern pine	700	37–38
methods, Douglas-fir region of western Oregon and Washington	706	2–3
practice and timber growing in ponderosa pine in Northwest. R. H. Weidman and Ferdinand A. Silcox	511	1–92

	Technical Bulletins No.	Page
Logging—Continued.		
southern pine—		
cost tables	700	40–63
equipment and methods	700	5–7
tractor, in southern pine, costs. Robert E. Worthington	700	1–64
Longevity, Chewnings fescue seed, relation of temperature and moisture content to. Vivian Kearns and E. H. Toole	670	1–27
Los Angeles lettuce market, description	712	61–62
Louisiana—		
cabbage production	646	14, 20–21
field cricket, relation to cotton plant. J. W. Folsom and P. A. Woke	642	1–28
insects, spiders, and mites, distribution in air, airplane study	673	1–146
Madison Parish, terrain, description	673	6
onion production	555	2–5, 7, 9
soil conditions, influence on pythium root rot of sugarcane	666	61–67
sugarcane—		
borer, control by *Trichogramma minutum*, experiments. H. A. Jaynes and E. K. Bynum	743	1–43
industry, decline and recovery, causes	666	1–2
red rot, studies	641	1–8, 11–22, 38, 39, 40, 41, 44, 46–69, 80, 87, 88, 90–91
windrowing snd storing following injury by freezing temperatures. J. I. Lauritzen, Charles A. Fort, and R. T. Balch	736	1–44
weather, effect on pythium root rot of sugarcane	666	49–52
Louisiana Agricultural Experiment Station, cooperative work with sugarcane borer control	743	39–40
Love, H. H.: Yields of Barley Varieties, 1932–36: New York. With W. T. Craig	735	30
Lowman, M. S.: Studies on the Possibilities of Devil's Shoestring (*Tephrosia virginiana*) and Other Native Species of *Tephrosia* as Commercial Sources of Insecticides. With A. F. Sievers, G. A. Russell, E. D. Fowler, C. O. Erlanson, and V. A. Little	595	1–40
Lumber—		
burns, prevention	714	5
consumed—		
in Middle Atlantic region for specified years, source	626	154
in New York for specified years, source	626	154
dipping for sap-stain control	714	82–86
export stock, sap-stain control	714	86
interior sap stain, description, cause, and control	714	26–27
moisture content, relation to use for glued laminated construction	691	60–61
mold, chemical control	714	42, 63
prices—		
comparison with prices of stumpage	626	117–135
records, comparison with those of logs and stumpage	626	13–14
relation to prices of other commodities	626	135–147
production, national, relation to price and consumption	626	151–155
sap stain—		
chemical control, experiments	714	39–67, 116–121
chemical control, recommendations	714	67–84, 87–93
contrast with decay	714	13
control in South, commercial aspects	714	34–40
development in, factors influencing	714	16–22
seasonal and regional distribution, factors affecting	714	13–16
treatment, effect on individual boards in seasoning pile	714	95–105

	Technical Bulletins No.	Page
Lumber—Continued.		
seasoning piles, construction and arrangement	714	76–81
softwood, influence of compression wood in	546	26–29
types, susceptibility to sap stain, factors affecting	714	20–22
weather stain, description	714	7
LUNN, W. M.: Control of the Blue Mold (Downy Mildew) Disease of Tobacco by Spraying. With Edward E. Clayton, John G. Gaines, T. E. Smith, and K. J. Shaw	650	1–23
LUTZ, J. M.:		
Certain Chemical and Physical Changes Produced in Kieffer Pears During Ripening and Storage. With C. W. Culpepper	590	1–37
Comparative Studies of Varietal Suitability for Freezing Preservation of Peas, Green or Snap Beans, Lima Beans, and Sweet Corn Grown Under Eastern Conditions. With Joseph S. Caldwell, H. H. Moon, and C. W. Culpepper	731	1–72
Factors Influencing the Quality of American Grapes in Storage	606	1–27
Influence of Packing and Handling Methods on Condition of Apples Barreled for Export. With Paul L. Harding and Dean H. Rose	559	1–26
LUXFORD, R. F.: Structure, Occurrence, and Properties of Compression Wood. With M. Y. Pillow	546	1–32
Lygus—		
control in Southwest, experiments	741	17–18
economic importance in alfalfa seed production	741	7–10
elisus—		
abundance and hosts in southern Idaho	607	10, 14–16, 24–25, 28–31, 33, 39
damage to alfalfa seed in southern Arizona and California	741	1–2
study, history	741	3–4
hesperus—		
damage to alfalfa seed in southern Arizona and California	741	1–2
infestation of alfalfa seed crop	741	14
life history	741	14–17
injury to alfalfa seed, character	741	5–7
natural enemies in Southwest	741	17
pratensis oblineatus—		
damage to alfalfa seed in southern Arizona and California	741	1–2
study, history	741	4
seasonal activity and populations in relation to plant development	741	10–14
spp., distribution in Southwest	741	2–3
spp., host plants in Southwest	741	4–5
three species and their relation to alfalfa seed production in southern Arizona and California. Loyd L. Stitt	741	1–19
LYNESS, W. E.: Yields of Barley Varieties, 1932–36: Nebraska. With T. A. Kiesselbach, L. L. Zook, and Lionel Harris	735	25–27
Macaroni manufacture in Italy, investigation	535	121
MACGILLIVRAY, JOHN H.: Market Quality and Condition of California Cantaloups as Influenced by Maturity, Handling, and Precooling. With W. T. Pentzer and James S. Wiant	730	1–74
Machine(s) for—		
placing fertilizers for potatoes, construction and operation	669	2–6, 10–16
testing textile sizing, description and use	674	5–8
Machinery—		
cotton-cleaning, description and use	663	5–39, 43–63
farm, operation on terraced areas	558	87–93
Macrocentrus thoracicus, parasitism in oriental fruit moth larvae in Japan and Chosen	728	10, 15–17

	Technical Bulletins No.	Page
MADSON, B. A.: Yields of Barley Varieties, 1932–36: California. With C. A. Suneson	735	5
Magazine papers, deterioration, examination	541	2–20
Magnesia content of sugarcane juices, comparison of varieties	688	33–35
Magnesium—		
content of irrigation water, effect on crops	746	10
deficiency, symptoms on field-grown tobacco	612	12–16, 27
Magnetite, boron fixation, experiments	696	40–42
Maine, potato—		
crop, handling, practices	615	1–3
storage houses, studies. A. D. Edgar	615	1–47
MAINES, W. W.: Relation Between the Physical Properties and Chemical Components of Various Grades of Geraniol and Their Attractiveness to the Japanese Beetle. With F. W. Metzger	501	1–14
MALLISON, E. D.:		
Body Icing in Transit Refrigeration of Vegetables. With W. T. Pentzer	627	1–42
Protection of Apples and Pears in Transit From the Pacific Northwest During the Winter Months. With E. A. Gorman, Jr., and W. V. Hukill	550	1–55
Mammals—		
control of pocket mice	608	5–6
seed-eating—		
abundance in Douglas-fir region, effect of slash burning, experiments	706	13–17
importance in Douglas-fir region of western Oregon and Washington	706	5–11
Manateegrass, value as game duck food	634	35
Manganese—		
content of sugarcane juices, comparison of varieties	688	43–44
deficiency, symptoms on field-grown tobacco	612	21–22, 27
MANGELSDORF, P. C.: Yields of Barley Varieties, 1932–36: Texas. With P. B. Dunkle and I. M. Atkins	735	43–44
Manitoba, barley varieties, yields, 1932–36	735	57–59
MANN, C. W.: Refrigeration of Oranges in Transit From California. With William C. Cooper	505	1–88
Mannagrass, value as game duck food, and propagation	634	13, 44
Manor—		
loam—		
analyses, mechanical and chemical	609	28–29
colloid, chemical analysis and derived data	609	29–31, 46
description	609	8
soil series, description	609	7–8
Manure, farm—		
applications to sugar beets, variations in rate and time, results	614	4–6
computed value for sugar beets	614	6–8
influence on yields and sucrose of sugar beets. Stephen H. Hastings, S. B. Nuckols, and Lionel Harris	614	1–12
Maple—		
mineral stain, occurrence, description, and causes	714	5–6
volume tables	560	66, 73, 79
Marasmius stenophyllus, association with *Pythium arrhenomanes* on sugarcane roots	666	11, 20–21
Mare—		
blood serum—		
preparation for feeding foals, methods	661	7
proteins, observations	661	12–13
substitution for colostrum in feeding foals, experiments	661	14
milk, substitution of dried-cow's-milk mixtures for in feeding foals, experiments	661	8–9, 14–16
Marestail, food of game ducks, and propagation	634	92

	Technical Bulletins No.	Page
Market(s)—		
information on onions	555	32–33
receipts, butter and cheese, for intercensal years 1869–1929, basis of estimates of production	722	26
storage studies of Honey Dew melons and cantaloups. James S. Wiant	613	1–19
MARSH, R. E., foreword to—		
Costs of Tractor Logging in Southern Pine	700	1–2
Forest Fire Insurance in the Northeastern States	651	[I–II]
Marsh(es)—		
drainage, effect on waterfowl, and control	634	140–141
fluctuating water levels, effect on game duck foods, and control	634	116–118
plants. *See* Plant(s), marsh.		
MARSHALL, James H.: A Land Program for Forest County, Wisconsin, Based on an Analysis of Land Use Problems. With V. Webster Johnson and Sidney Henderson	687	1–112
MARTIN, A. C.: Food of Game Ducks in the United States and Canada. With F. M. Uhler	634	1–157
MARTINI, J. H.: Identification, History, and Distribution of Common Sorghum Varieties. With H. N. Vinall and J. C. Stephens	506	1–102
MARTINI, M. L.: A study of Methods in Barley Breeding. With H. V. Harlan and Harland Stevens	720	1–25
Maryland—		
barley varieties, 1932–36. R. G. Rothgeb and W. B. Kemp	735	17
Beltsville—		
grazing, method and rate, effect on beef production and plant population of pastures. M. A. Hein and A. C. Cook	538	1–35
Jerusalem-artichoke, rest period, experiments	657	6–48
precipitation, 1929–35, records	660	14
See also United States Dairy Experiment Station.		
Massachusetts, onion production	555	1–4, 7, 10
MATHEWS, O. R.:		
Comparison of Feeds for Wintering Steers in the Northern Great Plains. With W. H. Black	565	1–10
Effect of Different Methods of Grazing on Native Vegetation and Gains of Steers in Northern Great Plains. With W. H. Black, A. L. Baker, and V. I. Clark	547	1–19
Subsoil Moisture Under Semiarid Conditions. With John S. Cole	637	1–71
MATLACK, M. B.: Composition and Fractionation of American Steam-Distilled Wood Turpentine. With S. Palkin and T. C. Chadwick	596	1–30
Maury soil series—		
comparison with Hagerstown series	678	24
occurrence and description of profile	678	4–5
MAYHUGH, MILES S.: Quality of Irrigation Waters of the Hollister Area of California. With Frank M. Eaton and Roy D. McCallum	746	1–60
McCALLUM, ROY D.: Quality of Irrigation Waters of the Hollister Area of California. With Frank M. Eaton and Miles S. Mayhugh	746	1–60
McCARTY, EDWARD C.: The Relation of Growth to the Varying Carbohydrate Content in Mountain Brome	598	1–24
McCLELLAND, C. K.: Yields of Barley Varieties, 1932–36: Arkansas	735	4–5
McCOLLOCH, L.: Stickiness and Spotting of Shelled Green Lima Beans. With Charles Brooks	625	1–24
McCOLLOCH, L. P.: Transit and Storage Diseases of Fruits and Vegetables as Affected by Initial Carbon Dioxide Treatments. With Charles Brooks and C. O. Bratley	519	1–24

	Technical Bulletins No.	Page
McComas, E. W.: Relative Merits of Producing Creep-Fed, Feeder, and Lot-Fattened Calves in the Appalachian Region. With C. V. Wilson	664	1–12
McKaig, Nelson, Jr.: Comparative Chemical Composition of Juices of Different Varieties of Louisiana Sugarcane. With C. A. Fort	688	1–68
McKee, Clyde: Yields of Barley Varieties, 1932–36: Montana. With W. B. Nelson, M. A. Bell, J. L. Sutherland, and Dan Hansen	735	23–25
McMurtrey, J. E., Jr.: Symptoms on Field-Grown Tobacco Characteristic of the Deficient Supply of Each of Several Essential Chemical Elements	612	1–31
McNamara, Homer C.: Differential Growth Rates in Cotton Varieties and Their Response to Seasonal Conditions at Greenville, Tex. With Dalton R. Hooton and Dow D. Porter	710	1–44
Meat animals. *See* Animal(s), meat.		
Mecoptera, collections made by airplane in Louisiana	673	4, 10, 16, 38, 71
Melanconium sp., development, temperature studies	520	4–8
Melon(s)—		
diseases, effect of carbon dioxide treatments	519	11–12
Honey Ball—		
alternaria rot, investigations	573	18–21
blue mold rot, investigations	573	41–42
cladosporium rot, investigations	573	21–25
fusarium rot, investigations	573	4–13
market diseases, investigations. James S. Wiant	573	1–48
rhizopus soft rot, investigations	573	13–18
Honey Dew—		
alternaria rot, investigations	573	18–21
anthracnose rot, investigations	573	39–41
aspergillus rot, investigations	573	42–43
bacterial soft rot, investigations	573	38–39
blue mold rot, investigations	573	41–42
charcoal rot, investigations	573	28–32
cladosporium rot, investigations	573	21–25
diplodia rot, investigations	573	32–36
fusarium rot, investigations	573	4–13
gray mold rot, occurrence	573	43
low-temperature break-down, storage tests	613	4, 6–10
low-temperature break-down, symptoms	613	4–5
market diseases, investigations. James S. Wiant	573	1–48
market-storage studies. James S. Wiant	613	1–19
monilia rot, occurrence	573	43
mucor rot, investigations	573	42
pink mold rot, investigations	573	36–38
phytophthora rot, investigations	573	25–28
rhizopus soft rot, investigations	573	13–18
storage diseases, tests, methods and results	613	3–10, 15–17
storage precautions	613	17
market diseases, investigations	573	1–44
See also Cantaloups; Muskmelons.		
Merchandise, general, dollar sales in small towns and rural areas, index	575	19, 26
Mercury, chlorophenol, efficacy against damping-off of snap beans, experiments	647	17–21
Merisus—		
destructor—		
importance as parasite of hessian fly	689	5, 11
remains left in hessian fly puparium, description	715	8
febriculosus—		
habits and importance as hessian fly parasite	689	5, 11–12
remains left in hessian fly puparium, description	715	8–9
mordellistenae, remains left in hessian fly puparium, description	715	9

	Technical Bulletins No.	Page
Mermaidweeds, food of game ducks, and propagation	634	91–92
Merodon equestris, seasonal history and control by vapor-heat treatment	672	7–9
Metabolism—		
energy, chick embryos, effect of—		
temperature, humidity, and other factors on. H. G. Barott	553	1–46
various factors on	553	19–40, 41–43
water, of incubating egg, experiments	553	32–34, 41–43
Metals, effect on coloration of beeswax, experiments	716	8–10
Meteoridea n. sp., parasitism in oriental fruit moth cocoons in Japan and Chosen	728	10, 30
Meteorus ictericus, parasitism in oriental fruit moth in Japan	728	10, 17
METZGER, F. W.: Relation Between the Physical Properties and Chemical Components of Various Grades of Geraniol and Their Attractiveness to the Japanese Beetle. With W. W. Maines	501	1–14
Mexico—		
insect collections made by airplane	673	133–139
selenium—		
problem	702	35–36
reconnaissance	702	36–48
MEYER, WALTER H.:		
Yield of Even-Aged Stands of Ponderosa Pine	630	1–60
Yield of Even-Aged Stands of Sitka Spruce and Western Hemlock	544	1–86
MEYERS, MARION T.: Experiments on Breeding Corn Resistant to the European Corn Borer. With L. L. Huber, C. R. Neiswander, F. D. Richey, and G. H. Stringfield	583	1–30
Mice—		
pocket—		
activity periods	608	6–8
description, disposition, and natural enemies	608	3–6
distribution, habitat, and associates	608	2–3
of Washington and Oregon in relation to agriculture. Theo. H. Scheffer	608	1–16
white-footed, importance as seed eaters in Douglas-fir region	706	5–9, 13–17
MICHELS, C. A.: Yields of Barley Varieties, 1932–36: Idaho. With R. E. Knight and Harland Stevens	735	9–11
Michigan—		
barley varieties, yield, 1932–36. E. E. Down and J. W. Thayer, Jr.	735	17–18
cabbage production	646	17
onion production	555	1–5, 8, 11
Microrelief—		
and "windows" in hardpan in California soil complex	745	17–20
definition and types	745	2–3
effect of rodents in California	745	28–29
in certain soil complexes of California. C. C. Nikiforoff	745	1–46
mound formation in Central Valley, Calif., theories, discussion	745	35–41
Middle Atlantic region, lumber consumed, source, specified years	626	154
Middle Atlantic States, forests, description	651	3–5
MIDDLETON, G. K.: Yields of Barley Varieties, 1932–36: North Carolina	735	31–32
MIGHELL, RONALD L.:		
Supply Responses in Milk Production in Dodge and Barron Counties, Wis. With Raymond P. Christensen	750	1–94
Supply Responses in Milk Production in the Cabot-Marshfield Area, Vermont. With R. H. Allen and Erling Hole	709	1–60

	Technical Bulletins No.	Page
Mildew—		
downy, of tobacco, control by spraying. Edward E. Clayton, John G. Gaines, T. E. Smith, W. M. Lunn, and K. J. Shaw	650	1–23
of cotton duck, physical and chemical changes produced	726	1–33
Milk(s)—		
anemia-producing properties, comparison with goat's milk	671	50–55
butterfat content—		
composition, comparison with goat's milk	671	18–20
percentage, influence of alfalfa hay, experiments	610	41–42
chemical composition, comparison with goat's milk	671	12–20
composition, comparison with goat's milk	671	2–3
concentrated, production, exports, and consumption	722	9–10
condensed—		
consumption, 1869, 1879, 1889, 1899–1938	722	37–40, 44
exports, 1910–38	722	37, 39–40
imports, 1899–1938	722	37, 39–40
production, 1869, 1879, 1889, 1899–1938	722	37–38, 40, 42–43, 44, 69–70, 73–74
production, price, and gross income, 1869–1937	703	96, 98
stocks of manufacturers, 1919–38	722	37, 39–40
uses and consumption	722	11
cow's—		
composition and properties, comparison with goat's milk. J. A. Gamble, N. R. Ellis, and A. K. Besley	671	1–72
feeding to infants, comparison with goat's and human milk	671	61–62, 63
creamery receipts in Vermont, 1917–37	709	57
deliveries, Cabot-Marshfield area, Vermont, 1924–38	709	58
digestibility, comparison with goat's milk	671	7–10, 20–28
dried—		
mixture, substitute for—		
colostrum in feeding foals	661	14
colostrum in feeding lambs	661	18–19, 23–24, 30
milk of dams in feeding foals	661	14–16
whole, production	722	13
evaporated—		
consumption, 1869, 1879, 1889, 1899–1938	722	37–39, 41, 44
exports, 1910–38	722	37, 39, 41
imports, 1899–1938	722	37, 39–40
production—		
1869, 1879, 1889, 1899–1938	722	37–38, 41–43, 44, 71
and consumption	722	10–11
price, and gross income, 1869–1937	703	96, 98
stocks of manufacturers, 1919–38	722	37, 39, 41
ewes', feeding to lambs as substitute for colostrum, experiments	661	23, 30
examination for udder troubles	522	5–7, 14–24
feeding to—		
kids, comparison with goat's milk	671	46–49
rats, comparison with goat's milk	671	49–61
flavor and odor, influence of alfalfa silage experiments	611	26–28
flow, persistency during complete and incomplete milking	522	13–14
fluid, production and gross income, 1869–1937	703	96–97, 98
goat's—		
anemia-producing properties, comparison with cow's milk	671	50–55
bacteriological studies	671	43–46

Milk(s)—Continued.
goat's—continued.

	Technical Bulletins No.	Page
butterfat content, composition, comparison with cow's milk	671	18–20
chemical composition, comparison with cow's milk	671	12–20
composition and properties, comparison with cow's milk. J. A. Gamble, N. R. Ellis, and A. K. Besley	671	1–72
composition, comparison with cow's milk	671	2–3
digestibility, comparison with cow's milk	671	7–10, 20–28
feeding to—		
infants, comparison with cow's and human milks	671	61–62, 63
kids, comparison with cow's milk	671	46–49
lambs as substitute for colostrum, experiments	661	23, 30
rats, comparison with cow's milk	671	49–61
growth-promoting properties, comparison with cow's milk	671	55–61
microbiology, comparison with cow's milk	671	10–11
mineral and vitamin content, comparison with cow's milk	671	3–6
protein fractions, comparison with cow's milk	671	16–18
vitamin potency, comparison with cow's milk	671	5–6, 28–42
growth-promoting properties, comparison with goat's milk	671	55–61
homologous, substitutes for, discussion	661	5–7
human, protein content, comparison with goat's and cow's milk	671	17
malted—		
composition and production	722	13
consumption, 1922–38	722	46–47
foreign trade, 1922–38	722	46
production, selected years, 1889–1938	722	46–47, 72
microbiology, comparison with goat's milk	671	10–11
of mare, substitution of dried cow's milk mixtures for in feeding foals, experiments	661	8–9, 14–16
powder. *See* Milk(s), dried.		
price(s)—		
dairy, Wisconsin, 1927–37	750	88, 93
effects upon production trends in—		
Vermont	709	37–40
Wisconsin	750	34–35, 69–71
farm, Wisconsin, 1936	750	90, 93
relationships, present, relation to production trends	709	33–37
series, Cabot-Marshfield area, Vt., 1930–38	709	58
production—		
breeding Holstein-Friesian cattle for, with analysis of foundation cows and of first out-bred generation. M. H. Fohrman and R. R. Graves	677	1–82
by dairy cows on four different planes of feeding. R. R. Graves, George Q. Bateman, J. B. Shepherd, and George B. Caine	724	1–36
Cabot-Marshfield area, Vt.—		
prospective trends	709	29–55
supply responses. R. H. Allen, Erling Hole, and R. L. Mighell	709	1–60
trends since 1926	709	10–29, 54–55
cows fed on four rations, individual range	724	9–28, 35
cows on grass hay, grass silage, and on full feed, experiments	649	9–15
effect of stable temperatures, tests	591	12–32, 45–60
factors influencing	522	7–11
from alfalfa hay cut at three stages of maturity, comparison with butterfat	739	29–36
from complete and incomplete milking	522	11–13
in Wisconsin, 1924–38, statistics	750	85, 88, 90, 93

	Technical Bulletins No.	Page
Milk(s)—Continued.		
production—continued.		
increase in proportion to feed grown	722	20–21
on alfalfa hay alone, experiments	610	10–20, 41–42, 43
percentage changes, distribution, Cabot-Marshfield farms, Vt., 1926–46	709	51
persistency, measurement	677	44–46
records—		
comparison of daughters and dams at Beltsville, Md	677	34–39
comparison of mature and immature at Beltsville, Md	677	30–34
cows fed on four rations	724	6–9
from 100 farms	591	32–33
relation to—		
incomplete milking of dairy cows. T. E. Woodward, R. P. Hotis, and R. R. Graves	522	1–27
stable environment. M. A. R. Kelley and I. W. Rupel	591	1–60
relative values of hay and silage made from immature pasture herbage. R. R. Graves, J. R. Dawson, and D. V. Kopland	649	1–32
supply responses in Dodge and Barron Counties, Wis. Raymond P. Christensen and Ronald L. Mighell	750	1–94
trends—		
analysis by budget method	709	30–32
analysis, normalizing single-year data	709	32–33
effect of prices in Wisconsin	750	34–35, 69–71
value of alfalfa hay cut at three stages of maturity. J. R. Dawson, D. V. Kopland, and R. R. Graves	739	1–52
protein fractions, comparison with goat's milk	671	16–18
skim—		
dried—		
consumption, 1922–38	722	53
exports, 1920–38	722	53
imports, 1922–38	722	53
production, 1918–38	722	53, 75
uses	722	14
new uses	722	13–14
powdered. *See* Milk(s), skim, dried.		
production, 1920–38	722	74, 75
products, production	722	13, 14, 52
sources and methods of handling for experimental purposes	671	11–12
substitute, use in rearing foals and lambs. J. A. Gamble, I. P. Earle, and Paul E. Howe	661	1–35
vitamin potency, comparison with goat's milk	671	5–6, 28–42
whole—		
dried—		
consumption, 1920–38	722	48, 49
exports, 1920–38	722	48
imports, 1922–38	722	48
production, selected years, 1889–1938	722	48–49, 72
stocks of manufacturers, 1921–38	722	48
powdered. *See* Milk, whole, dried.		
yield—		
and persistency, effect of early conception	724	33–34
effects of stable temperatures and temperature changes on, discussion	591	33–34, 45–60
Milking, incomplete, relation to milk production and udder troubles in dairy cows. T. E. Woodward, R. P. Hotis, and R. R. Graves	522	1–27
Milkweed, desert (*Asclepias erosa*), rubber content and habits in southern California and Arizona. R. E. Beckett, R. S. Stitt, and E. N. Duncan	604	1–12

	Technical Bulletins No.	Page
MILLER, JOHN T.: Selenium Occurrence in Certain Soils in the United States With a Discussion of Related Topics: Third Report. With Horace G. Byers, K. T. Williams, and H. W. Lakin	601	1–75
Millet, wild, value for game duck consumption, and propagation	634	9, 11–15, 50–51
Millwork, exterior, treatment for stain control	714	108
Milo—		
distribution, effect of chinch bug injury	585	5
Double Dwarf Yellow, description, history, distribution, and synonyms	506	57–58
Dwarf, value as food of game ducks	634	53
Dwarf White, description, history, and distribution	506	58–59
Dwarf Yellow, description, history, distribution, and synonyms	506	57
Early White, description, history, distribution and synonyms	506	59
grain for fattening steers in southern Great Plains, comparison of various forms. W. H. Black, J. M. Jones, and F. E. Keating	581	1–16
heads, value for fattening steers, experiments	581	3–15
resistance to chinch bug injury, experiments	585	5–50
Standard White, description, history, distribution, and synonym	506	58
Standard Yellow, description, history, distribution, and synonyms	506	56
threshed, value for fattening steers, experiments	581	3–15
Mineral deficiency, tobacco plants, symptoms in field	612	1–30
Minnesota—		
barley varieties, yields, 1932–36. F. R. Immer	735	18–21
cabbage production	646	17, 26
onion production	555	1–4, 8, 12
Mississippi—		
cabbage production	646	15, 21
McNeill—		
longleaf pine lands, effects of fire and cattle grazing on, studies. W. G. Wahlenberg, S. W. Greene, and H. R. Reed	683	1–52
weather records	683	51
northwestern, plantation organization and operation	682	1–91
Stoneville—		
alfalfa experiments, 1935–37. Paul R. Henson and H. L. Westover	701	1–24
climate, records for 1915–37	701	2–3
sugarcane red rot, studies	641	13–14, 22–23, 55, 57, 59, 60, 61, 62, 63
Tobitubby and Hurricane Valleys, sedimentation studies	695	10–62
vegetation, native, description	682	9–10
Mississippi Agricultural Experiment Station, longleaf pine stands, effects of fire and grazing, experiments	683	7–47
Mississippi Delta—		
alfalfa growing, experiments	701	1–24
drainage, problem and experiments	701	4–8
soils, lime requirements for alfalfa	701	4
Mississippi Delta-Yazoo area, plantation organization and operation. E. L. Langsford and B. H. Thibodeaux	682	1–92
Mississippi River flood of 1927, effect on insect population of air, investigations	673	130–132
Missouri—		
barley varieties, yields, 1932–36. B. M. King	735	21–23
soils, loessial, description	558	5–6

	Technical Bulletins No.	Page
Missouri Valley—		
loess region, soil and water conservation investigations at Soil Conservation Experiment Station, Clarinda, Iowa. G. W. Musgrave and R. A. Norton	558	1–182
loessial soils, distribution	558	3–6
Mitchelson, A. T.: Spreading Water for Storage Underground. With Dean C. Muckel	578	1–80
Mites—		
bulb, control on narcissus bulbs by vapor-heat treatment	672	13–15
bulb-scale, injury to narcissus bulbs and control by vapor-heat treatment	672	11–13
distribution in air. P. A. Glick	673	1–151
in upper air, collection by airplane, data	673	1–146
of subfamily Tarsoneminae of North America, West Indies, and Hawaiian Islands, revision. H. E. Ewing	653	1–64
tarsonemid, collecting and mounting, methods	653	2–3
Moisture—		
absorbing and retaining capacities of peat and soil mixtures, comparative. I. C. Feustel and H. G. Byers	532	1–26
atmospheric—		
relation to precipitation	589	12–18
seasonal relationships	589	19–38
capillary, rate of flow. M. R. Lewis	579	1–30
content, Chewnings fescue seed, relation to longevity. Vivian Kearns and E. H. Toole	670	1–27
for precipitation, sources in United States. Benjamin Holzman	589	1–42
relations of soils from erosion experiment stations. L. B. Olmstead	562	1–45
subsoil, under semiarid conditions. John S. Cole and O. R. Mathews	637	1–71
Molasses, use in making grass and legume silage, experiments	611	15–19, 20, 29
Mold—		
blue, of tobacco—		
control by spraying. Edward E. Clayton, John G. Gaines, T. E. Smith, W. M. Lunn, and K. J. Shaw	650	1–23
different types, effectiveness of spraying for reduction	650	17–18
of sapwood, occurrence, description, and causes	714	10–12
rot—		
blue, of muskmelons, occurrence, symptoms, causes, and control	573	41–42
gray, of Honey Dew melons, symptoms and cause	573	43
pink, of muskmelons, history, symptoms, causes, and control	573	36–38
Moles, importance as seed eaters in Douglas-fir region of Oregon and Washington	706	9–10
Mollusks, food of game ducks	634	97–98
Molybdenum, occurrence in soils of erosion experiment stations, determination	552	8, 9, 20
Monilia—		
rot of Honey Dew melons, occurrence and cause	573	43
sitophila, cause of soft rot of Honey Dew melon	573	43
treatment by carbon dioxide, results	519	3, 6
Montana—		
barley varieties, yields, 1932–36. Clyde McKee, W. B. Nelson, M. A. Bell, J. L. Sutherland, and Dan Hansen	735	23–25
Havre, subsoil moisture, determination, experiments	637	4–13
Huntley field station—		
climate, data for 1935–37	739	8–9
experiments with alfalfa hay	739	2–50
irrigated crop rotation, 1912–35. Stephen H. Hastings and Dan Hansen	571	1–38
Miles City, weather data	529	5
	603	8–9
	635	4

	Technical Bulletins No.	Page
Montana—Continued.		
ponderosa pine forests, minor vegetation, list	630	6
selenium survey	702	7–35
sewage-irrigation policy	675	29
soils, selenium content	530	15, 57–61
vegetation, selenium content	530	15, 58–61
MOOERS, C. A.: Yields of Barley Varieties, 1932–36: Tennessee	735	43
MOON, C. LLOYD: Subsoil Waters of Newlands (Nev.) Field Station. With Carl S. Scofield and Elmer W. Knight	533	1–31
MOON, H. H.:		
Comparative Studies of Varietal Suitability for Freezing Preservation of Peas, Green or Snap Beans, Lima Beans, and Sweet Corn Grown Under Eastern Conditions. With Joseph S. Caldwell, J. M. Lutz, and C. W. Culpepper	731	1–72
Factors Affecting the Rate of Drying of Kieffer Pears. With C. W. Culpepper	592	1–31
Moonlight, effect upon insects in upper air, experiments	673	126
MOORE, A. W.: Wild Animal Damage to Seed and Seedlings on Cut-Over Douglas Fir Lands of Oregon and Washington	706	1–28
MOORE, W. D.: Field Studies of Certain Diseases of Snap Beans in the Southeast	647	1–28
MORAN, E. A.: Toxicity of Arrowgrass for Sheep and Remedial Treatment. With A. B. Clawson	580	1–16
Morena Dam, San Diego County, Calif., description	639	3
Morena Reservoir—		
drainage basin, Calif., erosion studies	639	11–20
San Diego County, Calif.—		
accelerated erosion, effect on silting. F. F. Barnes, C. J. Kraebel, and R. S. LaMotte	639	1–22
description	639	3–4
probable future trends of silting and remaining life	639	10–11
sedimentation survey	639	3–11
MORGAN, RUDOLPH B.: Loss, During Storage, of Vitamin A From Alfalfa Leaf Meals Fed to Chickens. With Burt W. Heywang	632	1–8
MORRIS, WILLIAM G.: Growth of Douglas Fir Trees of Known Seed Source. With Thornton T. Munger	537	1–40
Mosaic of beans. *See* Bean mosaic.		
Motortrucks, use in transporting—		
onions	555	35–36
strawberries, investigations	525	52–54
Mound microrelief, formation, in Central Valley, Calif., theories, discussion	745	35–41
Mountain beaver, habits and damage to forest seedlings	706	22–23
Muck—		
acidic properties. Irvin C. Feustel	690	1–42
base-exchange capacity and ammonia retention	690	30–32
humic acid fraction, character	690	37
materials—		
analyses for acidic properties	690	12–15
titration, character of curves and results	690	15–30, 35–36
MUCKEL, DEAN C.: Spreading Water for Storage Underground. With A. T. Mitchelson	578	1–80
Mucor rot of Honey Dew melons, symptoms and temperature relations	573	42
Mules, maintenance in Yazoo-Mississippi Delta area	682	74
MUNGER, THORNTON T.: Growth of Douglas Fir Trees of Known Seed Source. With William G. Morris	537	1–40
MUNSELL, HAZEL E.: Toxicity of Food Containing Selenium as Shown by Its Effect on the Rat. With Grace M. DeVaney and Mary H. Kennedy	534	1–26
MURPHY, ALBERT M.: Studies on the Epidemiology of Curly Top in Southern Idaho, With Special Reference to Sugar Beets and Weed Hosts of the Vector *Eutettix tenellus*. With James M. Wallace	624	1–47

	Technical Bulletins No.	Page
MURRAY, C. W.: Removal of Lead Spray Residues From Apples Grown in the Shenandoah-Cumberland Valley. With M. H. Haller, C. C. Cassil, J. H. Beaumont, and Edwin Gould	622	1–32
MUSGRAVE, G. W.: Relative Infiltration and Related Physical Characteristics of Certain Soils. With G. R. Free and G. M. Browning	729	1–52
MUSGRAVE, G. W.: Soil and Water Conservation Investigations at the Soil Conservation Experiment Station, Missouri Valley Loess Region, Clarinda, Iowa. With R. A. Norton	558	1–182
Muskgrasses, value as game duck foods, and propagation	634	9, 11–18, 20–21
Muskmelons—		
diseases, effect of carbon dioxide treatments	519	11
market—		
diseases, investigations	573	1–44
storage studies	613	1–18
unloads at New York, 1931–35	573	2–3
See also Cantaloups; Melon(s).		
Mustard(s)—		
flea beetle, habits, abundance, and hosts in Idaho	607	11, 12–16, 24–26, 28–31, 37–38, 40–41
growth and survival on cleared sagebrush lands of Idaho, study	654	7–43
insect population in Idaho	607	7, 9–16, 18–20, 22–24, 28–41
leafhopper, hosts and abundance in Idaho	607	9, 14–16, 24–31, 33, 39
Myriophyllum, food of game ducks, environment, and propagation	634	89–91
Naiads, value for game duck consumption, environment, and propagation	634	9, 11, 17, 36–38
Narcissus—		
bulb(s)—		
basal rot, control by Ceresan dip and vapor heat	672	49–50
commercial stocks, performance following vapor-heat treatment	672	40–46
fly, seasonal history and control by vapor-heat treatments	672	7–9
for field planting, effect of vapor-heat treatment, experiments	672	33–51
for flower production, effect of vapor-heat treatment, experiments	672	16–33
fumigation with hydrocyanic acid gas followed by vapor-heat treatments	672	49
pests, control by vapor-heat treatment in Pacific Northwest. Randall Latta	672	1–54
tolerance to vapor-heat treatment, determination	672	15–51
vapor-heat treatment, advantages	672	51
growth stimulation by vapor-heat treatment of bulbs	672	50
planting stocks, vapor-heat treatment, practical application	672	51
National forest(s)—		
land-acquisition program, Forest County, Wis	687	86–88
northern California, principles of forest-fire detection. S. B. Show and E. I. Kotok	574	1–32
Naval-stores—		
region, weather averages for four seasons	510	2–3
yields, variations associated with weather and specific days between chippings. V. L. Harper and Lenthall Wyman	510	1–35

	Technical Bulletins No.	Page
Nebraska—		
barley varieties, yields, 1932–36. T. A. Kiesselbach, W. E. Lyness, L. L. Zook, and Lionel Harris	735	25–27
native grass species, drought survival, 1935	549	2–3, 4, 7–13, 44–49
North Platte agricultural substation, subsoil moisture experiments	637	32–47
selenium samples, description	702	54
soils, loessial, description	558	4–5
soils, selenium content	530	6–11
sugar beets, yields and sucrose content, influence of farm manure on	614	1–12
vegetation, selenium content	530	6–11, 17
western, irrigated crop rotations, 1912–34. Stephen H. Hastings	512	1–36
Nectarines, diseases, effect of carbon dioxide treatments	519	6–7
NEISWANDER, C. R.: Experiments on Breeding Corn Resistant to the European Corn Borer. With Marion T. Meyers, L. L. Huber, F. D. Richey, and G. H. Stringfield	583	1–30
NELSON, A. L.: Yield of Barley Varieties, 1932–36: Wyoming. With Glenn Hartman, A. L. Nelson, and R. S. Towle	735	52–53
NELSON, W. B.: Yields of Barley Varieties, 1932–36: Montana. With Clyde McKee, M. A. Bell, J. L. Sutherland, and Dan Hansen	735	23–25
Nematode(s)—		
bulb, injury to narcissus bulbs, and control by vapor-heat treatment	672	15
parasite, *Ornithostrongylus quadriradiatus*, of the domesticated pigeon. Eugenia Cuvillier	569	1–36
parasitic in ruminants—		
domestic, in United States, various genera, egg differentiation. D. A. Shorb	694	1–11
eggs, description	694	3–4
eggs, key to	694	9
eggs, measurements and appearance	694	4–9
See also under hosts.		
Netherlands—		
bread grains, quality and type, and milling and baking practices	535	122–131
Government regulation of grain and milling industries	535	125–126
tobacco statistics, specified years	587	11–13, 40–44, 113–114
Neuroptera, collections made by airplane—		
in Louisiana	673	4, 5, 10, 16, 37, 71
in Mexico	673	135
NEUSTADT, M. H.: Rapid Determination of Soybean Oil Content and of Iodine Number of Soybean Oil. With Lawrence Zeleny	748	1–23
Nevada—		
Newlands Field Station, subsoil waters. Carl S. Scofield, C. Lloyd Moon, and Elmer W. Knight	533	1–31
onion production	555	2–4
New Brunswick, barley varieties, yields, 1932–36	735	59–60
New England—		
forest fire insurance, survey of possibilities	651	3–45
northern, agriculture, characteristics	709	5–10
soils developed from granite materials, and their colloids, chemical and physical properties. Irvin C. Brown and Horace G. Byers	609	1–56
New Jersey—		
barley varieties, yields, 1932–36. Howard B. Sprague	735	28
cabbage production	646	15, 23
lettuce production	712	9, 13
onion production	555	3–4, 7, 9

	Technical Bulletins No.	Page
New Mexico—		
barley varieties, yields, 1932–36. J. C. Overpeck	735	29
floods, destructiveness	567	14–18, 19–21, 30–35
forests, value	567	9
Jornada Experimental Range, forage clipping, experiments	681	1–31
land—		
resources, use, historical sketch	567	27–30
utilization, studies	567	79–83, 85
range values, relation to soil erosion	567	72–73
selenium samples, description	702	55–56
sewage-irrigation policy	675	29
soil(s)—		
and vegetation, selenium content, investigations	601	7–9, 31–34
erosion—		
and stream flow in relation to land resources	567	1–87
relation to range values	567	72–73
vegetation relationships	567	38–72
selenium content	530	74
vegetation-erosion relationships	567	38–72
wind-erosion area, soil conservation reconnaissance survey	556	1–68
New Orleans lettuce market, description	712	60–61
New York City lettuce market, description	712	53–54
New York—		
barley varieties, yields, 1932–36. H. H. Love and W. T. Craig	735	30
cabbage production	646	16, 23–24
forest fire insurance, survey of possibilities	651	3–45
lettuce production	712	9, 13–14
Long Island, black locust, common forms, distinguishing from shipmast, methods. Henry Hopp	742	1–24
lumber consumed, source, specified years	626	154
onion production	555	1–5, 7, 10–11
New Zealand, selenium samples, description	702	53
Newlands (Nev.) Field Station, subsoil waters. Carl S. Scofield, C. Lloyd Moon, and Elmer W. Knight	533	1–31
Newlands reclamation project, description of area	533	2–3
Newlin, J. A.: Lag-Screw Joints: Their Behavior and Design. With J. M. Gahagan	597	1–27
Nickel, occurrence in soils of erosion experiment stations, determination	552	3–4, 8, 10, 13, 14–15, 17–18, 19–20
Nicotine sulfate, efficacy in control of potato leafhopper on beans, tests	740	2–5
Nightingale, Alice Allen: Temperature Studies of Some Tomato Pathogens. With G. B. Ramsey	520	1–36
Nikiforoff, C. C.: Hardpan and Microrelief in Certain Soil Complexes of California	745	1–46
Nitrogen—		
compounds, contents of sugarcane juices, comparison of varieties	688	50–55
content of—		
soil, effect of soybean crop management on	586	24–29
soybean hay, effect of fertilizers, experiments	586	6, 8–9, 15–16, 31
costs and net profits or losses, applied to rice at three rates	718	17
deficiency, symptoms on field-grown tobacco	612	6–7
new compounds, application to rice, experiments	718	13–17
placement for potatoes, experiments	669	17–46
ratios of soils and their colloids, studies	609	41–44
trichloride, use in fumigating cantaloups, experiments in California	730	18, 68–69
Noll, Charles F.: Yields of Barley Varieties, 1932–36: Pennsylvania	735	38–39

	Technical Bulletins No.	Page
Norfolk—		
fine sandy loam, and colloid, characteristics and analyses	594	13–15
sand, reaction to fertilizer treatment in production of soybeans	586	24–31
series, soils, distribution and description	594	4–5
soil series—		
colloid, molecular ratios and composition	594	27–31
color, discussion	594	25–26
mechanical analyses	594	26–27
soils and colloids, chemical composition. R. S. Holmes, W. E. Hearn, and H. G. Byers	594	1–34
North America, mites of subfamily Tarsoneminae, revision. H. E. Ewing	653	1–64
North Atlantic region, stumpage prices, analysis and statistics	626	40–45
North Carolina—		
barley varieties, yields, 1932–36. G. K. Middleton	735	31–32
blue mold disease of tobacco, control experiments	650	6–11, 19
cabbage production	646	15, 21–22
lettuce production	712	9, 12
pine region, stumpage prices, analysis and statistics	626	55–60, 109, 120–123, 137
potato seed pieces, damage by seed-corn maggot, prevention experiments	719	1–35
North Dakota—		
barley varieties, yields, 1932–36. T. E. Stoa, Ralph W. Smith, and John C. Brinsmade, Jr.	735	32–34
Mandan—		
Northern Great Plains Field Station, crop rotation and tillage experiments. J. T. Sarvis and J. C. Thysell	536	1–75
soil moisture, conservation and use. J. C. Thysell	617	1–40
subsoil moisture experiments	637	13–31
soils, selenium content	530	73
North Pacific—		
region, stumpage prices, analysis and statistics	626	63–66, 85–91, 94–98
See also Pacific Northwest.		
North Rocky Mountain region, stumpage prices, analysis and statistics	626	67–71
Northeast—		
stumpage prices, analysis and statistics	626	36–40, 72–75, 109, 125
See also New England.		
Northeastern States, forest(s)—		
description	651	3–10
fire insurance in. H. B. Shepard	651	1–46
insurable values	651	10
region, fire insurance rating schedule, construction	651	30–39
Northern Great Plains Field Station, Mandan, N. Dak.—		
crop rotation and tillage experiments. J. T. Sarvis and J. C. Thysell	536	1–75
precipitation and evaporation data	617	8–10
soil-moisture studies	617	1–40
soils of experimental plots, character	617	3–4
yields of spring wheat and corn, 1915–34	617	25–27
Northwest, ponderosa pine, timber growing and logging practice. R. H. Weidman and Ferdinand A. Silcox	511	1–92
NORTON, R. A.: Soil and Water Conservation Investigations at the Soil Conservation Experiment Station, Missouri Valley Loess Region, Clarinda, Iowa. With G. W. Musgrave	558	1–182

	Technical Bulletins No.	Page
Norway—		
bread grains, quality and type, and milling and baking practices	535	131–138
State Grain Monopoly	535	133–136
tobacco statistics, specified years	587	11, 44–46, 113–114
Nova Scotia, barley varieties, yields, 1932–36	735	60–61
Nuckols, S. B.: Influence of Farm Manure on Yields and Sucrose of Sugar Beets. With Stephen H. Hastings and Lionel Harris	614	1–12
Nutrients, digestible, production by various crops in Wisconsin, 1925–37, statistics	750	86, 91
Nutrition, steers, studies. W. H. Black, J. R. Quisenberry, and A. L. Baker	667	1–20
Nyroca —		
spp., range and food habits	643	6–46
value, abundance, and characteristics	643	4–6
Oak(s)—		
butt rot in unburned sprout stands. Elmer R. Roth and Bailey Sleeth	684	1–43
cull studies, important considerations	570	23–26
food of game ducks	634	72
forests—		
density and species composition, effect on yield	560	35–40
even-aged upland—		
stand tables	560	40–59
volume tables	560	60–63, 68–71, 75–77, 81–83, 85
yield, stand, and volume tables. G. Luther Schnur	560	1–88
yield tables	560	6–40
northeastern region, description	651	8–9
Northeastern States, fire insurance rating schedule, construction	651	37–39, 41
second-growth, butt rot, studies	684	1–41
upland, description and value	560	3–6
yield, effect of density and species composition on	560	35–40
yield prediction in understocked stands, use of tables for	560	34
iron tannate stain, cause, description, and prevention	714	6–7
merchantable—		
cull estimation, method based on wounding	570	20–23
cull, percentage in Appalachian region	570	7–20
decay in Appalachian region. George H. Hepting and George G. Hedgcock	570	1–30
seedlings, development, comparison with that of sprouts	684	6–7
species, relation to basal decay from butt rot fungi	684	25
sprout(s)—		
butt-rotting fungi, avenues of entrance	684	12–13
development, comparison with that of seedlings	684	6–7
group, type, relation to decay from butt rot	684	27–28
relation to root system	684	4–5
stands —		
butt-rot decay, incidence, factors affecting	684	13–25
butt rot in, control, recommendations	684	38–39
decay after fire	684	28–29
decay from butt rot, extent	684	29–32
decay from butt rot, relation to crown class and diameter growth rate	684	26–27
distribution and description of working areas	684	7–9
origin and development	684	3–7
unburned, butt rot in. Elmer R. Roth and Bailey Sleeth	684	1–43
stump, age, size, and vigor in relation to sprouting	684	5–6
upland, region, extent, types, and management	560	1–2

	Technical Bulletins No.	Page
Oat(s)—		
dusting for control of smuts, experiments	568	1–15
food of English sparrows	711	24–25, 45
income, gross, ratio to farm value, 1909–36	703	41
inoculation with smuts, natural and artificial, and seed treatment, experiments. R. W. Leukel	568	1–16
prices, effects of supplies	747	18–22
prices, farm, 1869–1937	703	143
production—		
entering into gross income, 1869–1937	703	127, 129
in Yazoo-Mississippi Delta area	682	61–63
price, and—		
gross income, 1869–1937	703	43–44
income, estimation methods and sources of data	703	41
rotation at Huntley Field Station, experiments	571	2–7, 10–11, 16–17, 25–28, 31–34
seed, inoculation with smuts—		
methods	568	3–4, 6–9
natural and artificial, and treatment, experiments. R. W. Leukel	568	1–16
supplies, effect upon price	747	18–22
susceptibility to sodium chlorate injury, experiments	648	3–13
tillage methods, effects on yields in rotation	536	47–54, 74
yields from irrigated rotations at Scotts Bluff Field Station, 1912–34	512	9–10, 16–22, 31–36
Odonata, collections made by airplane in Louisiana	673	4, 10, 16, 21–22, 60–61
OFFORD, H. R.: Chemical and Mechanical Methods of Ribes Eradication in the White Pine Areas of the Western States. With G. R. Van Atta and H. E. Swanson	692	1–50
Ohio—		
cabbage production	646	15, 26–27
corn breeding for resistance to European corn borer	583	1–28
Empoasca abrupta, comparison with *E. fabae*	618	53–56
onion production	555	2–5, 7, 11
potato leafhopper as bean pest, biological studies	618	1–57
Oil(s)—		
domestic, prices, index numbers, 1910–39	737	6–11
prices—		
index numbers—		
by months, 1922–39	737	19–23
by use, 1929–39	737	23–27
construction	737	11–17
per pound by months, specified localities, 1929–36	619	20
wholesale—		
data, nature	737	3–5
in United States, index numbers, 1910–39. Robert M. Walsh	737	1–28
index construction	737	5–6
See also under specific kinds.		
Oklahoma—		
barley varieties, yields 1932–36. V. C. Hubbard and W. M. Osborn	735	35–36
native grasses, drought survival, 1935	549	2–3, 5, 36–39, 44–49
sorghums, resistance to chinch bugs	585	1–52
Oleo oil, nutritive properties, experiments	725	1–11
Oleoresin—		
pine, steam distillation, prolonged	749	12–13, 14
yields, variations associated with weather and specific days between chippings	510	1–34
Olfactometer, field, construction and use	585	45

	Technical Bulletins No.	Page
OLMSTEAD, L. B.: Some Moisture Relations of the Soils From the Erosion Experiment Stations	562	1–45
Olympic Peninsula, Wash., wind-thrown timber, decay and other volume losses. T. S. Buchanan and G. H. Englerth	733	1–30
Onion(s)—		
acreage, yield, and production, 1918–35	555	2–5
areas and districts, important, description	555	6–15
commercial—		
producing regions	555	1–2
varieties and types, description	555	5–6
crop financing, sale methods, and market information	555	30–33
distribution at city markets, methods and channels	555	50–66
grading, sizing, and packing, requirements	555	17–21
harvesting practices	555	15–17
loading cars and transportation	555	23–25
market(s)—		
city, and sources of supply	555	52–66
information on	555	32–33
marketing. J. W. Park	555	1–88
prices—		
at shipping points, 1925–36	555	70–73
farm, 1926–35	555	66–73
market, 1930–36	555	74–86
seed, rapid deterioration and methods for its prevention, study	708	3–47
shipment(s)—		
distribution, and source and volume of market supplies	555	39–46
inspection, Federal-State	555	21–23
methods and movement by months	555	33–39
storage and shrinkage	555	25–29
trade, foreign, 1930–34	555	46–50
Ontario, barley varieties, yields, 1932–36	735	61–63
Orange(s)—		
California—		
decay in transit to New York City markets, 1929–30	505	74–76, 78–79
loss in weight during transit to New York City markets	505	79–81
unloading and sale in New York	505	21–22
car-lot shipments from California under ventilation and refrigeration, 1932–33	505	83–84
decay, treatment by carbon dioxide, experiments	519	18–22
inspection for changes during transportation	505	21, 74–81
nonprecooled, refrigeration in transit	505	43–63
precooled, precooling and refrigeration in transit	505	63–74
refrigeration in transit from California. C. W. Mann and William C. Cooper	505	1–88
transportation in refrigerator cars, methods and materials	505	8–22
Orange Belt counties, California, beekeeping	656	5
Orangeburg—		
fine sandy loam, and colloid, characteristics and analyses	594	8–10
series, soils, distribution and description	594	3
soil series, colloid, molecular ratios and composition	594	27–31
Orchard fruits—		
farm price indices, 1869–1937	703	147
production—		
indices, crop years, 1869–1937	703	133
price, and—		
gross income, 1869–1937	703	82
income, estimation methods and source of data	703	77–80
tolerance to boron, comparison with other crops	746	54–55

	Technical Bulletins No.	Page
Oregon—		
barley varieties, yields, 1932–36. D. D. Hill, D. E. Richards, Obil Shattuck, D. E. Stephens, and J. Foster Martin	735	36–38
Douglas-fir lands, cut-over, wild animal damage to seed and seedlings. A. W. Moore	706	1–28
lettuce production	712	10, 14
onion production	555	2–5, 8, 14–15
pocket mice in relation to agriculture. Theo. H. Scheffer	608	1–16
ponderosa pine forests, minor vegetation, list	630	6
sewage-irrigation policy	675	29
Sitka spruce, yield of even-aged stands	544	1–85
stumpage prices, analysis and statistics	626	85, 87–91, 94–98
western—		
Douglas-fir trees of known seed source, growth	537	1–40
hemlock, yield of even-aged stands	544	1–85
Orgilus longiceps, parasitism in oriental fruit moth larvae in Japan	728	10, 17–18
Orius insidiosus—		
abundance on corn plants in their several stages of growth	504	6–8
adults, food habits and length of life	504	12–13
(Say), an important natural enemy of the corn earworm. G. W. Barber	504	1–24
importance in natural control of corn earworm	504	19–21
occurrence on several parts of corn plant	504	8–9
oviposition, nymphs, and number of generations on corn	504	14–18
proportion of sexes	504	13
relation to insects and mites	504	2–3
seasonal history and abundance, relationship to corn earworm	504	4–6, 10–12
Ornithostrongylus quadriradiatus—		
eggs and larvae, effects of environment on	569	10–14
host-parasite relations	569	15–28
infestation of pigeons, symptoms	569	1–2
life history	569	8–10
nematode parasite of domesticated pigeon. Eugenia Cuvillier	569	1–36
pathogenicity and control measures	569	28–32
resistance of pigeons to, experiments	569	22–28
taxonomic studies	569	4–7
Orthonitrophenol, efficacy as soil fumigant for control of pythium root rot of sugarcane	666	86–87
Orthoptera, collections made by airplane in Louisiana	673	4, 5, 16, 20–21, 59, 90
Osborn, W. M.:		
Resistance of Sorghums to the Chinch Bug. With Ralph O. Snelling, Reginald H. Painter, and John H. Parker	585	1–56
Yields of Barley Varieties, 1932–36: Oklahoma. With V. C. Hubbard	735	35–36
Overgrazing, effects in southern Idaho, experiments	600	21–35
Overpeck, J. C.: Yields of Barley Varieties, 1932–36: New Mexico	735	29
Ovicides, efficacy in control of potato leafhopper on beans, test	740	3–4
Owls, value and habits as predators of pocket mice	608	5
Oxalate, displacement of boron from soil, experiments	696	47–51
Oxygen, effect on energy metabolism of chick embryo	553	38–40, 42, 43
Pacific Coast, Douglas-fir trees of unknown seed source, growth	537	1–40
Pacific Coast States—		
forest fire insurance in. H. B. Shepard	551	1–168
western hemlock, range and supply	566	7–9

	Technical Bulletins No.	Page
Pacific Northwest—		
apples in transit from, protection during winter months. E. D. Mallison, E. A. Gorman, Jr., and W. V. Hukill	550	1–55
narcissus bulb pests, control by vapor-heat treatment. Randall Latta	672	1–54
pea weevil, biology with suggestions for its control on seed peas. A. O. Larson, T. A. Brindley, and F. G. Hinman	599	1–48
pears in transit from, protection during winter months. E. D. Mallison, E. A. Gorman, Jr., and W. V. Hukill	550	1–55
region, stumpage prices, analysis and statistics	626	67–71
sap stain, seasonal and regional distribution	714	15–16
Pacific Southwest, reservoirs, silt measurements	524	121–125
Pages, printed, deterioration, examination	541	1–20
PAINTER, REGINALD H.: Resistance of Sorghums to the Chinch Bug. With Ralph O. Snelling, John H. Parker, and W. M. Osborn	585	1–56
Palatability, potatoes, as influenced by storage temperature. R. C. Wright, Walter M. Peacock, T. M. Whiteman, and Elizabeth Fuller Whiteman	507	1–20
PALKIN, S.:		
Composition and Fractionation of American Steam-Distilled Wood Turpentine. With T. C. Chadwick and M. B. Matlack	596	1–30
Composition of American Gum Turpentine Exclusive of the Pinenes. With T. C. Chadwick	749	1–16
Pamlico muck—		
and colloid, characteristics and analyses	594	23–25
colloid, molecular ratios and composition	594	27–31
distribution and description	594	7–8
Panicum, value as game duck food, propagation, and description of species	634	49–50
Papayas, treatment by carbon dioxide, effects	519	18
Paper(s)—		
artificial aging by heating, effect	605	10–14
book and record, deterioration. T. D. Jarrell, J. M. Hankins, and F. P. Veitch	541	1–20
deterioration as indicated by gas chamber tests. T. D. Jarrell, J. M. Hankins, and F. P. Veitch	605	1–22
produced from stained wood, quality	714	33
Papirosi, production in Balkan States, 1921–35	587	60–62
Paradexodes epilachnae—		
bionomics	721	21–27
breeding, liberation, and colonization in United States	721	27–28
effect on host	721	25–27
hosts	721	2–7
introduction into United States, attempts	721	9–11
life history	721	11–21
parasites, description	721	7–9
spread and status in United States	721	28–29
tachinid parasite of Mexican bean beetle. B. J. Landis and N. F. Howard	721	1–32
Paradibromobenzene, efficacy as soil fumigant for control of pythium root rot of sugarcane	666	86–87
Paradichlorobenzene, efficacy as soil fumigant for control of pythium root rot of sugarcane	666	86–87
Paranitrochlorobenzene, efficacy as soil fumigant for control of pythium root rot of sugarcane	666	86–87
Parasites—		
hessian fly—		
keys based on remains left in host puparium. C. C. Hill and J. S. Pinckney	715	1–24
status and relative importance in Atlantic States. C. C. Hill, J. S. Pinckney, and E. J. Udine	689	1–15
Japanese beetle, shipments to United States, 1920–33	738	31–33

	Technical Bulletins No.	Page
Parasites—Continued.		
oriental fruit moth in Japan and Chosen and their introduction into United States. G. J. Haeussler	728	1–62
Popillia japonica and related Scarabaeidae in Far East, investigations from 1929 to 1933, inclusive. T. R. Gardner and L. B. Parker	738	1–36
Scarabaeidae, shipments to United States, 1920–33	738	31–33
tachinid, *Paradexodes epilachnae*, of Mexican bean beetle. B. J. Landis and N. F. Howard	721	1–32
Paratoluidine, efficacy as soil fumigant for control of root rot of sugarcane	666	86–87
Park, J. W.: Marketing Onions	555	1–88
Parker, John H.: Resistance of Sorghums to the Chinch Bug. With Ralph O. Snelling, Reginald H. Painter, and W. M. Osborn	585	1–56
Parker, L. B.: Investigations of the Parasites of *Popillia japonica* and Related Scarabaeidae in the Far East From 1929 to 1933, Inclusive. With T. R. Gardner	738	1–36
Parker, Orlan: The Effect of Crazy Top Disorder on Cotton Plants and Its Control by Irrigation Management. With Claude Hope and C. J. King	515	1–44
Paspalum, value as game duck food, propagation, and description of species	634	48–49
Pasturage on sewage-irrigated fields, regulations	675	34
Pasture(s)—		
fertilizers for, application at Beltsville, Md	660	9–10, 30
for dairy cows, effect on milk and butterfat production	724	25–28, 36
grazing by steers, studies at Beltsville, Md	538	21–34
ground cover—		
plant composition, estimation	660	8–9
relative amounts supplied by different grasses and legumes	660	17–20
growth—		
conditions, study at Beltsville, Md	538	7–10
under Hohenheim system at Beltsville, Md	660	14–21
herbage—		
immature, hay and silage made from, relative values for milk production. R. R. Graves, J. R. Dawson, and D. V. Kopland	649	1–32
studies at Beltsville, Md	538	13–21, 33
yields from hand-harvested areas, Hohenheim system	660	21–24
longleaf pine lands in Mississippi, description	683	23–24
management, Hohenheim system—		
description	660	1–2
experiments	660	4–32
nutrient yields as measured with dairy cattle under Hohenheim system	660	24–29
permanent, for dairy cattle, Hohenheim system of management. T. E. Woodward, J. B. Shepherd, and M. A. Hein	660	1–34
plant population—		
relation to method and rate of grazing at Beltsville, Md. M. A. Hein and A. C. Cook	538	1–35
studies at Beltsville, Md	538	10–13
preparation and seeding for Hohenheim-system experiment at Beltsville, Md	660	4–8
Pea(s)—		
diseases, effect of carbon dioxide treatments	519	18
dried, imported, treatment for weevil control	599	38
field shatter, cause and effect upon weevil infestation	599	25–29
freezing preservation, comparative studies	731	1–69
fumigation against weevil infestation, recommendations	599	32–34
grown under eastern conditions, varietal suitability for freezing preservation. Joseph S. Caldwell, J. M. Lutz, H. H. Moon, and C. W. Culpepper	731	1–72

	Technical Bulletins No.	Page
Pea(s)—Continued.		
seed, pea weevil on in Pacific Northwest, biology with suggestions for control. A. O. Larson, T. A. Brindley, and F. G. Hinman	599	1–48
shattered, weevil control, recommendations	599	34–38
straw, burning for control of weevils, recommendations	599	35–36
volunteer, cause and damage to pea crop	599	29–30
weevil—		
abundance, factors affecting	599	24–31
control, recommendations	599	40–46
description of stages	599	3–5
effect on pea seed	599	23–24
enemies and control experiments	599	31–47
history and distribution in United States	599	2–3
in Pacific Northwest, biology with suggestions for control on seed peas. A. O. Larson, T. A. Brindley, and F. G. Hinman	599	1–48
life history and habits	599	5–23
weevil-infested—		
burying, recommendations	599	36–37
planting experiments	599	30–31
Peach(es)—		
composition, relation to storage temperature	680	10–19, 30
cooling before storage, requirement	680	29–30
dessert quality, relation to storage temperature	680	27–28
diseases, effect of carbon dioxide treatments	519	6–7
firmness at harvest, relation to picking maturity	680	4–5
quality, relation to storage temperature	680	20–27, 30
respiratory activity in storage, relation to temperature	680	7–10, 29–30
softening in storage, relation to temperature	680	5–6, 29
storage—		
life, temperature requirements, experiments	680	28–29
quality, relation to temperature	680	20–27, 30
temperatures, effect. M. H. Haller and P. L. Harding	680	1–32
trees, boron injury, symptoms	746	51–52
Peacock, Walter M.:		
Prevention of Damage by the Seed-Corn Maggot to Potato Seed Pieces. With W. J. Reid, Jr., and R. C. Wright	719	1–38
The Cooking Quality, Palatability, and Carbohydrate Composition of Potatoes as Influenced by Storage Temperature. With R. C. Wright, T. M. Whiteman, and Elizabeth Fuller Whiteman	507	1–20
Peanut(s)—		
oil, nutritive properties, experiments	725	1–11
production, price, and—		
gross income, 1870–1937	703	89
income, estimation methods and source of data	703	87–89
seed, rapid deterioration and methods for its prevention, study	708	3–47
Pear(s)—		
diseases, effect of carbon dioxide treatments	519	7–9
Kieffer—		
catalase activity, influence of storage temperature	590	23
chemical and physical changes produced during ripening and storage. J. M. Lutz and C. W. Culpepper	590	1–37
chemical constituents, changes during storage	590	17–21, 28
composition in green, ripe, peeled, and unpeeled state	592	4–5
dessert and canning quality, factors affecting	590	1–34
drying—		
apparatus and method	592	1–4
rate, effect of air velocity	592	15–17
rate, effect of temperature	592	17–18
rate, factors affecting. C. W. Culpepper and H. H. Moon	592	1–31

	Technical Bulletins No.	Page
Pear(s)—Continued.		
Kieffer—Continued.		
harvesttime, effect on composition, quality, and yeild	590	31–32
leaf area per fruit in relation to quality and composition	590	32–33
moisture content, changes during drying process	592	6–14, 18–22
quality and composition, effect of leaf area per fruit	590	32–33
quality, effect of drying rate	592	27
respiration rate, influence of storage temperature	590	21–23
ripening and storage, certain chemical and physical changes produced. J. M. Lutz and C. W. Culpepper	590	1–37
size, effect on drying rate, experiments	592	15
softening, influence of ethylene on, experiments	590	29, 30
storage—		
at 32° F., influence of length of	590	26–29
temperatures, effects, experiments	590	5–29
temperatures, varying, influence	590	24–26
protection—		
during loading in refrigerator cars	550	45–47
in transit from Pacific Northwest during winter months. E. D. Mallison, E. A. Gorman, Jr., and W. V. Hukill	550	1–55
shipments—		
protection with heaters in refrigerator cars	550	21–47
protection without heaters	550	15–21
trees, injury by boron, experiments	746	52–53, 55
Peat—		
acidic properties. Irvin C. Feustel	690	1–42
adsorption in relation to neutralization or other reactions	690	32–35
base-exchange capacity and ammonia retention	690	11, 30–32, 37
colloidal constituents, dispersion	690	7–8
humic acid fraction, character	690	36, 37
incorporation with soil, effect on moisture-holding capacity	532	1–24
materials—		
analyses for acidic properties	690	12–15
titration, character of curves and results	690	15–30, 35–36
moisture-absorbing and moisture-retaining capacities, comparison with soil mixtures. I. C. Feustel and H. G. Byers	532	1–26
neutralization in relation to adsorption	690	32–35, 36
organic matter content, fractionation	690	8–10
titration, electrometric method	690	10–11
Pecos—		
loam, description	502	10–11
sandy loam, analyses, mechanical and chemical	502	32–36
Pectin—		
changes in Kieffer pears, influence of temperature	590	19
content of peach, changes during ripening	680	12–19
Penicillium—		
spp., cause of blue mold rot of muskmelons	573	41
treatment by carbon dioxide, experiments	519	3, 5, 6, 19–22, 23
Pennsylvania—		
barley varieties, yields, 1932–36. Charles F. Noll	735	38–39
butt rot in sprout oak stands, comparison with incidence in other areas	684	9–12
cabbage production	646	17, 25–26
forest fire insurance, survey of possibilities	651	3–45
hardwood region, description	651	3–5, 8–10
onion production	555	2–4
Pennyworts, food of game ducks, environment, and propagation	634	92–94

	Technical Bulletins No.	Page
PENTZER, W. T.:		
Body Icing in Transit Refrigeration of Vegetables. With E. D. Mallison	627	1–42
Market Quality and Condition of California Cantaloups as Influenced by Maturity, Handling, and Precooling. With James S. Wiant and John H. MacGillivray	730	1–74
Peppers, diseases, effect of carbon dioxide treatments	519	18
Pepperworts, value for game duck food, and propagation	634	10, 15, 16, 22
Perisierola n. sp., parasitism in oriental fruit moth cocoon in Japan	728	10, 29–30
Perognathus—		
lordi—		
breeding habits, data	608	9–11
description	608	4
parvus, description	608	4
spp., food and economic status	608	11–14
Phaeogenes spp., parasitism in oriental fruit moth cocoons in Japan	728	10, 42–43
Phanerotoma grapholithae, parasitism in oriental fruit moth larvae in Japan and Chosen	728	10, 18–19
Pheasants, inoculation with *Capillaria contorta*, experiments	516	10–11, 13
Phenols, removal from wood turpentine	596	23
Philadelphia, lettuce market, description	712	55–56
PHILLIPS, W. J.: A Second Revision of the Chalcid Flies of the Genus *Harmolita* (*Isosoma*) of America North of Mexico, With Descriptions of 20 New Species	518	1–26
Phoma destructiva—		
development, temperature studies	520	17–20
treatment by carbon dioxide	519	14–15
Phomopsis spp., treatment by carbon dioxide, results	519	18, 19, 20, 22, 23
Phorocera pumilio, parasitism in oriental fruit moth larvae in Japan and Chosen	728	10, 28
Phosphate(s)—		
content of sugarcane juices, comparison of varieties	688	28–31
displacement of boron from soil, experiments	696	47–51
smelting by blast-furnace process, data	543	17–47, 66
Phosphoric acid, content of soybean hay, effect of fertilizers, experiments	586	9–11, 15
Phosphorus—		
consumption of cows fed alfalfa and bonemeal, experiments	610	30–32
content of alfalfa hay—		
at different stages of maturity	739	18–19
consumption by dairy cows	739	43–44
deficiency, symptoms on field-grown tobacco	612	7–8
requirement of cows during lactation, experiments	610	30–32
vapor pressure	543	72
Phygadeuon subfuscus, parasitism on *Paradexodes epilachnae*	721	7–9
Phyllopertha spp., larvae, parasites in Far East, investigations	728	21, 24–25, 26–27
Phylloxera, grape, damage to vinifera roots	697	1, 3–5
Phytomonas lespedezae n. sp., technical description	704	19–20
Phytophaga destructor. *See* Hessian fly.		
Phytophthora—		
rot of Honey Dew melons, history, symptoms, causes, and control	573	25–28
spp., cause of rot of muskmelons	573	27
Pickerelweed, food of game ducks, and propagation	634	70–71
Pickleweed, occurrence in Escalante Valley, Utah	713	38–40
Piedmont—		
of South Carolina, gully erosion, principles. H. A. Ireland, C. F. S. Sharpe, and D. H. Eargle	633	1–143
soils developed from granitic materials, and their colloids, chemical and physical properties. Irvin C. Brown and Horace G. Byers	609	1–56

	Technical Bulletins No.	Page
PIEMEISEL, R. L.:		
Changes in Weedy Plant Cover on Cleared Sagebrush Land and Their Probable Causes	654	1–44
Types of Vegetation in Escalante Valley, Utah, as Indicators of Soil Conditions. With H. L. Shantz	713	1–46
Types of Vegetation in the San Joaquin Valley of California and Their Relation to the Beet Leafhopper. With F. R. Lawson	557	1–28
Pierre clay—		
analyses, mechanical and chemical	502	23–26
description	502	6
Pigeon(s)—		
capillarid, *Capillaria columbae*, development, studies. Everett E. Wehr	679	1–20
domesticated, nematode parasite, *Ornithostrongylus quadriradiatus*. Eugenia Cuvillier	569	1–36
infestation with—		
Capillaria columbae, symptoms	679	16
capillarid, experiments	679	2–4
Ornithostrongylus quadriradiatus, symptoms	569	1–2
intestines, infestation with *Capillaria columbae*	679	14–15, 16–17
of different breeds, parasitic stages of *Ornithostrongylus* in, study	569	15–16
resistance to *Ornithostrongylus quadriradiatus*, experiments	569	22–28
roundworm infestation, studies	569	1–34
Pigeongrasses, value as game duck food, and propagation	634	51–52
PILLOW, M. Y.: Structure, Occurrence, and Properties of Compression. With R. F. Luxford	546	1–32
Pima clay adobe—		
analyses, mechanical and chemical	502	36–40
description	502	11–12
PINCKNEY, J. S.:		
Keys to the Parasites of the Hessian Fly Based on Remains Left in the Host Puparium. With C. C. Hill	715	1–24
Status and Relative Importance of the Parasites of the Hessian Fly in the Atlantic States. With C. C. Hill and E. J. Udine	689	1–15
Pine(s)—		
brown oxidation stains, occurrence, description, and cause	714	4
California, stumpage prices, analysis and statistics	626	91–93
fir forests of New Mexico, vegetation-erosion conditions, comparison	567	62–65
forests, northwestern, productivity maintenance, measures necessary	511	10–61, 90
longleaf—		
gum yield, data	510	3–34
lands, effects of fire and cattle grazing on, studies at McNeill, Miss. W. G. Wahlenberg, S. W. Greene, and H. R. Reed	683	1–52
resinous products of, removal, composition, and commerce regulations	596	1–3
source of gum turpentine	749	1
northern white, stumpage prices, analysis and statistics	626	72–79, 123
ponderosa—		
cut-over land—		
grazing on	511	51–53, 90
growth possibilities	511	56–57
cutting methods in Northwest	511	12, 36–46, 67–73, 90
distribution of plots in normal-yield study	630	55–56
even-aged—		
height and volume, determination	630	48–52, 58, 59
increment and rotation, determination	630	32–35

	Technical Bulletins No.	Page
Pine(s)—Continued.		
ponderosa—continued.		
even aged—continued.		
normal mortality, determination	630	24–25, 58–59
stand and stock tables	630	35–47, 57–58
stands, definitions	630	7–8
stands, yield. Walter H. Meyer	630	1–60
table construction, methods	630	56–59
yield determination	630	8–24, 25–32, 55–57
forest(s)—		
importance of advance reproduction	511	5–6
minimum productivity	511	10–13, 90
production, continuous, factors operating against	511	6–8
growth capacity, relation to soils	630	6–7
logging methods in Northwest	511	8, 10, 12–13, 46–51, 78–79, 90
lumber and lumber-log prices, 1913–34	626	135
planting needs	511	79–80
protection against insects and diseases	511	53–55, 77–78, 90
region and type	630	3–7
region, forest fire insurance, study	551	43–47, 54, 67–71, 76, 90–91, 98–101, 110, 116–118, 145–152, 160–163
stumpage prices, statistics	626	90, 92–93, 94, 96
timber growing and logging practice in Northwest. R. H. Weidman and Ferdinand A. Silcox	511	1–92
region—		
California, sap stain, importance	714	14–15
northwestern, general situation	511	3–10
slash—		
gum yield, data	510	3–34
resinous products of, removal, composition, and commerce regulations	596	1–3
source of gum turpentine	749	1
southern—		
bulk-piled, sap-stain control	714	63–65
gum yields, variations associated with weather and specific days between chippings	510	1–34
logging—		
cost tables	700	40–63
costs, relation to tracts and species logged	700	7–9
damage to reserve stand	700	37–38
equipment and methods	700	5–7
equipment, hourly cost	700	12–15
production and stumpage prices	626	79–84, 120–123
region, stumpage prices, analyses and statistics	626	60–63, 79–84, 109, 120–123, 137
sap stain, chemical control, experiments	714	42–67
tractor logging, costs. Robert E. Worthington	700	1–64
yellow, boards, strength in glued laminated arches, tests	691	16–31

Pine(s)—Continued.	Technical Bulletins No.	Page
sugar-ponderosa region, forest fire insurance, study	551	47–51, 54–55, 76–77, 91–93, 101–105, 110–112, 118–119, 152–155, 163–165
sugar, stumpage prices, 1910, 1914, 1916, 1921–34	626	92
Virginia, volume tables	560	64, 72, 78
western white, lumber and lumber-log prices, 1913–34	626	135
white—		
areas of Western States, ribes eradication, chemical and mechanical methods. H. R. Offord, G. R. Van Atta, and H. E. Swanson	692	1–50
logs, prices, 1900–1934	626	117
northeastern region—		
description	651	7–8
fire insurance rating schedule, construction	651	35–37, 41
Pipe—		
bends in, use as flow meters, experiments	577	12–13
6-inch—		
bends in, flow of water through. David L. Yarnell	577	1–118
bends in, secondary currents and loss of head	577	9–12
water velocity and pressure changes in bends	577	5–9
Pittsburgh, lettuce market, description	712	56–57
Plant(s)—		
absorption of selenium, data	601	6–34, 42–45, 67, 69–70
annual—		
and woody, miscellaneous, response to length of day	727	53–56
flowering, response to length of day	727	50–52
aquatic—		
diseases, importance in waterfowl propagation	634	140
growth retardation, factors and remedies	634	116–142
harvesting for game duck food, recommendations	634	105–107
identification, value for ducks, and range	634	19–96
planting, recommendations	634	111–114
seed, damage to food of game ducks	634	129
shipment, recommendations	634	110–111
storage and germination	634	10,–110
yields and food values for game ducks	634	114–116
boron—		
accumulation and injurious effects	746	48–55
availability to in tourmaline-quartz mineral, experiments	696	45–46
deficiency, caution	746	57
injury, amelioration	746	55–56
bug, mottled, abundance and hosts in Idaho	607	10, 13–16, 24–31, 33, 34, 39
crop. *See* Crop plants.		
cover—		
changes, effect on beet leafhopper populations following, in Idaho	607	12–23
longleaf pine region, McNeill, Miss., list	683	51–52
protective, restoration on upper Rio Grande watershed	567	74–77, 84, 85
weedy, on cleared sagebrush land, changes and their probable causes. R. L. Piemeisel	654	1–44
damage to game duck food plants, and control	634	129–138
desert, hosts of *Eutettix tenellus*, reaction to curly top virus, experiments	624	3–11
development data, determinants of grazing periods on mountain range. David F. Costello and Raymond Price	686	1–31

Plant(s)—Continued.	Technical Bulletins No.	Page
extraction of moisture from peat and soil mixtures, experiments	532	16–23
food(s) of—		
game ducks in United States and Canada	634	19–96
North American diving ducks	643	7–135
sand wireworms, classified list	659	22–23
waterfowl, propagation, recommendations	634	103–142
indicators of seleniferous soils, collection	702	7–42, 54, 56
length-of-day requirements, knowledge of, application of results	727	60–63
marsh—		
diseases, importance in waterfowl propagation	634	140
growth retardation, factors and remedies	634	116–142
harvesting for game duck food, recommendations	634	105–107
planting, recommendations	634	111–114
seed, damage to food of game ducks	634	129–130
shipment, recommendations	634	110–111
storage and germination	634	107–110
selenium content, relation to that in soil	530	69–71
type, relation to erosion on Boise River watershed	528	17–21, 27–29
various—		
rubber content, comparison	604	9–10
species, response to length of day, further observations. H. A. Allard and W. W. Garner	727	1–64
Plant Industry, Bureau of—		
Dry Land Agriculture, Division of, study of relations between annual precipitation and the yields of spring wheat	636	1–39
Seed Investigations, Division of, cooperative seed studies	670	3–4
Plantation(s)—		
definition of term	682	4–5
in Yazoo-Mississippi Delta area—		
organization and operation, planning	682	54–91
organization, operation, and earnings	682	18–40
operation in Yazoo-Mississippi Delta area. E. L. Langsford and B. H. Thibodeaux	682	1–92
organization in Yazoo-Mississippi Delta Area. E. L. Langsford and B. H. Thibodeaux	682	1–92
systems—		
budgeted—		
adaptability, Yazoo-Mississippi Delta area	682	85–90
description, Yazoo-Mississippi Delta area	682	79–83
financial summary, Mississippi Delta area	682	83–85
budgeting, recommendations	682	90–91
Planters, potato, fertilizer-placement attachments, construction and operation	669	2–6, 10–16
Platygaster—		
herrickii, habits and importance as hessian fly parasite	689	10–11
hiemalis, life cycle, habits, and importance as hessian fly parasite	689	13–15
spp., remains left in hessian fly puparium, description	715	3–4
zosine, habits, seasonal history, and importance as hessian fly parasite	689	5, 8–9
Plectochorus iwatensis, parasitism in oriental fruit moth larvae in Japan	728	10, 24–25
Pleospora lycopersici, development, temperature studies	520	29–32
Pleurotropis—		
metallicus—		
description, habits, and importance as hessian fly parasite	689	12
remains left in hessian fly puparium, description	715	9
nawaii, parasitism in oriental fruit moth cocoon in Japan	728	10, 33

	Technical Bulletins No.	Page
Plowing—		
cotton field, for control of field crickets	642	25
effect on abundance of corn earworm, experiments	561	10–14, 15–16
for burying weevil-infested peas, recommendations	599	36–37, 45–46
for eradication of ribes	692	44
Plums, diseases, effect of carbon dioxide treatments	519	4–5
Pneumonia of cows, relation to stable conditions	591	34–35
Poison for control of field crickets, application	642	26–27
Poisoning, lead, of ducks, cause, extent, and importance	643	39
Poland—		
bread grains, quality and type, and milling and baking practices	535	138–141
Government regulation of grain and milling industries	535	141
tobacco statistics, specified years	587	11, 15, 23–25, 83–88, 113–114
Pollens—		
color, spectrographic observations	716	22–23
occurrence in beeswax	716	7–8
Polygonum spp., food of game ducks, value, environment, and propagation	634	9, 11–18, 73–79
Polyporus versicolor—		
effect upon—		
chemical properties of red gum sapwood	527	33–40
physical properties of red gum sapwood	527	7–33
relation of strength to chemical properties of red gum sapwood	527	40–41
progressive effects on physical and chemical properties of red gum sapwood. Theodore C. Scheffer	527	1–46
Polyscelis modestus, remains left in hessian fly puparium, description	715	9–10
Ponds, fluctuating water levels, effect on game duck food, and control	634	116–118
Pondweeds, food of game ducks, value, environment, and propagation	634	9, 11–18, 24–33, 34, 37
Popillia japonica—		
adult beetle, parasites in Far East, biology and habits	738	3–8
larva, parasites, biology, rearing, and shipping	738	8–19
parasites in Far East—		
investigations from 1929 to 1933, inclusive. T. R. Gardner and L. B. Parker	738	1–36
list	738	2–3
Poplar, yellow—		
cull studies, important considerations	570	23–26
heartwood streaks, description	714	6
merchantable—		
cull estimation, method based on wounding	570	20–23
cull percentage in Appalachian region	570	7–20
decay in Appalachian region. George H. Hepting and George G. Hedgcock	570	1–30
volume tables	560	66, 73, 79, 84
Population, farm, racial characteristics in Cabot-Marshfield area, Vermont	709	28
PORTER, DOW D.:		
Differential Growth Rates in Cotton Varieties and Their Response to Seasonal Conditions at Greenville, Tex. With Homer C. McNamara and Dalton R. Hooton	710	1–44
Positions of Seeds and Motes in Locks and Lengths of Cotton Fibers From Bolls Borne at Different Positions on Plants at Greenville, Tex	509	1–14

	Technical Bulletins No.	Page
Portsmouth—		
fine sandy loam and colloid, characteristics and analyses	594	21–23
series, soils, distribution and description	594	6–7
soil series, colloid, molecular ratios and composition	594	27–31
Portugal—		
bread grains, quality and type, and milling and baking practices	535	141–145
Government regulation of grain and milling industry	535	143–145
tobacco statistics, specified years	587	56–58, 113–114
Potash—		
content of sugarcane juices, comparison of varieties	688	35–37
muriate of, placement for potatoes, experiments	669	17–46
smelting by blast-furnace process, data	543	47–60, 67
volatilization reactions, estimated heat	543	73
Potassium—		
content of soybean hay, effect of fertilizers	586	11–16, 31
deficiency, symptoms on field-grown tobacco	612	9–12
importance in nutrition of soybeans	586	31, 32
nitrate, effect on germination of fescue seed, experiments	638	7, 12, 23, 28, 29, 32–33
sulfate, application to rice, experiments	718	11–13
Potato(es)—		
beetle, Colorado, olfactory responses, comparison with those of chinch bug	585	45
bruising, freezing, and chemical injury in transit. R. C. Wright	668	1–23
chemical injury, causes and description	668	9–12
cooking quality, palatability, and carbohydrate composition as influenced by storage temperature. R. C. Wright, Walter M. Peacock, T. M. Whiteman, and Elizabeth Fuller Whiteman	507	1–20
crop, handling practices in Maine	615	1–3
fertilizer placement for. G. A. Cumings and G. V. C. Houghland	669	1–48
field plots, fertilizer treatment for control of seed-corn maggot, experiments	719	8–9, 10–11
floor bruising, relation to—		
chemical injury	668	17–21
freezing injury	668	15–17
freezing injury, symptoms and occurrence	668	6–9
hopperburn, cause and symptoms	618	9–10
in transit, bruising, freezing, and chemical injury. R. C. Wright	668	1–23
income, gross, ratio to farm value, 1924–35	703	41
leafhopper—		
Empoasca fabae, as a bean pest, biological studies. Dwight M. DeLong	618	1–60
on beans—		
biological studies	618	1–57
control methods and materials, study	740	1–60
See also *Empoasca fabae*.		
losses in weight during storage, measurement	615	8
mechanical injury in storage, prevention	615	18–23
planters, fertilizer-placement attachments, construction and operation	669	2–6, 10–16
prices—		
farm, 1869–1937	703	143
index numbers, 1910–34	626	145
production—		
entering into gross income, 1869–1937	703	127, 129
price and—		
gross income, 1869–1937	703	53–54
income, estimation methods and sources of data	703	41

	Technical Bulletins No.	Page
Potato(es)—Continued.		
rotations at Huntley Field Station, experiments	571	2–7, 8–10, 16–17, 22–25, 31–35
seed—		
pieces—		
chemical treatment for control of seed-corn maggot	719	8–9, 10
damage by seed-corn maggot, prevention. W. J. Reid, Jr., R. C. Wright, and W. M. Peacock	719	1–38
infestations by seed-corn maggot	719	1–2, 4–7
injury by seed-corn maggot, description	719	2–3
seed-corn maggot preferences, tests	723	15–16
suberization for control of seed-corn maggot, experiments	719	11–31
shrinkage in storage, losses	615	12–17, 45–46
starch, evaluation for textile sizing	674	4–35
storage(s)—		
conditions, maintenance and control methods	615	9–11
conditions, measurement	615	8
farm, new type	615	37–39
farm, old type, remodeling, recommendations	615	39–40
faults common to Maine	615	23–24
house(s)—		
costs	615	43–45
design and management, principles	615	24–37
heat and moisture calculations	615	33–35
in Maine, studies. A. D. Edgar	615	1–47
structure, essential features	615	37–43
temperature regulation, experiments	615	25–29
types, description and operation, experiments	615	3–8
losses, accidental, causes	615	23
new-type track, construction and use	615	40–42
temperature, effect on cooking quality, palatability, and carbohydrate composition. R. C. Wright, Walter M. Peacock, T. M. Whiteman, and Elizabeth Fuller Whiteman	507	1–20
stored, quality tests	615	17–18
sunscald, causes and symptoms	668	12–14
tillage methods, effect on yields in rotation	536	60, 69
tissue temperature, relation to bruising experiments	608	14–15
transit bruising—		
causes and results	668	1–6
relation to freezing and chemical injury	668	1–14
yields—		
effect of fertilizer placement, experiments	669	24–46
indication of changes in plant physiology due to bordeaux mixture	740	29–32
under irrigated rotations at Scotts Bluff, 1912–34	512	12–13, 16–17, 19, 25–29, 31–36
Poultry—		
feeding stored alfalfa leaf meal, experiments	632	1–7
immunity to infestation by *Ornithostrongylus quadriradiatus*, tests	569	16–17
production, price, and income, estimation methods and source of data	703	99–101
Powell, Charles L.: Transportation of Apples From the Shenandoah-Cumberland Section to Overseas Markets. With Paul L. Harding	523	1–27
Power—		
organization, plantations of Yazoo-Mississippi Delta area	682	26–27
use on plantations, Yazoo-Mississippi Delta area	682	56–72

	Technical Bulletins No.	Page
Precipitation—		
absence of, length of periods by locality	698	20–25
annual, correlation with yield of spring wheat in Great Plains. John S. Cole	636	1–40
at Beltsville, Md., 1929–35, records	660	14
at Northern Great Plains Field Station, Mandan, N. Dak., 1875–1934	617	8–10
conservation by fallow at Mandan, N. Dak	617	32–36
data, analyzing, problem	698	3–10
effect upon insects in upper air in Louisiana	673	128–129
hourly, frequency distribution, records for seven localities, 1894–1935	698	32–34
hydrologic cycle, discussion	589	8–12
Idaho, effect on weedy plant cover	654	33–38
measurable—		
absence of, number of occurrences, records for five localities, 1894–1935	698	39–40
amount, diurnal variation, records for nine localities, 1894–1935	698	41–44
moisture for, sources in United States. Benjamin Holzman	589	1–42
monthly and annual, at Great Plains field stations, 1905–35	636	31–39
ratio to water used in growing of wheat and corn at Mandan, N. Dak	617	23–25
records for—		
Ephraim Canyon, Utah, 1914–34	686	4, 16
Great Plains, 1907–36	637	3
Jornada Experimental Range, N. Mex., 1915–35	681	4–5, 18, 19, 28
Miles City, Mont	630	9
southern Idaho	600	8–11
relation to atmospheric moisture	589	12–18
See also Rainfall.		
Precooling apparatus for refrigerator cars, kinds, description, and use	525	22–43
Preservation, freezing—		
varietal suitability of peas, green or snap beans, lima beans, and sweet corn grown under eastern conditions, comparative studies. Joseph S. Caldwell, J. M. Lutz, H. H. Moon, and C. W. Culpepper	731	1–72
vegetables, comparative studies	731	1–69
PRICE, RAYMOND: Weather and Plant-Development Data as Determinants of Grazing Periods on Mountain Range. With David F. Costello	686	1–31
Price(s)—		
commodity, comparison with stumpage prices	626	136–139
farm—		
and index numbers, Wisconsin, 1925–37	750	86
and production, indices—		
and gross farm income in United States, 1869–1937. Frederick Strauss and Louis H. Bean	703	1–154
and income, computation methods	703	8–15
estimation methods and sources of data	703	33–123
indices, 1869–1937	703	140–152
twelve important crops, 1869–1937	703	143
level, relation to bank loans	521	9–17
wholesale—		
comparison with prices of forest products	626	145–147
index numbers, 1913–34	626	148
of fats and oils in United States, index numbers, 1910–39. Robert M. Walsh	737	1–28
See also under specific commodity.		
Prince Edward Island, barley varieties, yield, 1932–36	735	63–64
Pristomerus vulnerator, parasitism in oriental fruit moth larvae in Japan and Chosen	728	10, 25–26
Propolis, occurrence in beeswax and properties	716	6–7
Prosena sibirita, parasitism in Japanese beetle in Far East, and shipments	738	10–11

	Technical Bulletins No.	Page
Protein—		
concentration in colostrum	661	3
corn kernel, constitutents and deterioration	644	4
crude, content of alfalfa hay at different stages of maturity	739	16–17
fractions of goat's and cow's milk, determination	671	16–18
horse-serum, studies	661	12–13
lamb-serum, studies	661	22, 28–29
Prune trees, boron injury, symptoms	746	51
Pseuderimerus mayetiolae, remains left in hessian fly puparium, description	715	10
Pseudomonas ovalis, cause of stickiness of shelled lima beans, and characteristics	625	20
Pseudotarsonemoides—		
cryptocephalus n. sp., technical description and host	653	9–10
description of genus and species	653	8–10
innumerabilis, technical description, host and locality	653	8–9
Psuedotsuga taxifolia. *See* Douglas-fir.		
Puerto Rico—		
seleniferous soils, "nontoxic," survey	702	48–51
soils and vegetation, selenium content	601	55–56
Pullman silty clay loam—		
analyses, mechanical and chemical	502	30–32
description	502	9–10
Pyrausta nubilalis. *See* Corn borer, European.		
Pyrethrum, efficacy in control of potato leafhopper on beans, experiments	740	2–5, 34–57
Pyrgotidae, parasites of Japanese beetle adult in Far East, biology and habits	738	7–8
Pythium—		
arrhenomanes—		
infection and damage to sugarcane, relation to temperature	666	53–60
pathogenicity to sugarcane and corn, comparison with that of other fungi	666	17–25
physiologic specialization	666	25–49
virulence on sugarcane—		
and corn, studies	666	25–49
locality differences	666	25, 28–38
debaryanum, cause of damping-off of snap beans	647	17
graminicolum, eight isolates, effects on sugarcane and corn	666	19
root rot—		
infection of corn and sugarcane, comparisons	666	25–49
of sugarcane—		
R. D. Rands and Ernest Dopp	666	1–96
control	666	83–87
economic importance	666	6–8
etiology	666	13–25
history and geographic distribution	666	2–6
influence of farm practices	666	67–70
symptoms and seasonal development	666	8–12
spp.—		
association with *P. arrhenomanes* on sugarcane, experiments	666	19–20
cause of sugarcane root rot	666	1, 11, 13–17, 19–21
comparative virulence on sugarcane	666	19
isolation methods	666	13
mildly parasitic, damage to sugarcane, effect of soil toxins	666	21–25
Quail, inoculation with *Capillaria contorta*, experiments	516	11, 13, 15, 16–18
Quebec, barley varieties, yield, 1932–36	735	64–66
Quercus spp. *See* Oak(s).		

	Technical Bulletins No.	Page
QUESENBERRY, J. R.:		
Effect of Different Methods of Wintering Beef Calves, in the Northern Great Plains, on Winter Gains and Feed Costs and on Subsequent Summer Gains. With W. H. Black and A. L. Baker	529	1–11
Wintering Beef Cows on the Range With and Without a Supplement of Cottonseed Cake. With W. H. Black and A. L. Baker	603	1–22
Wintering Steers on Different Planes of Nutrition From Weaning to 2½ Years of Age. With W. H. Black and A. L. Baker	667	1–20
Rabbitbrush, little, occurrence in Escalante Valley, Utah	713	19–22
Rabbits—		
damage to Douglas-fir seedlings in western Oregon and Washington	706	18–23
jack, effect on changes in weedy plant cover in Idaho	654	25–26
Radishes, diseases, effect of carbon dioxide treatment	519	18
Ragweed, common, value as game duck food	634	96
Rainfall—		
amounts, diurnal variations, by locality	698	25
characteristics—		
regional, relation to soil erosion	698	26–27
relation to soil erosion. David I. Blumenstock	698	1–44
duration, variation with locality	698	18–20
effect upon—		
selenium content of soils and vegetation	530	61–69
survival of *Empoasca fabae*	618	16–24, 26
evaporation ratio, determination and relation to abundance of *Empoasca fabae*	618	17–19, 23
intensity, variation with locality	698	15–18
maximum, frequency distribution, records for seven localities, 1894–1935	698	35–36
monthly and annual, analysis of amounts	698	12–14
potato-growing regions, 1931–37	669	21–24
record(s)—		
for Beltsville, Md., 1929–34	538	3–4
for experimental vinifera vineyards in California, 1915–30	697	6
relation to atmospheric moisture	589	12–18
simulation, method used in studying soil infiltration	729	7–12
variability, discussion	589	18
See also Precipitation.		
RAMSEY, G. B.: Temperature Studies of Some Tomato Pathogens. With Alice Allen Nightingale	520	1–36
RANDS, R. D.: Pythium Root Rot of Sugarcane. With Ernest Dopp	666	1–96
Range—		
depletion, effects of overgrazing in southern Idaho, experiments	600	21–35
land(s)—		
deterioration on upper Rio Grande watershed, causes	567	22–30
upper Rio Grande watershed, soil erosion and stream flow in relation to land resources and human welfare. Charles K. Cooperrider and Barnard A. Hendricks	567	1–88
vegetation on, maintenance for erosion prevention	556	48–50
water supply, relation to decline	567	79–80
wind erosion, reconnaissance survey	556	1–68
maintenance by conservative spring and fall grazing, experiments	600	36–39, 41
management—		
grazing regulation in Utah	598	20–21
upper Rio Grande watershed, recommendations	567	83–84
mountain, grazing periods, determination by weather and plant-development data. David F. Costello and Raymond Price	686	1–31

	Technical Bulletins No.	Page
Range—Continued.		
plants—		
development—		
climatic factors affecting, Ephraim Canyon, Utah	686	14–19
fluctuations from year to year	686	12–14
forecasting from date of snow melt, Ephraim Canyon, Utah	686	19–23, 28, 29
trends at different altitudes in Ephraim Canyon, Utah	686	6–10
growing season, character, indication by records of normal development	686	10–12
species occurring in Ephraim Canyon, Utah	686	2–3
sheep, spring-fall in southern Idaho, influence of climate and grazing. G. W. Craddock and C. L. Forsling	600	1–43
summer, for yearling heifers in northern Great Plains	635	4–8
values, relation to soil erosion on upper Rio Grande watershed	567	72–73
winter—		
and summer, in northern Great Plains, supplementing, effect on gains of steers. W. H. Black and V. I. Clark	628	1–16
feeding of steers, experiments	667	4–20
wintering beef cows with and without supplement of cottonseed cake. W. H. Black, J. R. Quesenberry, and A. L. Blake	603	1–22
Raspberries, diseases, effect of carbon dioxide treatments	519	9–10
Rat(s)—		
effect of food containing selenium, toxicity studies. Hazel E. Munsell, Grace M. DeVaney, and Mary H. Kennedy	534	1–26
poisoning by selenium, permanence of injuries	534	22–23
use for vitamin B_1 assay, determination of growth rates	707	12–16
Rations—		
dairy cows—		
effect on breeding efficiency, experiments	724	32–33
experiments	724	1–36
relative individual milk production on each	724	9–28, 35
grass, feeding to cows, experiments	649	1–31
summer, for steers on northern Great Plains, gains from, experiments	628	6–7, 9–10, 11–12, 13–14
vitamin B_1—		
deficient, preparation for assays	707	6–8
values, calculation method	707	8–9
winter, for—		
steers on northern Great Plains, gains from, experiments	565	1–9
	628	5–6, 7–8, 10–11, 12–13
yearling heifers in northern Great Plains, experiments	635	3–8
Real estate, farm, loans secured by	521	6–8, 29–32, 38, 40–56
Record papers, deterioration. T. D. Jarrell, J. M. Hankins, and F. P. Veitch	541	1–20
Recreation as land use in Forest County, Wis	687	18–20
Redcedar western, wind-thrown, losses, determination	733	21–23
Redwood(s)—		
California, stumpage prices, analysis and statistics	626	91–93
region, forest-fire insurance, recommendations	551	101–105, 155–160
Reed, H. R.: Effects of Fire and Cattle Grazing on Longleaf Pine Lands, as Studied at McNeill, Miss. With W. G. Wahlenberg and S. W. Greene	683	1–52
Reforestation, artificial, early efforts in Douglas-fir region, western Oregon and Washington	706	4–5

	Technical Bulletins No.	Page
Refractometer, use in—		
determining—		
iodine number of soybean oil	748	13–19
oil content of—		
flaxseed	554	20–31
soybeans	748	5–12
testing flaxseed oil quality	554	35–36
Refrigeration—		
apples for European markets	523	8–16, 18–22, 23, 24
cantaloups, experiments in California	730	9, 24–34, 38–41, 53
oranges in transit—		
effect of—		
fruit temperatures at loading	505	37–40
outside temperatures	505	31–37
from California. C. W. Mann and William C. Cooper	505	1–88
sources of heat	505	22–30
strawberries in transit, investigations	525	43–52
vegetables in transit by body icing. E. D. Mallison and W. T. Pentzer	627	1–42
Refrigerator cars. *See* Car(s), refrigerator.		
Reid, W. J., Jr.:		
Biology of the Seed-Corn Maggot in the Coastal Plain of the South Atlantic States	723	1–44
Prevention of Damage by the Seed-Corn Maggot to Potato Seed Pieces. With R. C. Wright and W. M. Peacock	719	1–38
Reinbach-Welch, Lucille: Yields of Barley Varieties in the United States and Canada, 1932–36. With G. A. Wiebe and P. R. Cowan	735	1–78
Relief, costs in Forest County, Wis	687	49
Renner, F. G.: Conditions Influencing Erosion on the Boise River Watershed	528	1–32
Reproduction cycle in coyote. G. W. D. Hamlett	616	1–12
Reservoirs—		
basin, silt accumulation, data	524	8–22
channel, silting rates	524	22–24
development, economic and physical aspects of problem	524	2–5
reconnaissance investigations by Soil Conservation Service, 1934–35	524	101–125
sedimentation surveys, instructions for	524	128–141
silting—		
Henry M. Eakin	524	1–142
processes	524	5–8
surveys by Soil Conservation Service, 1934–35	524	24–100
Residues, spray. *See* Spray residues; and under specific kinds.		
Respiration, Jerusalem-artichoke tubers at emergence from rest period	657	20–21, 34–35
Revegetation, upper Rio Grande watershed, studies	567	74–84
Rhizoctonia—		
solani, development, temperature studies	520	8–11
sp., treatment by carbon dioxide	519	15, 16, 23
spp., association with *Pythium arrhenomanes* on sugarcane	666	20–21
Rhizoglyphus hyacinthi, control on narcissus bulbs by vapor-heat treatment	672	13–15
Rhizopus—		
rot of fruits and vegetables, treatment by carbon dioxide, results	519	3, 14
soft rot of muskmelons, history, symptoms, causes, and control	573	13–18
spp., cause of soft rot of muskmelons	573	15

	Technical Bulletins No.	Page
Ribes—		
bracteosum, chemical eradication, experiments	692	39
cereum, chemical eradication, experiments	692	30–33
eradication—		
chemical and mechanical methods in white pine areas of Western States. H. R. Offord, G. R. Van Atta, and H. E. Swanson	692	1–50
mechanical methods, experiments	692	41–45
erythrocarpum, chemical eradication, experiments	692	39
inerme, chemical eradication, experiments	692	23–29, 44
irriguum, chemical eradication, experiments	692	39–40
lacustre, chemical eradication, experiments	692	29–30
lobbii, chemical eradication, experiments	692	40
nevadense, chemical eradication, experiments	692	40
petiolare, chemical eradication, experiments	692	15–23
roezli, chemical eradication, experiments	692	33–36
sanguineum, chemical eradication, experiments	692	40
spp., eradication, chemical methods, experiments	692	3–40, 44, 45–46
spp., in Western States, eradication, chemical and mechanical methods	692	4–48
stream type, chemical eradication	692	15–30, 45–46
suppression, methods other than chemical and mechanical	692	44
triste, chemical eradication, experiments	692	40
upland-type, chemical eradication, experiments	692	30–38, 46
viscosissimum, chemical eradication, experiments	692	36–38
watsonianum, chemical eradication, experiments	692	40
Rice—		
Caloro, yields on fertilized land in California, 1929–37	718	7, 11, 12, 15, 16, 18
Colusa—		
application of ammonium sulfate, time and rate, experiments	718	9–11
yields on land fertilized with ammonium sulfate in California, 1927–34	718	10
fertilizer experiments in California. Loren L. Davis and Jenkin W. Jones	718	1–22
food of game ducks, and regions	634	52–53
growing in California, fertilizer experiments	718	5–19
kernels, discolored, fungi isolated from. E. C. Tullis	540	1–12
production, price, and—		
gross income, 1869–1937	703	71
income, estimation methods and source of data	703	69
starch, evaluation for textile sizing	674	4–35
yield, effect of plowing under bur-clover, experiments	718	18–19
RICHARDS, D. E.: Yields of Barley Varieties, 1932–36: Oregon. With D. D. Hill, Obil Shattuck, D. E. Stephens, and J. Foster Martin	735	36–38
RICHARDSON, HOWARD B.: Methods for the Measurement of Certain Character Properties of Raw Cotton. With T. L. W. Bailey, Jr., and Carl M. Conrad	545	1–77
RICHEY, F. D.: Experiments on Breeding Corn Resistant to the European Corn Borer. With Marion T. Meyers, L. L. Huber, C. R. Neiswander, and G. H. Stringfield	583	1–30
RIGNEY, J. A.: Yields of Barley Varieties, 1932–36: West Virginia	735	48–49
Rio Grande, upper, watershed—		
erosion, evidences and effects	567	10–22
land resources	567	7–10
orange and forest lands, deterioration, causes	567	22–30
range and forest lands, soil erosion and stream flow in relation to land resources and human welfare. Charles K. Cooperrider and Barnard A. Hendricks	567	1–88

	Technical Bulletins No.	Page
Rio Grande—Continued.		
soil erosion—		
in relation to range values	567	72–73
problem, solution	567	74–85
source of destructive flood waters and silt	567	30–38
topography, climate, and vegetation	567	3–7
vegetation-erosion relationships	567	38–72
RITTENHOUSE, GORDON: Some Principles of Accelerated Stream and Valley Sedimentation. With Stafford C. Happ and G. C. Dobson	695	1–134
River(s)—		
beds, water, spreading, natural, in California	578	56–63
currents, damage to aquatic and marsh plants, and control	634	122
Roads, town, cost in Forest County, Wis	687	38–39
Roast(s)—		
beef. *See* Beef roast.		
rib, of beef of different grades, shrinkage and cooking time, influence of style of cutting and method of roasting. Lucy M. Alexander and Nancy Griswold Clark	676	1–36
ROBERTSON, D. W.: Yields of Barley Varieties, 1932–36: Colorado. With Alvin Kezer, D. W. Koonce, and J. J. Curtis	735	6–8
Robinia pseudoacacia. *See* Locust, black.		
Rodent(s)—		
effect on—		
changes in weedy plant cover in Idaho	654	26
mounds and microrelief in California	745	28–29
infestation, relation to erosion on Boise River watershed	528	22–24, 27, 28, 29
predators upon pocket mice	608	5
seed-eating, importance in Douglas-fir region of Oregon and Washington	706	5–11
ROGERS, RUTH ELMQUIST:		
Manufacturing and Serviceability Tests on Sheetings Made From Two Selected Mill Types of Cotton. With Margaret B. Hays and John T. Wigington	645	1–32
Physical and Chemical Changes Produced in Bleached Cotton Duck by *Chaetomium globosum* and *Spirochaeta cytophaga*. With Helen G. Wheeler and Harry Humfeld	726	1–35
ROLLER, E. M.: Effect of Fertilizers on Composition of Soybean Hay and Seed and of Crop Management on Carbon, Nitrogen, and Reaction of Norfolk Sand. With J. E. Adams and H. M. Boggs	586	1–35
Romaine, diseases, effect of carbon dioxide treatment	519	17
Roofs, arches, glued laminated, construction	691	1–121
Rootstocks, stone-fruit, effect on boron accumulation in scion	746	53
ROSE, DEAN H.:		
Handling, Precooling, and Transportation of Florida Strawberries. With E. A. Gorman, Jr	525	1–58
Influence of Packing and Handling Methods on Condition of Apples Barreled for Export. With Paul L. Harding and J. M. Lutz	559	1–26
Rot, red, of sugarcane. E. V. Abbott	641	1–96
Rotation—		
crop—		
experiments at Northern Great Plains Field Station, Mandan, N. Dak. J. T. Sarvis and J. C. Thysell	536	1–75
influence on development of pythium root rot of sugarcane	666	67–68
irrigated, at Huntley (Mont.) Field Station, 1912–35. Stephen H. Hastings and Dan Hansen	571	1–38
irrigated, results on sugar beet yields	614	2–4
Rotenone—		
content of *Tephrosia*, determination	595	4, 10, 11, 15, 16, 24–26, 35
efficacy in control of potato leafhopper on bean, tests	740	37–38
occurrence in Leguminosae	595	2

	Technical Bulletins No.	Page
ROTH, ELMER R.: Butt Rot in Unburned Sprout Oak Stands. With Bailey Sleeth	684	1–43
ROTHGEB, R. G.: Yields of Barley Varieties, 1932–36: Maryland. With W. B. Kemp	735	17
Roughage, grass, feeding to dairy cows, experiments	649	1–31
Roundworm in pigeons, studies	569	1–34
ROYSTER, P. H.: Blast-Furnace Processes for the Production of Phosphatic and Potassic Fertilizer Materials. With K. G. Clark, T. P. Hignett, L. E. Bowe, H. I. Lansdon, J. C. Southard, and J. W. Turrentine	543	1–75
Rubber—		
content—		
and habits of second desert milkweed (*Asclepias erosa*) of southern California and Arizona. R. E. Beckett, R. S. Stitt, and E. N. Duncan	604	1–12
various plants, comparison	604	9–10
wild plants of *Asclepias erosa*, determination	604	5
extraction from *Asclepias erosa*	604	2
Rudbeckia spp., response to length of day	727	33–35
Rumania, tobacco statistics, specified years	587	11, 23–25, 96–100, 113–114
Ruminants, domestic, in United States, nematodes parasitic in, differentiation of eggs of various genera. D. A. Shorb	694	1–11
RUPEL, I. W.: Relation of Stable Environment to Milk Production. With M. A. R. Kelley	591	1–60
RUSSELL, G. A.: Studies on the Possibilities of Devil's Shoestring (*Tephrosia virginiana*) and Other Native Species of *Tephrosia* as Commercial Sources of Insecticides. With A. F. Sievers, M. S. Lowman, E. D. Fowler, C. O. Erlanson, and V. A. Little	595	1–40
Russian-thistle—		
growth and survival on cleared sagebrush lands of Idaho, study	654	7–43
insect population in Idaho	607	7–10, 13, 16–19, 21–27, 32, 35, 36, 39–42
reaction to curly top virus, experiments	624	11, 17–18
Ruston—		
fine sandy loam and colloid, characteristics and analyses	594	10–13
series, soils, distribution and description	594	4
soil series, colloid, molecular ratios and composition	594	27–31
RYALL, A. LLOYD: The Storage of Sweet Cherries as Influenced by Carbon Dioxide and Volatile Fungicides. With Fisk Gerhardt	631	1–20
Rye—		
European—		
acreage, yield, and utilization. *See* under specific countries.		
imports and exports. *See* under specific countries.		
income, gross, ratio to farm value, 1909–36	703	41
milling practices, equipment, and grades of flour in Germany	535	95–97
prices, farm, 1869–1937	703	143
production—		
entering into gross income, 1869–1937	703	127, 129
in Europe	535	33–41, 65–66, 74, 84, 104–105, 116, 123, 132, 139, 143, 147, 153, 164, 171–183

	Technical Bulletins No.	Page
Rye—Continued.		
production—continued.		
price, and gross income, 1869–1937	703	48–49
price and income, estimation, methods and sources of data	703	41
susceptibility to sodium chlorate injury, experiments	648	3–13
winter, tillage methods, effect on yields in rotation	536	63–65, 74
Saccharum—		
hybrids, reaction to inoculation with red-rot fungus	641	73–77
officinarum. *See* Sugarcane.		
spp., reaction to inoculation with red-rot fungus	641	73–77
Sacramento Valley, California, beekeeping	656	6
Sagebrush—		
bunchgrass forage, effect on overgrazing, experiments	600	21–35
food of beet leafhopper	607	7
insect fauna, comparison with that of annual weeds of abandoned land	607	36–42
land(s)—		
cleared, weedy plant cover, changes in and their probable causes. R. L. Piemeisel	654	1–44
of New Mexico, vegetation-erosion conditions, comparison	567	56–60
occurrence in Escalante Valley, Utah	713	10–16
original cover, comparison with weedy plant cover in Idaho	654	39–40
Sagittaria spp., value as game duck foods, and propagation	634	12, 14, 17, 18, 39–41
Sagrain-soybean pasture, production in Yazoo-Mississippi Delta area	682	69–70
St. Louis, lettuce market, description	712	59–60
Salicylic aldehyde, in soil, effect on damage of *Pythium* spp. to sugarcane, experiments	666	21–25
Salinity, soil of Escalante Valley, Utah	713	5–6
Salsola pestifer. *See* Russian-thistle.		
Salt(s)—		
in washing solutions, effect upon lead spray residues on apples	622	22
tolerance of aquatic duck food plants to	634	124–128
well, old, in Colorado, selenium content	601	45–47
Saltbush—		
desert, host of leafhopper in San Joaquin Valley	557	12–13
fourwing, occurrence in Escalante Valley, Utah	713	25–26
spiny, host of beet leafhopper in San Joaquin Valley	557	14
Saltgrass—		
occurrence in Escalante Valley, Utah	713	37–38
value as game duck food	634	45
Saltsage, occurrence in Escalante Valley, Utah	713	36–37
Samphire, red, occurrence in Escalante Valley, Utah	713	40
San Francisco, lettuce market, description	712	62
San Gabriel River, California, water-spreading system, description	578	26–31
San Isabel National Forest, soils and vegetation, selenium content	601	43–45
San Joaquin Valley—		
California—		
beekeeping	656	5–6
vegetation types and their relation to beet leafhopper. R. L. Piemeisel and F. R. Lawson	557	1–28
plant cover, principal species	557	20–24
vegetation types—		
description	557	6–18
relation to climate and topography	557	4–6
weedy—		
areas, reduction, effect on leafhopper population	557	24–27
plant cover, changes in	557	18–20
Sand dunes in Escalante Valley, Utah, mixed vegetation on	713	40–41
Santa Ana River, California, water-spreading, systems, description	578	16–19

	Technical Bulletins No.	Page
Santa Clara River, California, water-spreading systems, description	578	34–45
Sapwood—		
decay and stain, differences	714	13
products, stains and their control. Theodore C. Scheffer and Ralph M. Lindgren	714	1–124
red gum, physical and chemical properties, progressive effects of *Polyporus versicolor* on. Theodore C. Scheffer	527	1–46
stain(s)—		
and decay, differences	714	13
and their control. Theodore C. Scheffer and Ralph M. Lindgren	714	1–124
caused by fungi, occurrence, types, and description	714	7–12
chemical control, experiments	714	39–67, 116–121
chemical treatment, recommendations	714	67–84, 87–93
control—		
commercial use of chemical treatments, present trends	714	106–108
effect on individual boards in seasoning pile	714	95–105
experiments	714	86–95
in South, commercial aspects	714	34–40
development, factors influencing	714	16–22
distribution, seasonal and regional	714	13–16
effect on wood properties	714	28–33
study, considerations in gathering data	714	65–67
types, susceptibility to stain, factors affecting	714	20–22
wound stains, description and causes	714	7
SARVIS, J. T.: Crop Rotation and Tillage Experiments at the Northern Great Plains Field Station, Mandan, N. Dak. With J. C. Thysell	536	1–75
Saskatchewan, barley varieties, yield, 1932–36	735	66–69
Sauerkraut manufacture, cabbage production for	646	48–50
SAVAGE, D. A.: Drought Survival of Native Grass Species in the Central and Southern Great Plains, 1935	549	1–55
Savanna, tree, relation to leafhopper population in San Joaquin Valley	557	6–8
Savannas, vegetation-erosion conditions in New Mexico, comparison	567	45–48
Sawgrass, food of game ducks, and propagation	634	64
Scarabaeidae—		
control, study in Far East, 1929–33	738	1–35
related to *Popillia japonica*, parasites in Far East—		
biology, importance, and shipments	738	19–33
investigations from 1929 to 1933, inclusive. T. R. Gardner and L. B. Parker	738	1–36
SCHAFER, E. G.: Yields of Barley Varieties, 1932–36: Washington. With O. E. Barbee and H. D. Jacquot	735	46–48
SCHEFFER, THEODORE C.:		
Progressive Effects of *Polyporus versicolor* on the Physical and Chemical Properties of Red Gum Sapwood	527	1–46
Stains of Sapwood and Sapwood Products and Their Control. With Ralph M. Lindgren	714	1–124
SCHEFFER, THEO. H.: Pocket Mice of Washington and Oregon in Relation to Agriculture	608	1–16
SCHNUR, G. LUTHER: Yield, Stand, and Volume Tables for Even-Aged Upland Oak Forests	560	1–88
Schools, number, enrollment, cost, and revenues in Forest County, Wis	687	40–46
SCHOTH, H. A.: Studies of the Culture and Certain Varieties of the Jerusalem Artichoke. With Victor R. Boswell, C. E. Steinbauer, M. F. Babb, W. L. Burlison, and W. H. Alderman	514	1–70
Sclerotinia spp., treatment by carbon dioxide, results	519	5, 16

	Technical Bulletins No.	Page
Sclerotium—		
rolfsii—		
cause of rot of cantaloups	573	43
treatment by carbon dioxide, results	519	15, 23
rot of cantaloups, occurrence	573	43
Scobey, Fred C.: Flow of Water in Irrigation and Similar Canals	652	1–79
Scobey loam—		
analyses, mechanical and chemical	502	14–17
description	502	3
Scofield, Carl S.: Subsoil Waters of Newlands (Nev.) Field Station. With C. Lloyd Moon and Elmer W. Knight	533	1–31
Scoliidae—		
parasites of—		
Japanese beetle larva, distribution, biology, rearing, and shipment	738	11–19
Scarabaeidae related to *Popillia japonica*, biology, rearing, and shipment	738	20–28
rearing in Far East, and shipping to United States	738	29–31
Scoter(s)—		
American, range, description, and food habits	643	127–131, 132
description and food habits	643	113–131
surf, description, range, and food habits	643	121–126, 132
white-winged, range, characteristics, and food habits	643	114–121, 132
Scotts Bluff Field Station, Nebraska—		
irrigated crop rotations, 1912–34	512	3–36
sugar beets, effects of farm manure on, experiments	614	1–12
Screws, lag—		
direct withdrawal from wood, tests	597	3–14, 26
lateral resistance in, tests	597	14–25, 26
Seattle, lettuce market, description	712	63
Seaweed, arsenic content	732	16–17
Sedges, food of game ducks, and propagation	634	65
Sediment(s)—		
deposits—		
in Morena Reservoir, San Diego County, Calif., character and distribution	639	4–10
types in Tobitubby and Hurricane Valleys, Miss	695	22–31
excessive, production in Mississippi	695	14–17
fluvial, deposits in Mississippi, mechanical analyses, results	695	121–133
modern valley—		
recognition	695	63–68
types, character, and distribution	695	68–75
Sedimentation—		
accelerated, stream and valley, some principles. Stafford C. Happ, Gordon Rittenhouse, and G. C. Dobson	695	1–134
control—		
in Mississipi, methods and results	695	53–56
relation to soil conservation	695	102–114
in Mississippi, Lafayette County, studies	695	10–62
relation to flood control problems	695	56–57, 96–102
stream, general principles	695	62–114
studies, historical sketch	695	4–10
survey, Morena Reservoir, Calif	639	3–11
valley—		
deposits, modern, volume, distribution, and character	695	31–46
general principles	695	62–114
investigation methods	695	17–22
Sedum spp., response to length of day	727	45–48

	Technical Bulletins No.	Page
Seed(s)—		
collections in upper air in Louisiana, 1931	673	132–133
corn maggot—		
biological studies	723	8–38
control studies	719	7–33
damage to potato seed pieces, prevention. W. J. Reid, Jr., R. C. Wright, and W. M. Peacock	719	1–38
host plants and other larval food	723	7–8
in Coastal Plain of South Atlantic States, biology. W. J. Reid, Jr	723	1–44
infestations on potato seed pieces	719	1–2, 4–7
injury to potato seed pieces, description	719	2–3
insects mistaken for	719	4
natural enemies	723	38–39
synonyms, history, and distribution	723	2
systematic position	723	2–3
loan(s)—		
amount loaned and percentage collected, by States, 1921–35	539	45–47
borrowers, financial and economic status in Cotton States	539	23–30
borrowers, types	539	30–34
cost of making	539	18–22
Federal—		
financing method	539	3–18
financing problems	539	30–34
financing, relation to agricultural rehabilitation and land use. Norman J. Wall	539	1–60
statutes, main provisions	539	37–44
interest rates, regulations	539	18
security for, regulations	539	17–18
vegetable, deterioration, rapid, and methods for its prevention, study. Victor R. Boswell, E. H. Toole, Vivian K. Toole, and D. F. Fisher	708	1–48
Selenium—		
absorption by plants	601	6–34, 42–45, 67, 69–70
content of soils—		
and vegetation, effect of rainfall	530	61–69
control measures	530	75, 76
extracts, experiments	530	71–72
relation to that of plant	530	69–71
distribution in soils	601	68–69, 71
forms occurring in soil	601	56–60
in foods, toxicity as shown by effect on rat. Hazel E. Munsell, Grace M. DeVaney, and Mary H. Kennedy	534	1–26
in soils, damage to plant and animal life, discussion	601	70
occurrence in—		
certain soils in United States—		
with discussion of related topics. Second report. Horace G. Byers	530	1–79
with discussion of related topics. Third report. Horace G. Byers, John T. Miller, K. T. Williams, and H. W. Lakin	601	1–75
with discussion of related topics. Fourth report. K. T. Williams, H. W. Lakin, and Horace G. Byers	702	1–60
soils of erosion experiment stations, determination	552	4, 7, 12, 13, 14–15, 16, 19–20
sulphur products, experiments	601	66–67
origin in soils, theories	601	60–62
poisoning, permanence of injuries to rats	534	22–23
storage in rat livers, and excretion	534	18–22
Serica spp., larvae, parasites in Far East, investigations	738	20–21,23, 25–62

	Technical Bulletins No.	Page
Serphoidea, parasites of hessian fly, remains left in host puparium, description	715	3–4
Serum blood, use in rearing foals and lambs. J. A. Gamble, I. P. Earle, and Paul E. Howe	661	1–35
Settlers, relocation programs in Wisconsin	687	71–85, 102–103
Sewage—		
distribution and application to land for irrigation, methods	675	10–15
effluent(s)—		
chlorination, possible effect upon chemical quality for irrigation	675	41–43
salts occurring in, studies	675	39–43
farms, municipal—		
description and operation	675	19–22
returns from	675	52–53
irrigation. *See* Irrigation, sewage.		
source of irrigation water supply	675	4–8
use for crop irrigation, list of areas concerned	675	60
water rights, discussion	675	43–44, 46
Sex ratio, calves, effect of feeding alfalfa hay, experiments	610	41
Shadscale, occurrence in Escalante Valley, Utah	713	27–30, 33–35
Shallu, description, history, distribution, and synonyms	506	61
SHANTZ, H. L.: Types of Vegetation in Escalante Valley, Utah, as Indicators of Soil Conditions. With R. L. Piemeisel	713	1–46
Sharecropper(s)—		
cost to plantation operator, Yazoo-Mississippi Delta area	682	50–52
definition of term	682	5
on plantations in Yazoo-Mississippi Delta area	682	40–54
See also Tenant(s).		
SHARPE, C. F. S.: Principles of Gully Erosion in the Piedmont of South Carolina. With H. A. Ireland and D. H. Eargle	633	1–143
SHATTUCK, OBIL: Yields of Barley Varieties, 1932–36: Oregon. With D. D. Hill, D. E. Richards, D. E. Stephens, and J. Foster Martin	735	36–38
SHAW, K. J.: Control of the Blue Mold (Downy Mildew) Disease of Tobacco by Spraying. With Edward E. Clayton, John G. Gaines, T. E. Smith, and W. M. Lunn	650	1–23
Sheep—		
blood serum, feeding to lambs—		
as substitute for colostrum, experiments	661	18
followed by dried whole cow's milk, experiments	661	26
feeding alfalfa hay cut at three stages of maturity, digestion trials	739	24–26
production, price, and—		
gross income, 1869–1937	703	122–123
income, estimation methods and source of data	703	121–122
range—		
influence of climate on in southern Idaho	600	16–21
spring-fall, influence of climate and grazing on, in southern Idaho. G. W. Craddock and C. L. Forsling	600	1–43
slaughter, production—		
entering into gross income, 1869–1937	703	134, 136
indices, 1869–1937	703	135, 137
toxicity of arrowgrass to and remedial treatment. A. B. Clawson and E. A. Moran	580	1–16
Sheeting(s)—		
cotton—		
bleaching, effects	645	11–12, 19–28
durability tests, methods	645	4–6
ironed, effect of variations in—		
length of exposure	517	19–31
pressure	517	8–18
ironing, effects, experiments	517	2–31
laundering, effects, experiments	645	11–30

	Technical Bulletins No.	Page
Sheeting(s)—Continued.		
made from two selected mill types of cotton, manufacturing and serviceability tests. Ruth Elmquist Rogers, Margaret B. Hays, and John T. Wigington	645	1–32
Sheets—		
cotton, manufacturing and serviceability tests	645	4–30
shrinkage, measurements	645	11
Shenandoah-Cumberland section, apples from, transportation to overseas markets. Paul L. Harding and Charles L. Powell	523	1–27
Shenandoah-Cumberland Valley, apples grown in, lead-spray residues, removal. M. H. Haller, C. C. Cassil, C. W. Murray, J. H. Beaumont, and Edwin Gould	622	1–32
SHEPARD, H. B.:		
Forest Fire Insurance in the Northeastern States	651	1–46
Forest Fire Insurance in the Pacific Coast States	551	1–168
SHEPHERD, J. B.:		
Methods of Making Silage From Grasses and Legumes. With T. E. Woodward	611	1–34
Milk and Butterfat Production by Dairy Cows on Four Different Planes of Feeding. With R. R. Graves, George Q. Bateman, and George B. Caine	724	1–36
The Hohenheim System in the Management of Permanent Pastures for Dairy Cattle. With T. E. Woodward and M. A. Hein	660	1–34
Shoalgrass, value as game-duck food	634	36
SHOLLENBERGER, J. H.: Wheat Requirements in Europe (Especially Pertaining to Quality and Type, and to Milling and Baking Practices)	535	1–191
SHORB, D. A.: Differentiation of Eggs of Various Genera of Nematodes Parasitic in Domestic Ruminants in the United States	694	1–11
SHOW, S. B.: Principles of Forest-Fire Detection on the National Forests of Northern California. With E. I. Kotok	574	1–32
Shrews, importance as seed eaters in Douglas-fir region of Oregon and Washington	706	9–10
Shrubs growing on longleaf pine lands at McNeill, Miss., list	683	52
SIEVERS, A. F.: Studies on the Possibilities of Devil's Shoestring (*Tephrosia virginiana*) and Other Native Species of *Tephrosia* as Commerical Sources of Insecticides. With G. A. Russell, M. S. Lowman, E. D. Fowler, C. O. Erlanson, and V. A. Little	595	1–40
Silage—		
alfalfa—		
feeding value, experiments	611	24–26
influence on flavor and odor of milk, experiments	611	26–28
making, experiments	611	16–21, 22–23, 28–30
grass—		
feeding value, experiments	611	24–26
making, experiments	611	6–16, 18–22, 23–24, 28–30
Jerusalem-artichoke tops, recommendations	514	51–62
Kentucky bluegrass, making, experiments	611	15–16
legume—		
feeding value, experiments	611	24–26
making, experiments	611	16–23, 28–30
made from immature pasture herbage, value for milk production. R. R. Graves, J. R. Dawson, and D. V. Kopland	649	1–32
making from—		
grasses and legumes, methods. T. E. Woodward and J. B. Shepherd	611	1–34
hay crops, recommendations	611	29–30

	Technical Bulletins No.	Page
Silage—Continued.		
partial drying, experiments	611	18–19
soybean, making, experiments	611	18
Silcox, Ferdinand A., introduction to Timber Growing and Logging Practice in Ponderosa Pine in the Northwest	511	1–3
Silenious acid, in diet of rats, effects of different quantities	534	7
Silica content of sugarcane juices, comparison of varieties	688	26–28
Silos—		
large, results obtained	611	23–24
small, results obtained, influence of methods on	611	18–22
Silting—		
effect of accelerated erosion on, in Morena Reservoir, San Diego County, Calif. F. F. Barnes, C. J. Kraebel, and R. S. LaMotte	639	1–22
of reservoirs. Henry M. Eakin	524	1–142
waterfowl lakes, causes and control	634	123–124
Simpson, D. M.: Anatomical Structure of the Cottonseed Coat as Related to Problems of Germination. With Caroline L. Adams and G. M. Stone	734	1–24
Siphonaptera, collections made by airplane in Louisiana	673	4, 10, 16, 90
Sire(s) dairy—		
breeding records at Beltsville, Md	677	17–25
daughters—		
breeding and reproduction records	677	58–65
production records	677	25–31
first, selection at Beltsville, Md	677	14–17
sons, production records and breed types of daughters	677	66–68
Sizing, textile, films of starches and gelatin used in, breaking strength, elongation, and folding endurance. Margaret S. Furry	674	1–36
Slash—		
burning, effect on abundance of small seed-eating mammals in forest experiments	706	13–17
disposal—		
Douglas-fir region of western Oregon and Washington	706	3–4
ponderosa pine forests	511	9, 12, 13–28, 34–36, 73–77, 88, 89–90
Slater, C. S.: Trace Elements in the Soils From the Erosion Experiment Stations, With Supplementary Data on Other Soils. With R. S. Holmes and H. G. Byers	552	1–24
Sleeth, Bailey: Butt Rot in Unburned Sprout Oak Stands. With Elmer R. Roth	684	1–43
Sludge, use and sale, factors	675	37, 53–54
Smartweeds, food of game ducks, value, environment, and propagation	634	9, 11–18, 73–79
Smelting—		
phosphate, by blast-furnace process, data	543	17–47, 66
potash, by blast-furnace process, data	543	47–60, 67
potash-phosphate, by blast-furnace process, data	543	60–66, 67
Smith, H. E.:		
Communicability of Infectious Abortion Between Swine and Cattle. With W. E. Cotton and J. M. Buck	629	1–8
Vaccination of Calves and Yearlings Against Bang's Disease. With J. M. Buck and W. E. Cotton	658	1–7
Smith, Ralph W.: Yields of Barley Varieties, 1932–36: North Dakota. With T. E. Stoa and John C. Brinsmade	735	32–34
Smith, T. E.: Control of the Blue Mold (Downy Mildew) Disease of Tobacco by Spraying. With Edward E. Clayton John G. Gaines, W. M. Lunn, and K. J. Shaw	650	1–23
Smoot, Charles C.: Western Hemlock Bark an Important Potential Tanning Material. With Ralph W. Frey	566	1–48

	Technical Bulletins No.	Page
Smut(s)—		
of barley, control, further experiments. R. W. Leukel	513	1–12
stinking—		
of wheat, and its control. R. W. Leukel	582	1–48
See also Bunt.		
Snails, food of game ducks, and propagation	634	97–98
Snake River Plains, Idaho, cultural history	607	2–5
Snap beans. *See* Bean(s), snap.		
SNELLING, RALPH O.: Resistance of Sorghums to the Chinch Bug. With Reginald H. Painter, John H. Parker, and W. M. Osborn	585	1–56
SNIDER, GEORGE G.: Nutritive Properties of Certain Animal and Vegetable Fats. With Ralph Hoagland	725	1–12
Snow melt, date, use in forecasting range-plant development in Utah	686	19–23, 28, 29
Snowbells, food of game ducks	634	94
Snuff, consumption in Europe, 1924–34	587	10
SNYDER, ELMER: Testing Vinifera Grape Varieties Grafted on Phylloxera-Resistant Rootstocks in California. With George C. Husmann and Frederick L. Husmann	697	1–64
Sodium—		
bisulphite, treatment of grapes, effects	606	18
chlorate injury, comparative susceptibility of crop plants to. Annie M. Hurd-Karrer	648	1–15
content of irrigation water, effect on crops	746	10
nitrate, placement for potatoes, experiments	669	19–46
nitrite, combination with sodium thiosulphate as remedy for arrowgrass poisoning of sheep	580	14–15
oxide content of sugarcane juices, comparison of varieties	688	37, 39
silicate in washing solutions, effect upon lead spray residues on apples	622	24
thiosulphate, combination with sodium nitrite as remedy for arrowgrass poisoning of sheep	580	14–15
Softwood(s)—		
influence of compression wood in	546	26–29
log prices, 1900–1934	626	104,108, 114–115
lumber prices f. o. b. the mill, specified years, 1899–1934	626	117–123, 129
stumpage prices, analyses and statistics	626	26–71
Soil(s)—		
acid, waterfowl food plants adapted for growth on	634	128–129
alkaline, waterfowl food plants adapted for growth on	634	124–128
arsenic distribution and its presence in certain plants. Kenneth T. Williams and Richard R. Whetstone	732	1–20
Badlands, features	502	4
boron—		
deficiency, occurrence and results	746	56–57
fixation, discussion	696	8–28, 51–52
in, behavior. Frank M. Eaton and L. V. Wilcox	696	1–58
in, displacement by phosphate, oxalate, and other anions, experiments	696	47–51
in, studies	746	45–48
California, experimental vineyards, description	697	7–12
certain, infiltration and related physical characteristics. G. R. Free, G. M. Browning, and G. W. Musgrave	729	1–52
characteristics—		
at Northern Great Plains Field Station, Mandan, N. Dak	536	4–7
development, relation to environment	556	8–14
chemical properties, effect of fire and grazing, longleaf pine lands of Mississippi	683	40–44
classes irrigated with sewage	675	16

Soil(s)—Continued.

	Technical Bulletins No.	Page
complex(es)—		
certain, of California, hardpan and microrelief in. C. C. Nikiforoff	745	1–46
definition and characteristics	745	4–7
local, end members, Central Valley, Calif	745	26–28
conditions—		
correlation with plant communities as indication of crop potentiality in Utah	713	41–45
favoring pythium root rot of sugarcane	666	61–67
in Escalante Valley, Utah, indication by types of vegetation. H. L. Shantz and R. L. Piemeisel	713	1–46
conservation—		
investigations, Soil Conservation Experiment Station, Missouri Valley loess region, Clarinda, Iowa. G. W. Musgrave and R. A. Norton	558	1–182
project, Soil Conservation Experiment Station, Clarinda, Iowa—		
description	558	8–10
purpose and plan	558	14–21
results	558	21–53
reconnaissance survey of southern Great Plains wind-erosion area. Arthur H. Joel	556	1–68
relation to sedimentation control	695	102–114
contamination with arsenicals	732	13–16, 17–18
cultivation for control of corn earworm, effectiveness	561	1–16
developed from granitic materials—		
carbon-nitrogen ratios	609	41–44
environmental relations	609	44–53
formation, factors	609	50–51
in New England and the Piedmont, chemical and physical properties. Irvin C. Brown and Horace G. Byers	609	1–56
derived from limestone—		
chemical composition, analysis	678	11–16
chemical study. Lyle T. Alexander, Horace G. Byers, and Glen Edgington	678	1–27
mechanical composition	678	9–11
sample series and profiles, description	678	2–9
dry-land, chemical and physical properties. Irvin C. Brown and Horace G. Byers	502	1–56
erosion. *See* Erosion, soil.		
extracts, selenium content, experiments	530	71–72
fertility, relation to character of colloid acid	542	33–34
fertilized by soybean hay, green manure, and stubble—		
carbon and nitrogen content	586	24–29
pH studies	586	29–30
fluvial deposits in Mississippi, mechanical analysis, results	695	121–133
from erosion experiment stations—		
some moisture relations. L. B. Olmstead	562	1–45
trace elements in, with supplementary data on other soils. C. S. Slater, R. S. Holmes, and H. G. Byers	552	1–24
Greenhorn formation, description and selenium content	601	38–42
grinding with kaolin, effect on boron fixation and exchange reactions	696	46–47
groups, great, colloids of representative soils, neutralization curves. M. S. Anderson and Horace G. Byers	542	1–39
Hays series, description	502	7
hydrogen-ion concentration, relation of boron solubility to	696	15–20
improvement, effect on control of pythium root rot of sugarcane	666	85–86
infestation with bunt spores, experiments with fungicides	582	30–38
infiltration—		
factors affecting	729	15–21
rates, prediction	729	29–30

Soil(s)—Continued.	Technical Bulletins No.	Page
irrigated, in Colorado, selenium content, investigations	601	26–31, 45–47
Keith series, description	502	6
Kelvin series, description	502	13, 49, 51
loessial, distribution in Missouri Valley and associated areas	558	3–6
lower plastic limit, determination	562	30–32
management, modification of infiltration rates, recommendations	729	31
maturity, relation to existence of hardpan, discussion	745	41–43
migration in South Carolina Piedmont, description	633	20–24
mixtures, moisture-absorbing and moisture-retaining capacities, comparison with peat. I. C. Feustel and H. G. Byers	532	1–26
moisture—		
availability, studies	617	6–7
capacity, normal, investigations	562	14–21
capillary, rate of flow through various soil types	579	1–29
centrifugal, investigations	562	2–14
conservation and use at Mandan, N. Dak. J. C. Thysell	617	1–40
constants, relationships with other soil properties, studies	562	37–41
content, relation to growth of lemon fruits. J. R. Furr and C. A. Taylor	640	1–72
determination at Mandan, N. Dak	617	4–5
effect on—		
boron extraction, experiments	696	30–32
cotton crazy top infection	515	35–38
larval development of seed-corn maggot, tests	723	16
sugarcane red rot	641	47
weedy plant cover in southern Idaho	654	36
holding capacity, comparison with peat and peat mixtures	532	1–24
in lemon orchards, determination	640	16–21
influence on bunt development	582	6–7
on terraced and unterraced areas	558	64–70
range readily available to plants	640	6–12
sticky point, definitions and determination	562	21–30
Morrison formation, description and selenium content in Colorado	601	42–43
movement down slopes, investigations	558	86–87
nutrients, content and availability, effect on development of pythium root rot of sugarcane	666	62–64
of Boise River watershed, relation to erosion	528	14–17, 27, 29
of California—		
Hollister area, description	746	4–5
Morena drainage basin, character	639	13
of Hawaii—		
profiles, description	584	4–8
profiles, examination and analysis	584	8–25
study, historical resume	584	1–4
of Mississippi Delta, adaptation to alfalfa	701	3–4
of South Carolina Piedmont—		
erosion and description	633	26–31
relation to geology	633	18–26
of southern Great Plains, wind-erosion area, description	556	8–14
of Utah, Escalante Valley, salinity	713	5–6
of wind-erosion area, southern Great Plains, conservation reconnaissance survey. Arthur H. Joel	556	1–68
of Wisconsin—		
Barron County, description	750	53
Dodge County, description	750	8–9
of Yazoo-Mississippi Delta area, description and improvement	682	8–9

Soil(s)—Continued.

	Technical Bulletins No.	Page
organic matter—		
and biological activity, effect on development of pythium root rot of sugarcane	666	64–67
boron fixation, experiment	696	43–44
relation to infiltration rate	729	22–23
particles, aggregation relation to rate of infiltration	729	21
peat mixtures, moisture-holding capacity, comparison	532	1–24
Pecos series, features	502	10
pH value, effect on infiltration rates	729	27
physical properties, effect of fire and grazing, longleaf pine lands of Mississippi	683	35–40
Pierre series, description	502	5
Pima series, description	502	11
pores, size and permanency, relation to infiltration	729	30–31
porosity, effect on infiltration	729	19–21
productivity, under budgeted plantation systems, recommendations	682	86–87
profiles—		
Hawaiian, certain, chemical and physical studies. George J. Hough and Horace G. Byers	584	1–27
selenium content in eastern Colorado	601	34–37
water infiltration, relative	729	12–14
properties, relationships with moisture constants, studies	562	37–41
Pullman series, features	502	8–9
relation to erodibility	556	37–39
representative, description	542	4–6
rough stony land, features	502	12–13
salinity, Utah, Escalante Valley	713	5–6
Scobey series, description	502	2–3
seleniferous, plant associations on, occurrence	601	62–64
selenium—		
content—		
control measures	530	75, 76
relation to that in plant	530	69–71
occurrence in United States—		
with discussion of related topics. Second report. Horace G. Byers	530	1–79
with discussion of related topics. Third report. Horace G. Byers, John T. Miller, K. T. Williams, and H. W. Lakin	601	1–75
with discussion of related topics. Fourth report. K. T. Williams, H. W. Lakin, and Horace G. Byers	702	1–60
solutions, boron—		
concentrations in and associated accumulation in lemon leaves	696	34–38
in, studies	696	28–33
Spearfish series, description	502	3–4
temperatures—		
Alhambra, Calif., 1930 34	744	14–18
association with variations in gum yields	510	5, 8–13, 15–17, 30–31, 33
effect on—		
beginning of emergence of sugar-beet wireworm adults	744	62
bunt infection, experiments	582	4–6
infiltration of soils	729	27–28
records for Ephraim Canyon, Utah	598	6–7
texture, relation of boron fixation to	696	38–39
toxicity, effect on development of pythium root rot of sugarcane	666	61–62
toxins, effect on damage to sugarcane by mildly parasitic *Pythium* species, experiments	666	21–25

	Technical Bulletins No.	Page
Soil(s)—Continued.		
trace elements, from erosion experiment stations, with supplementary data on other soils. C. S. Slater, R. S. Holmes, and H. G. Byers	552	1–24
treatment for control of pythium root rot of sugarcane	666	86–87
type, effect on rate of flow of capillary moisture	579	19–20, 22–25
types occurring in areas producing *Tephrosia* spp.	595	16–25
water—		
amount remaining at harvesttime, Mandan, N. Dak.	617	15–20
dispersion ratio	729	26
extraction by lemon tree roots, study	640	37–43
infiltration to water table, extent under semiarid conditions	637	68–70
regime, Central Valley, Calif.	745	22–26
saturation, minimum, determination	562	32–37
saved by fallow, investigations at Mandan, N. Dak.	617	31–37
storage at seeding time, Mandan, N. Dak.	617	10–14
storage, effect on size of lemon trees	640	65–66
wilting point, definition and discussion	640	2–6
See also under specific series.		
Soil Conservation Experiment Station, Missouri Valley loess region, Clarinda, Iowa, soil and water conservation investigations. G. W. Musgrave and R. A. Norton	558	1–182
Soil Conservation Service, survey of condition of reservoirs, 1934-35, progress report	524	1–141
Sorghum(s)—		
Ajax, description, history and distribution	506	49
Beaver, description, history, distribution, and synonyms	506	59
Bishop, description, history, distribution, and synonym	506	61
botanical relationship	506	23–24
Brown Durra, description, history, distribution, and synonym	506	46
Chiltex, description, history, distribution, and synonym	506	48
common, varieties, identification, history, and distribution. H. N. Vinall, J. C. Stephens, and J. H. Martin	506	1–102
Desert Bishop, description, history, distribution, and synonym	506	60–61
Dwarf Freed, description, history, and distribution	506	62
Dwarf White Durra, description, history, distribution, and synonym	506	45–46
Fargo, description, history, distribution, and synonyms	506	60
food of English sparrows	711	26
Freed, description, history, distribution, and synonym	506	62
grain. *See* under specific kind.		
Grohoma, description, history, and distribution	506	62–63
Hegari, description, history, distribution, and synonyms	506	47–48
important varieties, acreage by States	506	81–91
Manko, description, history, distribution, and synonyms	506	60
plant(s)—		
characters, relation to resistance to chinch bug	585	42–44
description, development, and varietal studies	506	24–26
injury by chinch bugs, description	585	40–42
Premo, description, history, and distribution	506	48
resistance to chinch bug—		
Ralph O. Snelling, Reginald H. Painter, John H. Parker, and W. M. Osborn	585	1–56
natural selection as factor	585	38–40
Schrock, description, history, distribution, and synonym	506	63–64
value as food of game ducks	634	53
varietal types, establishment	506	26–28
varieties—		
American investigations	506	12–23
common, descriptions, history, distribution, and synonymy	506	44–81
common, identification key	506	38–44
description, characters used	506	28–37

	Technical Bulletins No.	Page
Sorghums(s)—Continued.		
varieties—continued.		
foreign investigations	506	2–12
inheritance of resistance to chinch bug injury, experiments	585	26–38
planting time, effect on chinch bug injury, experiments	585	22–26
plants killed by chinch bugs, rate, experiments	585	20–21
resistance to chinch bug attacks, experiments	585	5–50
vernacular names, lists	506	85
Wheatland, description, history, and distribution	506	59
White Durra, description, history, distribution, and synonyms	506	44–45
Wonder, description, history, and distribution	506	49
Sorgo—		
Atlas, description, history, and distribution	506	76–77
Chinese Amber, description, history, distribution, and synonym	506	65–66
Collier, description, history, and distribution	506	78
Colman, description, history, distribution, and synonyms	506	70–71
Dakota Amber, description, history, distribution, and synonyms	506	67–68
Denton, description, history, and distribution	506	78
Early Sumac, description, history, and distribution	506	65
Folger, description, history, distribution, and synonym	506	75–76
Gooseneck, description, history, distribution, and synonym	506	74–75
Honey, description, history, distribution, and synonyms	506	71–72
Kansas Orange, description, history, and distribution	506	70
Leoti, description, history, distribution, and synonym	506	75
McLean, description, history, and distribution	506	77
Minnesota Amber, description, history, distribution, and synonyms	506	66–67
Orange, description, history, distribution, and synonym	506	69–70
Planter, description, history, distribution, and synonym	506	74
Red Amber, description, history, and distribution	506	68–69
resistance to chinch bug injury, experiments	585	10–50
Rex, description, history, distribution, and synonym	506	77
Sapling, description, history, distribution, and synonyms	506	73–74
Sourless, description, history, distribution and synonyms	506	72–73
Sugar Drip, description, history, distribution, and synonyms	506	79
Sumac, description, history, distribution and synonym	506	64–65
tillage methods, effect on yields in rotation	536	69
varieties, vernacular names, lists	506	84–85
Waconia Amber, description, history, and distribution	506	67
White African, description, history, distribution, and synonym	506	76
Sorosporella uvella, parasitism on corn earworm pupae	561	15
South, sap stain, seasonal and regional distribution	714	13–14
South Atlantic States, Coastal Plain, seed-corn maggot, biology. W. J. Reid, Jr	723	1–44
South Carolina—		
barley varieties, yields, 1932–36. H. P. Cooper	735	40
blue mold disease of tobacco, control experiments	650	11–12, 19
cabbage, production	646	12, 13
geology, description	633	14–26
lettuce production	712	9, 12–13
potato seed pieces, damage by seed-corn maggot, prevention experiments	719	1–35
soybean growing under fertilizer treatments	586	1–32
Spartanburg area, gully erosion, representative examples	633	94–136
Spartanburg County—		
land use and erosion conditions	633	35–37
settlement, early agriculture, and expansion	633	32–34
soil series, description	633	28–31
South Carolina Coastal Plain, sand wireworm and its control. J. N. Tenhet and E. W. Howe	659	1–39

	Technical Bulletins No.	Page
South Carolina Piedmont, gully erosion, principles. H. A. Ireland, C. F. S. Sharpe, and D. H. Eargle	633	1–143
South Central States, reservoirs, silt measurements	524	118–121
South Dakota—		
Ardmore, precipitation, 1919–33	547	7
barley varieties, yields, 1932–36. S. P. Swenson, K. H. Klages, A. N. Hume, and Beyer Aune	735	40–42
selenium occurrence	702	51–52, 54–55
soils, selenium content	530	11–13, 16, 18, 62–69
vegetables, selenium content	702	54–55
vegetation, selenium content	530	11–13, 16, 62–69
South Pacific, region, stumpage prices, analysis and statistics	626	66–67
SOUTHARD, J. C.: Blast-Furnace Processes for the Production of Phosphatic and Potassic Fertilizer Materials. With P. H. Royster, K. G. Clark, T. P. Hignett, L. E. Bowe, H. I. Lansdon, and J. W. Turrentine	543	1–75
Southeast—		
beans, snap, field studies of certain diseases. W. D. Moore	647	1–28
reservoirs, silt measurements, 1934	524	101–115
Southern pine region, stumpage prices, analyses and statistics	626	60–63, 79–84, 109, 120–123, 137
Southwest Poultry Experiment Station, Ariz., experiments with alfalfa leaf meals	632	1–8
Soybean(s)—		
acreage, in United States, 1924–37	619	7, 25–28
and soybean products, tariff rates, 1913–37	619	5
cake and meal, imports, 1912–36	619	5
crop management, effect on carbon, nitrogen, and reaction of Norfolk sand. J. E. Adams, H. M. Boggs, and E. M. Roller	586	1–35
crushing for oil and meal	619	11–17
demand and supply, elasticity	619	23
economic position, present, analysis	619	20–28
hay. *See* Hay, soybean.		
imports, 1914–36	619	5
in United States, recent trends and present economic status. Ernest W. Grove	619	1–31
industry, development in United States	619	3
meal—		
imports	619	16–17
prices at Chicago, by months, 1929–36	619	21
uses and demand	619	17, 22
value and price spread, 1933–37	619	18–19
nutrition, importance of potassium	586	31, 32
oil—		
consumption, by classes of products, 1931–36	619	14
content, determination methods	748	2–12
content, rapid determination. Lawrence Zeleny and M. H. Neustadt	748	1–23
crude, prices by months, 1929–36	619	20
crude, production, net imports, stocks, and disappearance, 1922–36	619	14
imports, 1912–36	619	5
iodine number, rapid determination. Lawrence Zeleny and M. H. Neustadt	748	1–23
price relations	619	2, 12, 17–20
production in United States, 1928–36	619	15

	Technical Bulletins No.	Page
Soybeans(s)—Continued.		
oil—continued.		
testing methods, rapid, need for	748	1–2
uses	619	2, 3, 12–16, 22
value and price spread, 1933–37	619	18–19
prices—		
factors affecting	619	1–2, 17–20, 24
farm, 1924–37	619	9, 18
production in—		
specified countries, 1925–36	619	4
United States	619	6–11, 23–28
Yazoo-Mississippi Delta area	682	63–66, 69–70
products, economic position, present, analysis	619	20–28
quantity crushed, and increase or decrease in crushers' stocks, 1924–36	619	9
recent trends and present economic status in United States. Ernest W. Grove	619	1–31
seed, composition, effect of fertilizers. J. E. Adams, H. M. Boggs, and E. M. Roller	586	1–35
silage, making, experiments	611	18
susceptibility to sodium chlorate injury, experiments	648	3–14
world production and marketing	619	4–6
yield in United States, 1924–37	619	8, 25–28
Spain—		
bread grains, quality and type, and milling and baking practices	535	146–152
Government regulation of grain and milling industries	535	148
tobacco statistics, specified years	587	11, 15, 23–25, 88–90, 113–114
Spangler, Raymond L.:		
Marketing Commercial Cabbage	646	1–126
Marketing Commercial Lettuce	712	1–82
Sparrow(s), English—		
abundance, factors controlling	711	61–63
adults, food preferences	711	11–33
competition with native birds	711	59–61
economic status in United States. E. R. Kalmbach	711	1–66
food—		
effect of local conditions	711	48–52
habits	711	11–57
quantity eaten	711	52–56
nestlings, food preferences	711	33–48
range and adaptability	711	2–6
transmission of diseases, parasites, and insect pests	711	57–58
Spatterdocks, food of game ducks, value, environment, and propagation	634	82
Spearfish silt loam—		
analyses, mechanical and chemical	502	17–20
description	502	4
Spectrograph, use in observing color of beeswax	716	22–23
Spiders—		
distribution in air. P. A. Glick	673	1–151
in upper air, collection by airplane, data	673	1–146
Spikerushes, food of game ducks, and propagation	634	9, 14–18, 54–57
Spilocryptus grapholithae, parasitism in oriental fruit moth cocoons in Japan and Chosen	728	10, 43–44
Spinach—		
New Zealand, diseases, effect of carbon dioxide treatments	519	17, 18
seed, rapid deterioration and methods for its prevention, study	708	3–47
susceptibility to sodium chlorate injury, experiments	648	4, 6, 7, 12
treatment by carbon dioxide, experiment	519	17, 18

	Technical Bulletins No.	Page
Spirochaeta cytophaga—		
carbon dioxide evolution on cotton duck	726	28–30, 31
effects on cotton duck, comparison with *Chaetomium globosum*	726	3, 31–32
production of physical and chemical changes in bleached cotton duck. Ruth Elmquist Rogers, Helen G. Wheeler, and Harry Humfeld	726	1–35
Sporobolus spp., drought survival in Great Plains	549	7, 11, 12, 17, 23, 28, 31, 33, 36, 39, 40, 43, 44
SPRAGUE, HOWARD B.: Yields of Barley Varieties, 1932–36: New Jersey	735	28
Sprangletop, value as game duck food, and propagation	634	46
Sprays—		
efficacy in eradication of ribes, experiments	692	7–40
residues, lead—		
content, determination	622	6
removal from apples grown in Shenandoah, Cumberland Valley. M. H. Haller, C. W. Murray, J. H. Beaumont, and Edwin Gould	622	1–32
use against blue mold of tobacco, experiments	650	3–22
Springs, "poisonous", selenium content	530	69
Spruce—		
eastern, stumpage prices, analysis and statistics	626	72–75
fir forests of New Mexico, vegetation-erosion conditions, comparison	567	68–72
Sitka—		
even-aged stands—		
increment and rotation tables	544	45–50
normal mortality	544	34–35
stand, height, and length tables	544	50–62, 84–85
volume tables	544	62–82, 85
yield	544	8–33
yield tables, application	544	35–45, 83–84
wind-thrown, losses, determination	733	12–17, 23–28
yield of even-aged stands. Walter H. Meyer	544	1–86
Squirrels, importance as seed eaters in Douglas-fir region of Oregon and Washington	706	10–11
Stable—		
conditions, relation to sickness of cows	591	34–36
environment, relation to milk production. M. A. R. Kelley and I. W. Rupel	591	1–60
temperature, effect on milk and butterfat production, studies	591	2–60
Stain(s)—		
brown oxidation, in pines, description and cause	714	4
iron tannate, of oak and other hardwoods, description and prevention	714	6–7
of sapwood and sapwood products, and their control. Theodore C. Scheffer and Ralph M. Lindgren	714	1–124
oxidation, in hardwoods, importance, description, and control	714	4–5
Starch(es)—		
canna, evaluation for textile sizing	674	4–35
content, cotton sheetings, effect of laundering, experiments	645	25
dasheen, evaluation for textile sizing	674	4–35
potato, evaluation for textile sizing	674	4–35
rice, evaluation for textile sizing	674	4–35
sweetpotato, evaluation for textile sizing	674	4–35
used in textile sizing, films, breaking strength, elongation, and folding endurance. Margaret S. Furry	674	1–36
wheat, evaluation for textile sizing	674	4–35

	Technical Bulletins No.	Page
STEER, HENRY B.: Stumpage Prices of Privately Owned Timber in the United States	626	1–163
Steers—		
beef—		
grazing experiments at Beltsville, Md	538	1–34
production and grade factors, relationships	665	4–17, 23–25
production in Appalachian region, experiments	664	1–11
fatness, effect of feeding concentrates	717	14–15
fattening in southern Great Plains, various forms of milo grain for, comparison. W. H. Black, J. M. Jones, and F. E. Keating	581	1–16
feeding experiments—		
Appalachian region	717	1–31
northern Great Plains	628	1–15
	667	1–20
feeds for wintering in northern Great Plains, comparison	565	1–9
from weaning to 2½ years of age, nutrition on different planes in winter. W. H. Black, J. R. Quesenberry, and A. L. Baker	667	1–20
gains in northern Great Plains, effect of—		
different methods of grazing. W. H. Black, A. L. Baker, V. I. Clark, and O. R. Mathews	547	1–19
supplementing winter and summer range. W. H. Black and V. I. Clark	628	1–16
grades, effect of feeding concentrates	717	12–14
on grass in Appalachian region, feeding supplements to, effect of method on beef production and quality. W. H. Black, R. L. Hiner, L. B. Burk, Lucy M. Alexander, and C. V. Wilson	717	1–32
two-year-old, production and grade factors	665	20–25
weights and gains on burned and unburned longleaf pine lands of Mississippi	683	33–35
wintering—		
in northern Great Plains, feeds for, comparison. W. H. Black and O. R. Mathews	565	1–10
on different planes of nutrition from weaning to 2½ years of age. W. H. Black, J. R. Quesenberry, and A. L. Baker	667	1–20
yearling, production and grade factors, relationships	665	17–20, 23–25
STEINBAUER, CLARENCE E.:		
Physiological Studies of Jerusalem-Artichoke Tubers, With Special Reference to the Rest Period	657	1–52
Studies of the Culture and Certain Varieties of the Jerusalem-Artichoke. With Victor R. Boswell, M. F. Babb, W. L. Burlison, W. H. Alderman, and H. A. Schoth	514	1–70
STEPHENS, D. E.: Yields of Barley Varieties, 1932–36: Oregon. With D. D. Hill, D. E. Richards, Obil Shattuck, and J. Foster Martin	735	36–38
STEPHENS, J. C.: Identification, History, and Distribution of Common Sorghum Varieties. With H. N. Vinall and J. H. Martin	506	1–102
Stereum gausapatum, cause of butt rot in oak sprout stands	684	33–38
STEVENS, HARLAND:		
A Study of Methods in Barley Breeding. With H. V. Harlan and M. L. Martini	720	1–25
Yields of Barley Varieties, 1932–36: Idaho. With C. A. Michels and R. E. Knight	735	9–11
STIEBELING, HAZEL K.: Family Living in Knott County, Kentucky. With Faith M. Williams, Idella G. Swisher, and Gertrude Schmidt Weiss	576	1–69
STITT, LOYD L.: Three Species of the Genus *Lygus* and Their Relation to Alfalfa Seed Production in Southern Arizona and California	741	1–19

	Technical Bulletins No.	Page
STITT, R. S.: Rubber Content and Habits of a Second Desert Milkweed (*Asclepias erosa*) of Southern California and Arizona. With R. E. Beckett and E. N. Duncan	604	1–12
STOA, T. E.: Yields of Barley Varities, 1932–36: North Dakota. With Ralph W. Smith and John C. Brinsmade, Jr.	735	32–34
STONE, G. M.: Anatomical Structure of the Cottonseed Coat as Related to Problems of Germination. With D. M. Simpson and Caroline L. Adams	734	1–24
STONE, M. W.: Life History of the Sugar-Beet Wireworm in Southern California	744	1–88
Stonecrops, response to length of day	727	45–48
Storage—		
alfalfa—		
in large silos, experiments	611	23–24
leaf meals for chicken feed, loss of vitamin A. Burt W. Heywang and Rudolph B. Morgan	632	1–8
American grapes, factors influencing quality. J. M. Lutz	606	1–27
delayed, of grapes, effect on shattering and decay	606	15
diseases of—		
fruits and vegetables as affected by initial carbon dioxide treatments. Charles Brooks, C. O. Bratley, and L. P. McColloch	519	1–24
Honey Dew melons and cantaloups, studies	613	1–18
houses for potatoes in Maine, studies. A. D. Edgar	615	1–47
Kieffer pears, chemical and physical changes produced. J. M. Lutz and C. W. Culpepper	590	1–37
potatoes, temperature, influence on cooking quality, palatability, and carbohydrate composition. R. C. Wright, Walter M. Peacock, T. M. Whiteman, and Elizabeth Fuller Whiteman	507	1–20
sweet cherries, influence of carbon dioxide and violatile fungicides. Fisk Gerhardt and A. Lloyd Ryall	631	1–20
temperatures, effect on peaches. M. H. Haller and P. L. Harding	680	1–32
Storms producing precipitation, records for three localities, 1902-35	698	30–31, 37–39
STRAUSS, FREDERICK: Gross Farm Income and Indices of Farm Production and Prices in the United States. With Louis H. Bean	703	1–154
Strawberries—		
deterioration in transit, effect of temperatures on	525	50–52
Florida, handling, precooling, and transportation. Dean H. Rose and E. A. Gorman, Jr.	525	1–58
handling investigations	525	7–10
marketing, importance of quality, condition, and fruit temperature	525	4–7
precooling, investigations	525	22–43, 46, 54–55, 56, 57
transportation by—		
rail, investigations	525	10–52
truck, investigations	525	52–54
washing, effect on market condition, investigations	525	7–9
wetting, effect on rate of cooling	525	9–10
Stream(s)—		
bends—		
secondary currents in, study	526	53–62
velocity of water distributed around, experiments	526	10–37
water pressure, changes, investigation	526	38–46
canalization, recommendations	652	50–51
currents, damage to aquatic and marsh plants, and control	634	122
debris fans, structure in California	578	4–5

	Technical Bulletins No.	Page
Stream(s)—Continued.		
flow—		
around 180-degree bends, experiments	526	1–63
on ponderosa pine land	511	55–56
on range and forest lands of upper Rio Grande watershed, relation to land resources and human welfare. Charles K. Cooperrider and Barnard A. Hendricks	567	1–88
fluctuating water levels, damage to game duck food, and control	634	116–118
head lost in bends, causes and measurement	526	51–53
sedimentation, accelerated, some principles. Stafford C. Happ, Gordon Rittenhouse, and G. C. Dobson	695	1–134
spreading areas, selection for ground water storage	578	5–6
Streptococcus mastitidis, content of milk, comparison of complete and incomplete milking	522	5–6, 15–24
STRINGFIELD, G. H.: Experiments on Breeding Corn Resistant to the European Corn Borer. With Marion T. Meyers, L. L. Huber, C. R. Neiswander, and F. D. Richey	583	1–30
Strip cropping, efficacy in preventing erosion	558	63–64
Stumpage—		
price(s)—		
comparison with prices of—		
logs	626	98–117
lumber	626	117–135
data, adequacy	626	21–26
data, compilation methods	626	4–10, 11–13
effect of regional development of forest resources	626	149–150
factors influencing	626	14–21, 155–159
index numbers	626	27, 73, 83, 84, 104, 138, 147
national, trends and statistics	626	26–34
past and future	626	147–155
privately owned timber in United States. Henry B. Steer	626	1–163
records, comparison with those of logs and lumber	626	13–14
regional, analysis and statistics	626	34–98
relation to prices of other commodities	626	135–147
value, differentiation from price	626	7–10
Suberization, potato seed pieces, for control of seed-corn maggot, experiments	719	11–31
Subsoil—		
moisture under semiarid conditions. John S. Cole and O. R. Mathews	637	1–71
water content, average reduction from spring to harvest-time, semiarid conditions	637	65–68
Sucrose—		
content of sugarcane—		
juices, comparison of varieties	688	14–17
losses due to red rot	641	7–8
inversion, susceptibility of sugarcane varieties under storage and windrowing conditions	736	2–3
Sugar—		
beet—		
calculated production, influence of manurial treatment on	614	8–11, 12
production, price, and income, estimation methods and source of data	703	74–75
raw, production, price, and gross income, 1883–1937	703	75
cane—		
production, price, and income, estimation methods and source of data	703	76–77
raw, production, price, and gross income, 1869–1937	703	77
yield per acre, effect of *Trichogramma minutum*	743	29–35
content of Jerusalem-artichoke	514	11–14

	Technical Bulletins No.	Page
Sugar beet(s)—		
curly top—		
damage, effect of reduction of weed areas in San Joaquin Valley on	557	24–27
epidemiology in southern Idaho, studies. James M. Wallace and Albert M. Murphy	624	1–47
seasonal epidemiology, study	624	34–43
spread from early infection centers, field studies	624	32–34
virus—		
development in leafhopper populations in beet fields, study	624	18–22
overwintering in beet leafhoppers	624	25–30
overwintering in living plants	624	23–25
overwintering under natural conditions in Idaho, study	624	23–30
seasonal development in desert breeding areas	624	15–18
supply and virulence in leafhopper populations, southern Idaho	624	11–22
fields, early curly top infections by over-wintered leafhoppers	624	30–34
leafhopper(s)—		
host and habits in San Joaquin Valley	557	1–2
in desert breeding areas, virus supply, study	624	12–18
populations, fluctuations following changes in plant cover in Idaho	607	16–23
populations, supply and virulence of virus, investigations	624	11–22
seasonal history in Idaho	607	7
winter host of curly top virus	624	25–30
rotations at Huntley Field Station, experiments	571	2–8, 16–22, 31–35
sucrose, influence of farm manure on. Stephen H. Hastings, S. B. Nuckols, and Lionel Harris	614	1–12
wireworm in southern California, life history. M. W. Stone	744	1–88
yields—		
influence of farm manure on. Stephen H. Hastings, S. B. Nuckols, and Lionel Harris	614	1–12
under irrigated rotations at Scotts Bluff, 1912–34	512	10–11, 16–17, 19, 22–25, 31–36
Sugarcane—		
bored plants, relation to joints showing borer injury externally	743	8–9
borer—		
control by *Trichogramma minutum*, experiments in Louisiana. H. A. Jaynes and E. K. Bynum	743	1–43
parasitized and nonparasitized egg clusters, length of time on plants	743	7–8
density, relation to rate of parasitization by borer	743	9–10
field inoculation with pythium root rot, tests	666	78–79
freezing injury, relation to windrowing and storage, experiments	736	5–43
handling for control of pythium root rot	666	85–86
juices—		
acidity, pH value, and hydrogen-ion concentration, experiments	688	6–10
ash—		
chlorine content, comparison of varities	688	44-46
content, composition	688	26–46
or inorganic-nonsugar content, comparison of varieties	688	20–26
versus total salt contents, comparison of varieties	688	46–48
crusher versus whole-mill, chemical composition, comparison	688	4–5
gum content, comparison of varieties	688	55–57
nitrogen-compound contents, comparison of varieties	688	50–55
organic nonsugar contents, comparison of varieties	688	48–49
preparation for chemical analysis	688	5–6

	Technical Bulletins No.	Page
Sugarcane—Continued.		
juices—continued.		
reducing-sugar content, comparison of varieties	688	17–19
sucrose content and purity, comparison of varieties	688	14–17
total-nonsugar contents, comparison of varieties	688	19–20
total-solids content, comparison of varieties	688	11–14
Louisiana, different varieties, juices, comparative chemical composition. C. A. Fort and Nelson McKaig	688	1–68
millable, infestation by borer, effect on yield, experiments	743	28–29
P. O. J. 213, failure in Louisiana, and possible causes	641	11–13
parasitization by borer, rate, relation to host density	743	9–10
planting time, effect on development of pythium root rot	666	68–69
progeny tests for resistance or susceptibility to red rot	641	77–84
pythium root rot. R. D. Rands and Ernest Dopp	666	1–96
red rot—		
E. V. Abbott	641	1–96
control, recommendations	641	87–89
damage	641	3–8
flora, survey	641	13–24
history and geographic distribution	641	8–11
occurrence and spread, relation to life history of *Colletotrichum*	641	38–47
symptoms in stalk and leaf midribs	641	2–3
resistance to red rot, nature of	641	84–86
root-rotting organisms, association	666	3–6
roots, damage by *Pythium arrhenomanes*, effect of temperature	666	59–60
seed, depth of covering for prevention of pythium root rot	666	69–70
seedbed preparation, precautions against pythium root rot	666	69
seedling selections for resistance to pythium root rot	666	75–77
stands, reductions caused by red rot	641	3–7
storing in Louisiana following injury by freezing temperatures. J. I. Lauritzen, Charles A. Fort, and R. T. Balch	736	1–44
sucrose content, losses caused by red rot	641	7–8
varietal—		
resistance and susceptibility to—		
pythium root rot, studies	666	70–83
red rot, experiments	641	69–86
susceptibility to pythium root rot, greenhouse comparisons	666	79–83
varieties—		
resistant to pythium root rot	666	83–85
susceptibility to sucrose inversion under storage and windrowing conditions	736	2–3
vigor in relation to resistance against pythium root rot	666	77–78
virulence of *Pythium arrhenomanes* on—		
effect of introducing resistant varieties	666	36, 38–49
variation with localities	666	25, 28–38
windrowed and standing, sampling for freezing injury	736	4–5
yield and sucrose variation, effect of *Trichogramma minutum*	743	36–39
yield per acre, effect of *Trichogramma minutum*	743	29–35
Sulfate—		
concentrations, ground waters of Hollister area, Calif	746	39
content of—		
irrigation water, effect on plants	746	10–12
sugarcane juices, comparison of varieties	688	39–41
Sulfur—		
deficiency, occurrence and symptoms on field-grown tobacco	612	22–25, 27
dioxide—		
production, occurrence of selenium, investigation	601	66–67
treatment of grapes, effects	606	17–18
gases, acidic, effect on paper, experiments	605	14–18

	Technical Bulletins No.	Page
Sulfur—Continued.		
sprays, use against blue mold of tobacco, experiments	650	3–5, 18–19, 20
use against potato leafhopper on beans, experiments	740	2–3, 32–34, 38–58
SUNESON, C. A.: Yields of Barley Varieties, 1932–36: California. With B. A. Madson	735	5
Sunflower, susceptibility to sodium chlorate injury, experiments	648	3–13
Sunlight, effect on infective larvae of *Ornithostrongylus quadriradiatus*, tests	569	11–12
Superphosphate—		
application to rice, experiments	718	11–13
placement for potatoes, experiments	669	17–46
SUTHERLAND, J. L.: Yields of Barley Varieties; 1932 36: Montana. With Clyde McKee, W. B. Nelson, M. A. Bell, and Dan Hansen	735	23–25
SWANSON, A. F.: Yields of Barley Varieties, 1932–36: Kansas. With H. H. Laude and E. H. Coles	735	13–16
SWANSON, H. E.: Chemical and Mechanical Methods of Ribes Eradication in the White Pine Areas of the Western States. With H. R. Offord and G. R. Van Atta	692	1–50
Sweden—		
bread grains, quality and type, and milling and baking practices	535	152–163
Government regulation of grain and milling industries	535	155–156
tobacco statistics, specified years	587	11, 13, 23–25, 47–50, 113–114
Sweetgum, value as food of game ducks, and description	634	86–88
Sweetpotato(es)—		
income, gross, ratio to farm value, 1924–35	703	41
prices, farm, 1869–1937	703	143
production—		
entering into gross income, 1869–1937	703	127, 129
price, and—		
gross income, 1869–1937	703	54–55
income, estimation methods and sources of data	703	41
starch, evaluation for textile sizing	674	4–35
SWENSON, S. P.: Yields of Barley Varieties, 1932–36: South Dakota. With K. H. Klages, A. N. Hume, and Beyer Aune	735	40–42
Swine, infectious abortion, communicability to cattle. W. E. Cotton, J. M. Buck, and H. E. Smith	629	1–8
SWISHER, IDELLA G.: Family Living in Knott County, Kentucky. With Faith M. Williams, Hazel K. Stiebeling, and Gertrude Schmidt Weiss	576	1–69
Swiss chard, diseases, effect of carbon dioxide treatments	519	17
Switzerland—		
bread grains, quality and type, and milling and baking practices	535	163–170
Government policies affecting grain and milling industries	535	166–167
tobacco statistics, specified years	587	23–25, 90–92, 113–114
Syntomosphyrum sp., parasitism in oriental fruit moth cocoons in Japan and Chosen	728	10, 44–45
Tachinid parasite, *Paradexodes epilachnae*, of Mexican bean beetle. B. J. Landis and N. F. Howard	721	1–32
Tachinidae—		
parasites of Japanese beetle adult in Far East, biology and habits	738	4–7
parasitism in oriental fruit moth larvae in Japan and Chosen	728	26–28

	Technical Bulletins No.	Page
Tannin—		
consumption by leather industry	566	2–5
extract—		
probable selling price	566	42–43
production from western hemlock	566	30–34
extraction and yield from western hemlock bark	566	26–30
production—		
capital requirement and operating costs	566	40–41
industrial requirements and equipment	566	37–40
Tanning—		
material, importance of western hemlock bark. Charles C. Smoot and Ralph W. Frey	566	1–48
use of bark extract from western hemlock, experiments	566	34–37
Tansymustard, green, reaction to curly top virus, experiments	624	9–10, 16–17
Tarsonemidae—		
description	653	3
mite, generalized leg, description	653	4
Tarsoneminae—		
fourth pair of legs, segmentation and chaetotaxy	653	4–7
genera—		
and species, hosts, and localities	653	8–57
key	653	7
mites of, in North America, West Indies, and Hawaiian Islands, revision. H. E. Ewing	653	1–64
species, North American, synonymy	653	57
taxonomy	653	4
technical description	653	7
Tarsonemus—		
ananas, technical description, host, and localities	653	34–35
approximatus narcissi, injury to narcissus bulbs and control by vapor-heat treatment	672	11–13
assimilis, technical description, host, and locality	653	51
bakeri n. sp., technical description, host, and locality	653	20–21
bancrofti, technical description, hosts, and localities	653	38–40
biungulatus n. sp., technical description, host, and locality	653	50
chionaspivorus, technical description, host, and localities	653	24–25
confusus n. sp., technical description, hosts, and localities	653	26–28
description and keys to species	653	10–15
femoralis n. sp., technical description, host, and locality	653	38
floricolus, technical description, host, locality, and synonyms	653	30–31
iowensis n. sp., technical description, host, and locality	653	48–49
laminifer n. sp., technical description, host, and locality	653	37
latipes—		
n. sp., technical description	653	46–47
technical description, hosts, and localities	653	15–18
occidentalis n. sp., technical description, hosts and localities	653	21–22
pallidus, technical description, hosts, and localities	653	41–46
phyllophorus, technical description, host, and locality	653	47–48
randsi n. sp., technical description, host, and locality	653	25–26
scaurus n. sp., technical description, hosts, and localities	653	28–30
setifer n. sp., technical description, hosts, and localities	653	19–20
simplex n. sp., technical description, hosts, and localities	653	32–34
smithi n. sp., technical description, hosts, and localities	653	18
spirifex, technical description, host, and localities	653	40–41
texanus n. sp., technical description, host, and locality	653	31–32
truncatus n. sp., technical description, host, and locality	653	49–50
unguis n. sp., technical description, host, and locality	653	30
viridis n. sp., technical description, host, and localities	653	35–37
waitei, technical description, host, and locality	653	22–24
Tax—		
levy, rural land, Forest County, Wis., 1934	687	107
rates, by towns, Forest County, Wis., 1927–36	687	106
Taxation of land, problems in Forest County, Wis.	687	20–33

	Technical Bulletins No.	Page
TAYLOR, C. A.: Growth of Lemon Fruits in Relation to Moisture Content of the Soil. With J. R. Furr	640	1–72
TAYLOR, J. W.: Yields of Barley Varieties, 1932–36: Virginia. With P. T. Gish	735	45–46
Tealgrass, value as game duck food, and propagation	634	45
Tellurium, occurrence in soils of erosion experiment stations, determination	552	9
Temperature(s)—		
air, effect on variations in pine gum yields	510	4, 8–13, 15–20, 22–32, 33
apples in transit—		
effect upon condition of fruit	523	19–22, 23, 24
factors affecting	523	10–19
method of obtaining	523	6–10
at Alhambra, Calif., 1930–34	744	14–18
constant, effect on development of sugar-beet wireworm, experiments	744	32–34
data, precooling and transporting cantaloups, analysis	730	13–17
effect on—		
development of apple scab in storage	563	15–19, 20–21
distribution of insects collected by airplane	673	93–100
drying rate of Kieffer pears, experiments	592	17–18
germination of—		
aquatic and marsh plant seeds, experiments	634	107–110, 124
fescue seed. Vivian Kearns and E. H. Toole	638	1–36
growth of *Colletotrichum falcatum* in culture	641	32–33
hatch of hens' eggs and on energy metabolism of chick embryos. H. G. Barott	553	1–46
infective larvae of *Ornithostrongylus quadriradiatus*, tests	569	13
life cycle of bean weevil and southern cowpea weevil	593	49–52
market condition of strawberries, investigations	525	4–5, 10, 41–43, 50–52, 56
range plant development in Ephraim Canyon, Utah	686	14–16
solubility of boron	696	20–21
spotting of lima beans	625	8, 9–13, 23
stickiness of lima beans	625	3, 5–7, 9–13, 23
sugarcane red rot	641	45–47
susceptibility of crop plants to chlorate poisoning, experiments	648	4–9
Fahrenheit and centigrade, equivalent	543	72
freezing—		
and storage, for vegetables	731	21–22
Louisiana, injury to sugarcane, windrowing and storage following. J. I. Lauritzen, Charles A. Fort, and R. T. Balch	736	1–44
influence on—		
development of sap stain	714	17–18
germination of dormant lettuce seed	655	4–20
shattering and decay of grapes in cold storage, experiments	606	2–12
low—		
effect on—		
fumigation of pink bollworm	623	37–38
viability of eggs of *Capillaria columbae*, experiments	679	5–7
of body ice, influence on freezing of lettuce in transit	627	25–27

	Technical Bulletins No.	Page
Temperature(s)—Continued.		
refrigeration, in transit of lettuce, study	627	11–12, 16, 17, 23–24, 25–27
refrigerator cars, methods of analyzing data	525	17–22
relation to—		
abundance of *Empoasca fabae*	618	19, 34–35, 39, 41–42, 43–45, 47–48, 49
infection and damage to sugarcane by *Pythium arrhenomanes*	666	53–60
longevity of Chewings fescue seed. Vivian Kearns and E. H. Toole	670	1–27
soil. *See* Soil(s), temperature.		
stable, effect on milk and butterfat production, studies	591	2–60
storage—		
effect on—		
germination temperature of fescue seed	638	20–23, 27
Kieffer pears, experiments	590	5–29
peaches. M. H. Haller and P. L. Harding	680	1–32
shattering and decay of grapes, experiments	606	2–12, 20–21
green corn, relation to total sugar content	627	40–41
houses for potatoes, regulation in Maine, experiments	615	25–27
potatoes, influence on cooking quality, palatability, and carbohydrate composition. R. C. Wright, Walter M. Peacock, T. M. Whiteman, and Elizabeth Fuller Whiteman	507	1–20
studies of some tomato pathogens. Alice Allen Nightingale	520	1–36
vineyards, experimental, in California, 1915–30, records	697	6–7
Tenancy, changes, recent, in Yazoo-Mississippi Delta area	682	52–54
Tenant(s)—		
cash, definition of term	682	5
farm—		
credit advances, Yazoo-Mississippi Delta area	682	47–49
family—		
crop income, expenses, and net returns, Yazoo-Mississippi area	682	42–43
crop production, relation to land organization, Yazoo-Mississippi area	682	40–41
returns, factors affecting, Yazoo-Mississippi area	682	43–47
production of food in Yazoo-Mississippi Delta area	682	49–50
share—		
cost to plantation operator, Yazoo-Mississippi Delta area	682	50–52
definition of term	682	5
on plantations in Yazoo-Mississippi Delta area	682	40–54
standing-rent, definition of term	682	5
See also Sharecropper(s).		
Tenhet, J. N.: The Sand Wireworm and Its Control in the South Carolina Coastal Plain. With E. W. Howe	659	1–39
Tennessee—		
barley varieties, yields, 1932–36. C. A. Mooers	735	43
cabbage production	646	22
Tenure—		
farm, stability, relation to age of operators in Cabot-Marshfield area, Vt	709	25–27
land—		
organization by, Yazoo-Mississippi area	682	21–23
relation to wind erosion in southern Great Plains	556	20–21, 66

	Technical Bulletins No.	Page
Tephrosia—		
native species—		
characteristics and range	595	14–16
possibilities as commercial sources of insecticides, study. A. F. Sievers, G. A. Russell, M. S. Lowman, E. D. Fowler, C. O. Erlanson, and V. A. Little	595	1–40
toxic—		
and nontoxic plants, occurrence, by districts	595	12–14
plants, distribution in relation to soil and vegetative environments	595	16–25
toxicity determination by genetic character, discussion	595	25–26
virginiana—		
common names and uses	595	2
cultivated plant, toxicity over 3-year period, tests	595	35
cultural experiments	595	35–38
description	595	3
(devil's shoestring), possibilities as commercial source of insecticides, study. A. F. Sievers, G. A. Russell, M. S. Lowman, E. D. Fowler, C. O. Erlanson, and V. A. Little	595	1–40
propagation	595	36–38
roots, comparative insecticidal value from various localities	595	5–9
toxicity, relative, of principal parts of plant	595	32–35
toxicity, variation on one acre, tests	595	27–32
Terraces—		
construction, methods and costs	558	70–78
run-off and erosion from, experiments and results	558	93–129, 135–138, 144–153, 159–162, 166, 169–181
Tetrastichus—		
carinatus—		
description, habits, and importance as hessian fly parasite	689	12
remains left in hessian fly puparium, description	715	10–11
ibseni, parasitism in oriental fruit moth cocoon in Japan and Chosen	728	10, 45–46
Texas—		
barley varieties, yields, 1932–36. P. C. Mangelsdorf, P. B. Dunkle, and I. M. Atkins	735	43–44
cabbage production	646	14, 20
cotton, positions of seeds and motes in locks and lengths of fibers from bolls borne at different positions on plants at Greenville. Dow D. Porter	509	1–14
Dalhart, climatic data, 1908–34	556	62–64
Greenville, cotton varieties, differential growth rates and their response to seasonal conditions. Homer C. McNamara, Dalton R. Hooton, and Dow D. Porter	710	1–44
native grasses, drought survival, 1935	549	2–3, 5–7, 39–44, 46–49
onion production	555	1–5, 6–7
selenium, importance	702	52
sewage-irrigation policy	675	29
soils, selenium content, examination	530	74
wind-erosion area, soil conservation reconnaissance survey	556	1–68
Textile(s)—		
deterioration, experiments with cotton duck	726	3, 6–33
materials, raw—		
farm price indices, 1869–1937	703	151–152
production indices, 1869–1937	703	138–139

	Technical Bulletins No.	Page
Textile(s)—Continued.		
sizing, films—		
breaking-strength and elongation tests	674	5–7
folding-endurance test	674	7–8
of gelatin, breaking strength and elongation, relationships	674	25–27
of starch(es)—		
and gelatin used in, breaking strength, elongation, and folding endurance. Margaret S. Furry	674	1–36
breaking strength, analysis	674	8–17
folding endurance, relationships	674	17–21
properties, comparison with those of sized fabrics	674	27–33
See also under specific kinds.		
Thalia, food of game ducks	634	71
THAYER, J. W., JR.: Yields of Barley Varieties, 1932–36: Michigan. With E. E. Down	735	17–18
Thermometers, electrical resistance, use in—		
body icing of vegetables in transit	627	4, 7, 32, 37
refrigerator cars	525	12–13
shipping apples and pears	550	7–8
Thiamin—		
crystalline, content of foods. Lela E. Booher and Eva R. Hartzler	707	1–20
definition and structure	707	1–2
THIBODEAUX, B. H.: Plantation Organization and Operation in the Yazoo-Mississippi Delta Area. With E. L. Langsford	682	1–92
THOMPSON, Ross C.:		
Dormancy in Lettuce Seed and Some Factors Influencing Its Germination	655	1–20
Genetic Relations of Some Color Factors in Lettuce	620	1–38
Three-squares, food of game ducks, and propagation	634	58–59
Thysanoptera, collections made by airplane—		
in Louisiana	673	4, 5, 10, 16, 22, 58, 61–62
in Mexico	673	134, 138
Thysanura, collections made by airplane in Louisiana	673	4, 5, 10, 16, 20, 58, 89
THYSELL, J. C.:		
Conservation and Use of Soil Moisture at Mandan, N. Dak	617	1–40
Crop Rotation and Tillage Experiments at the Northern Grea Plains Field Station, Mandan, N. Dak. With J. T. Sarvis	536	1–75
Tillage—		
experiments at Northern Great Plains Field Station, Mandan, N. Dak. J. T. Sarvis and J. C. Thysell	536	1–75
methods—		
effects on yields of rotated crops in North Dakota	536	32–71
relation to erosion control	556	50
Timber(s)—		
cull—		
estimation, method based on wounding	570	20–23
studies, important considerations	570	23–26
growing and logging practice in ponderosa pine in Northwest. R. H. Weidman	511	1–92
longleaf pine, effect of burning and grazing in Mississippi, experiments	683	10–22, 45–47
ponderosa pine—		
full production, measures necessary	511	61–85, 90–91
growing, minimum measures, practicability	511	57–61, 90–91
production, costs, yields, and returns	511	82–85
prices, determination over long periods of time	626	11–13
privately owned in United States, stumpage prices. Henry B. Steer	626	1–163

	Technical Bulletins No.	Page
Timber(s)—Continued.		
production—		
permanent, in ponderosa pine region, plan of management	511	85
ponderosa pine forests of Northwest, possibilities	511	5
selling methods, factors affecting	626	10–11
softwood, influence of compression wood in	546	26–29
standing—		
production cost, effect on future stumpage prices	626	150–151
See also Stumpage.		
wind-thrown—		
breakage losses, determination	733	3, 28
decay and other volume losses on Olympic Peninsula, Wash. T. S. Buchanan and G. H. Englerth	733	1–30
decay losses, determination	733	4–6, 28
losses in high stumps, determination	733	4, 28
losses, method of studying	733	2–6
sapwood volume, determination	733	6
total tree volume, determination	733	6
TINGEY, D. C.: Yields of Barley Varieties, 1932–36: Utah. With R. W. Woodward	735	44–45
Tiphia spp.—		
occurrence in Far East, parasitism in Scarabaeidae, rearing, and shipment	738	21–28
parasitism in Japanese beetle larvae in Far East, rearing, and shipment	738	11–19
Tobacco—		
blue mold (downy mildew) disease, control by spraying. Edward E. Clayton, John G. Gaines, T. E. Smith, W. M. Lunn, and K. J. Shaw	650	1–23
chewing, consumption in Europe, 1913–32	587	10
consumer preferences in Europe by regions, 1913–32	587	7–8
consumption—		
changes and their causes, in Europe, 1913–32	587	2–21
in Europe—		
J. B. Hutson	587	1–115
per capita, by countries	587	11
downy mildew (blue mold disease), control by spraying. Edward E. Clayton, John G. Gaines, T. E. Smith, W. M. Lunn, and K. J. Shaw	650	1–23
dusts, efficacy in control of potato leafhopper on bean, tests	740	44–45, 54
European leaf—		
production and classification	587	21–33
types, location and description	587	21–33
field-grown, symptoms characteristic of deficient supply of each of several essential chemical elements. J. E. McMurtrey, Jr	612	1–31
industry, European, development, by countries, 1913–35	587	33–113
leaf, imports into Europe, 1909–13, 1920–35	587	113–114
Makhorka, description and production	587	32–33
oriental types grown in Europe, production statistics	587	22–26
plant—		
combination of deficiency effects	612	25–26
food deficiency symptoms, field key	612	28
growth, comparison of deficiency effects	612	26–28
growth, manifestations due to chemical deficiencies	612	5–25
prices—		
farm, 1869–1937	703	143
index numbers, 1909–35	626	144
production—		
entering into gross income, 1869–1937	703	127, 129
in Europe. J. B. Hutson	587	1–115
price, and—		
gross income, 1869–1937	703	68–69
income, estimation methods and source of data	703	66–68

	Technical Bulletins No.	Page
Tobacco—Continued.		
products—		
consumption in Europe—		
changes, 1913–32	587	8–10
per capita, by countries	587	11
prices, relation to consumption in Europe	587	12–19
response to length of day	727	48–50
semioriental types grown in Europe, description	587	27–28
smoking mixtures, consumption in Europe, 1920–30	587	9
spraying for control of blue mold disease, experiments	650	1–23
trade restrictions in Europe and their effect on consumption, 1913–32	587	19–21
types used in Europe, 1913–32	587	3–5
United States, uses in Europe, 1913–32	587	5–7
Tobosa grass—		
characteristics, comparison with black grama	681	6
density and yield, effect of intensity and frequency of clipping. R. H. Canfield	681	1–32
persistent clipping, effects	681	20–29, 30–31
reproduction, description	681	27
Todd, Frank E.: Cost of Producing Extracted Honey in California. With R. L. Adams	656	1–35
Tomato(es)—		
diseases, effect of carbon dioxide treatments	519	13–15
inoculation with—		
Alternaria solani, temperature studies	520	25–26
Alternaria tomato, temperature studies	520	28–29
Cladosporium fulvum, temperature studies	520	22–23
Colletotrichum phomoides, temperature studies	520	15–16
Fusarium semitectum, temperature studies	520	13–14
Melanconium sp., temperature studies	520	5–8
Phoma destructiva, temperature studies	520	19–20
Pleospora lycopersici, temperature studies	520	31–32
Rhizoctonia solani, temperature studies	520	10–11
pathogens, temperature studies. Alice Allen Nightingale and G. B. Ramsey	520	1–36
plants, growing in tourmaline-quartz mineral, experiment	696	45–46
seed, rapid deterioration and methods for its prevention, study	708	3–47
varieties—		
susceptibility to fusarium wilt, differences	705	19–21
three, fusarium wilt isolations, differences in growth characters and pathogenicity, tests. Frederick L. Wellman and Dorothy J. Blaisdell	705	1–29
Toole, E. H.:		
A Study of Rapid Deterioration of Vegetable Seeds and Methods for Its Prevention. With Victor R. Boswell, Vivian K. Toole, and D. F. Fisher	708	1–48
Relation of Temperature and Moisture Content to Longevity of Chewning Fescue Seed. With Vivian Kearns	670	1–27
Temperature and Other Factors Affecting the Germination of Fescue Seed. With Vivian Kearns	638	1–36
Toole, Vivian K.: A Study of Rapid Deterioration of Vegetable Seeds and Methods for Its Prevention. With Victor R. Boswell, E. H. Toole, and D. F. Fisher	708	1–48
Tourmaline-quartz mineral, boron in, availability to plants, experiments	696	45–46
Towle, R. S.: Yield of Barley Varieties, 1932–36: Wyoming. With Glenn Hartman and A. L. Nelson	735	52–53
Town reorganization in Forest County, Wis	687	93–97
Tractor(s)—		
logging in southern pine, costs. Robert E. Worthington	700	1–64
maintenance in Yazoo-Mississippi Delta area	682	74
use in logging ponderosa pine	511	46–50

	Technical Bulletins No.	Page
Trees—		
fungi associated with decay in, list	570	6
growing on longleaf pine lands at McNeill, Miss., list	683	52
wind-thrown, losses, comparative, Olympic Peninsula, Wash	733	23–28
Trenary fine sandy loam, mechanical and chemical analyses	542	7
Trichogramma minutum—		
control of sugarcane borer, experiments in Louisiana. H. A. Jaynes and E. K. Bynum	743	1–43
dispersal	743	6-7
effect on yield of millable sugarcane, experiments	743	28–29
infestation of sugarcane borer, counts	743	22–27
overwintering, experiments	743	4–6
parasitism in oriental fruit moth egg in Japan and Chosen	728	10, 11
parasitization on sugarcane borer, rate	743	17–22
release for control of sugarcane borer	743	13–16
Trichoptera, collections made by airplane in Louisiana	673	4, 10, 16, 37, 71
Trophops clauseni, parasitism in Japanese beetle, and life history	738	6–7
TROWBRIDGE, E. A.: Comparison of Feeds for Fattening Beef Calves Before and After Weaning. With W. H. Black	564	1–12
Truck crops, tolerance to boron, comparison with fruits and field crops	746	54–55
Tubers—		
aquatic—		
planting, recommendations	634	113–114
storage and germination, experiments	634	109
Jerusalem-artichoke, physiological studies with special reference to rest period. Clarence E. Steinbauer	657	1–52
Tujunga Wash, city of Los Angeles water-spreading system, description	578	31–34
Tuliptree. *See* Poplar, yellow.		
TULLIS, E. C.: Fungi Isolated From Discolored Rice Kernels	540	1–12
Tumblemustard—		
growth and survival in Idaho, study	654	7–9, 15–35, 38–41
host of insects in Idaho	607	12–13, 14
reaction to curly top virus, experiments	624	4–7
Turkey, tobacco statistics, specified years	587	23–25, 107–109, 111–112, 113
Turkeys—		
inoculation with *Capillaria contorta*, experiments	516	11–12, 13, 15, 16–18
susceptibility to *Capillaria columbae*	679	15
Turnips, treatment by carbon dioxide, experiment	519	17, 18
Turpentine(s)—		
American gum, exclusive of pinenes, composition. T. C. Chadwick and S. Palkin	749	1–16
commerce in, regulation	596	3
commercial, sources, production, and constituents	749	1–3
distillation equipment and procedure	749	3
gum spirits, composition, distinction from wood-distilled turpentine	596	3, 26–27
heads or forerun, fractionation	749	3–5
tailings, fractionation	749	5–12
wood—		
alcohols from, fractionation	596	23–25
American steam-distilled, composition and fractionation. S. Palkin, T. C. Chadwick, and M. B. Matlack	596	1–30
distillation experiments	596	9–16
distillation, procedure and equipment	596	3–8
steam-distilled—		
chemical examination of fractions	596	17–22
removal of aldehydes, phenols, and alcohols	596	22–24

	Technical Bulletins No.	Page
TURRENTINE, J. W.: Blast-Furnace Processes for the Production of Phosphatic and Potassic Fertilizer Materials. With P. H. Royster, K. G. Clark, T. P. Hignett, L. E. Bowe, H. I. Lansdon, and J. C. Southard	543	1–75
Turtlegrass, value as game duck food	634	44, 125
Udder troubles, dairy cows, relation to incomplete milking. T. E. Woodward, R. P. Hotis, and R. R. Graves	522	1–27
UDINE, E. J.: Status and Relative Importance of the Parasites of the Hessian Fly in the Atlantic States. With C. C. Hill and J. S. Pinckney	689	1–15
UHLER, F. M.: Food of Game Ducks in the United States and Canada. With A. C. Martin	634	1–157
United Kingdom—		
tobacco statistics, specified years	587	11–12, 17, 33–39, 113–114
See also British Isles.		
United States—		
barley varieties, yields in 1932–36, and Canada. G. A. Wiebe, P. R. Cowan, and Lucille Reinbach-Welch	735	1–78
cotton sold in seed. L. D. Howell	662	1–24
English sparrow in, economic status. E. R. Kalmbach	711	1–66
game ducks, food. A. C. Martin and F. M. Uhler	634	1–157
nematodes parasitic in domestic ruminants, various genera, differentiation of eggs. D. A. Shorb	694	1–11
precipitation, sources of moisture for. Benjamin Holzman	589	1–42
soils, selenium occurrence—		
with discussion of related topics. Second report. Horace G. Byers	530	1–79
with discussion of related topics. Third report. Horace G. Byers, John T. Miller, K. T. Williams, and H. W. Lakin	601	1–75
with discussion of related topics. Fourth report. K. T. Williams, H. W. Lakin, and Horace G. Byers	702	1–60
timber privately owned, stumpage prices. Henry B. Steer	626	1–163
wholesale prices of fats and oils, index numbers, 1910–39. Robert M. Walsh	737	1–28
United States Cotton Futures Act, provisions and regulations	685	37–39
United States Dairy Experiment Station, Beltsville, Md., breeding experiments	677	1–81
United States Northern Great Plains Field Station, Mandan, N. Dak., subsoil moisture experiments	637	13–31
United States Range Livestock Experiment Station, Mont.—		
cattle feeding, experiments	603	2–21
experiments on feeding yearling heifers	635	1–8
wintering steers on different planes of nutrition	667	4–20
United States Sheep Experiment Station, Idaho—		
climate, records and effects on forage and sheep	600	7–21
spring-fall sheep range, influence of climate and grazing	600	1–41
topography and vegetation	600	2–4
Utah—		
barley varieties, yields, 1932–36. D. C. Tingey and R. W. Woodward	735	44–45
Ephraim Canyon—		
climate, 1914–34	686	3–5
climatic data, 1932–34	598	5–7
mountain brome, carbohydrate content, relation to growth	598	2–23
vegetation and climate, description	686	2–5
Escalante Valley—		
nonsaline land, plant communities, description	713	10–27
physiography, climate, and soil salinity	713	3–6
plant communities, correlation with soil conditions as indication of crop potentiality	713	41–45
saline land, plant communities, description	713	27–40

	Technical Bulletins No.	Page
Utah—Continued.		
Escalante Valley—Continued.		
sand dunes, mixed vegetation on	713	40–41
soil conditions, correlation with plant communities as indication of crop potentiality	713	41–45
vegetation, types as indicators of soil conditions. H. L. Shantz and R. L. Piemeisel	713	1–46
onion production	555	2–4, 8, 13
selenium samples	702	54
sewage-irrigation policy	675	29
soils and vegetation, selenium content, investigations	601	9–11
Wasatch Plateau, grazing periods, determinants	686	2–29
Vaccination of calves and yearlings against Bang's disease. J. M. Buck, W. E. Cotton, and H. E. Smith	658	1–7
Valley(s)—		
damage by sedimentation	695	46–53, 85–91
lands, swamping and sanding in Mississippi	695	50–52
sanded, reclamation efforts	695	53–56
sedimentation, accelerated, some principles. Stafford C. Happ, Gordon Rittenhouse, and G. C. Dobson	695	1–134
Vanadium, occurrence in soils of erosion experiment stations, determination	552	4, 10, 11, 13, 14, 15, 17, 19–20
Van Atta, G. R.: Chemical and Mechanical Methods of Ribes Eradication in the White Pine Areas of the Western States. With H. R. Offord and H. E. Swanson	692	1–50
Van Horn, A. G.: Feeding Dairy Cows on Alfalfa Hay Alone. With R. R. Graves, J. R. Dawson, D. V. Kopland, and A. L. Watt	610	1–47
Vansell, George H.: Investigations on the Physical and Chemical Properties of Beeswax. With Charles S. Bisson and Walter B. Dye	716	1–24
Vapor—		
heat treatment—		
equipment, type and operation	672	2–5
for control of narcissus bulb pests in Pacific Northwest. Randall Latta	672	1–54
narcissus bulbs, experiments	672	5–15
pressure, effect upon insect distribution in upper air, in Louisiana	673	102–104
Vegetable(s)—		
body icing in transit refrigeration. E. D. Mallison and W. T. Pentzer	627	1–42
canned and frozen, comparison	731	21
food of English sparrow	711	28–30
freezing—		
and storage, temperatures employed	731	21–22
preservation, comparative studies, results	731	23–66
frozen—		
and canned products, comparison	731	21
effects of prolonged storage, experiments	731	22
for preservation, examination and grading, methods	731	8–11
grown under eastern conditions, varietal suitability for freezing preservation, comparison	731	1–69
transit refrigeration by body icing. E. D. Mallison and W. T. Pentzer	627	1–42
preparation for freezing preservation	731	4–8, 11–21
seeds—		
dehydration studies	708	31–42, 43
deterioration, environmental and physical data	708	7–18
deterioration, rapid, and methods for its prevention, study. Victor R. Boswell, E. H. Toole, Vivian K. Toole, and D. F. Fisher	708	1–48
drying, equipment and routine	708	5–7
germination in response to storage	708	18–31

	Technical Bulletins No.	Page
Vegetable(s)—Continued.		
seeds—continued.		
germination tests	708	5
moisture content in storage, factors affecting	708	10–17
storage, effects	708	7–31
viability, effect of—		
artificial drying	708	34–38
storage treatments	708	19–28
weight, changes in storage	708	17–18
selenium content in South Dakota	702	54–55
transit and storage diseases, as affected by initial carbon dioxide treatments. Charles Brooks, C. O. Bratley, and L. P. McColloch	519	1–24
varietal suitability for freezing preservation, comparison	731	1–69
Vegetation—		
arsenic content, determination	732	4–13
density, measurements on upper Rio Grande watershed	567	39–40
maintenance on range lands for erosion prevention	556	48–50
native, in northern Great Plains, effect of different methods of grazing on. W. H. Black, A. L. Baker, V. I. Clark, and O. R. Mathews	547	1–19
of Morena drainage basin, San Diego County, Calif., description	639	13–14
types in Escalante Valley, Utah, indication of soil conditions. H. L. Shantz and R. L. Piemeisel	713	1–46
Veitch, F. P.:		
Deterioration of Book and Record Papers. With T. D. Jarrell and J. M. Hankins	541	1–20
Deterioration of Paper as Indicated by Gas Chamber Tests. With T. D. Jarrell and J. M. Hankins	605	1–22
Veneer, treatment for stain and mold	714	107
Ventilation—		
apples for European markets	523	8–18, 23
potato storage houses	615	25–29, 32, 34–43, 46
refrigerator cars, for protection of apples and pears, experiments	550	8, 11–12, 13–15
Venturia inaequalis, inoculation of apple fruits, studies	563	26–43
Vermont—		
Cabot-Marshfield area—		
agriculture, characteristics	709	7–10
milk production, supply responses. R. H. Allen, Erling Hole, and R. L. Mighell	709	1–60
farm products, prices, 1921–38	709	59
Washington County, farms, number and acreage, 1850–1935	709	57
Vial, Edmund E.: Production and Consumption of Manufactured Dairy Products	722	1–77
Vinall, H. N.: Identification, History, and Distribution of Common Sorghum Varieties. With J. C. Stephens and J. H. Martin	506	1–102
Vineyards, experimental, in California—		
location, precipitation, and temperature	697	5–7
studies in phylloxera resistance	697	1–64
Vinifera varieties, important, classified list	697	61–62
Virginia—		
barley varieties, yields, 1932 36. J. W. Taylor and P. T. Gish	735	45–46
butt rot in sprout oak stands, comparison with incidence in other areas	684	9–12
cabbage production	646	13, 18
Vitamin potency of goat's and cow's milk, comparison	671	5–6, 28–42
Vitamin A loss, during storage, from alfalfa leaf meals fed to chickens. Burt W. Heywang and Rudolph B. Morgan	632	1–8
Vitamin B complex, factors	707	1

	Technical Bulletins No.	Page
Vitamin B_1—		
assay—		
statistic analysis of results	707	16–18
use of rats for growth rates	707	12–16
content of foods in terms of crystalline thiamin. Lela E. Booher and Eva R. Hartzler	707	1–20
deficient ration, preparation of ingredients used	707	6–8
synonym, distribution, and structure	707	1–2
values—		
determination, methods used by different workers	707	4–6
of foods, calculation method	707	8–9
Wages, laborers—		
cost to plantation operator, Yazoo-Mississippi Delta area	682	50–52
on plantation, meaning of term	682	6
Wahlenberg, W. G.: Effects of Fire and Cattle Grazing on Longleaf Pine Lands, as Studied at McNeill, Miss. With S. W. Greene and H. R. Reed	683	1–52
Wall, Norman J.:		
Agricultural Loans of Commercial Banks	521	1–56
Demand Deposits of Country Banks	575	1–27
Federal Seed-Loan Financing and Its Relation to Agricultural Rehabilitation and Land Use	539	1–60
Wallace, James M.: Studies on the Epidemiology of Curly Top in Southern Idaho, With Special Reference to Sugar Beets and Weed Hosts of the Vector *Eutettix tenellus*. With Albert M. Murphy	624	1–47
Walnuts, boron injury, symptoms	746	49–50
Walsh, Robert M.: Wholesale Prices of Fats and Oils in the United States: Index Numbers, 1910–39	737	1–28
Warehouse receipts, loans secured by	521	29, 30, 35–36, 40–56
Wasatch Plateau, Utah, grazing periods, determinants	686	2–29
Washington—		
barley varieties, yields, 1932–36. E. G. Schafer, O. E. Barbee, and H. D. Jacquot	735	46–48
cabbage production	646	16, 27
Douglas-fir lands, cut-over, wild animal damage to seed and seedlings. A. W. Moore	706	1–28
lettuce production	712	10, 14–15
lumber and log prices of four principal species, 1899–1934	626	129
Olympic Peninsula, wind-thrown timber, decay and other volume losses. T. S. Buchanan and G. H. Englerth	733	1–30
onion production	555	2–4,8,10,14
pocket mice in relation to agriculture. Theo. H. Scheffer	608	1–16
ponderosa pine forests, minor vegetation, list	630	6
sewage-irrigation policy	675	30
Sitka spruce, yield of even-aged stands	544	1–85
stumpage prices, analysis and statistics	626	85–89, 94–98
western—		
Douglas-fir trees of known seed source, growth	537	1–40
hemlock, yield of even-aged stands	544	1–85
Water(s)—		
acidity, effect on development of waterfowl feeding grounds	634	128–129
alkaline, waterfowl food plants adapted for growth in	634	124–128
conservation—		
investigations at Soil Conservation Experiment Station, Missouri Valley loess region, Clarinda, Iowa. G. W. Musgrave and R. A. Norton	558	1–182
project, Soil Conservation Experiment Station, Clarinda, Iowa—		
description	558	8–10
purpose and plan	558	14–21
results	558	21–53

	Technical Bulletins No.	Page
Water(s)—Continued.		
depth in atmosphere, calculation	589	18–19
drainage, quality at Newlands Field Station	533	27–29
flow—		
around 180-degree bends. David L. Yarnell and Sherman M. Woodward	526	1–64
in irrigation and similar canals. Fred C. Scobey	652	1–79
through 6-inch pipe bends. David L. Yarnell	577	1–118
ground—		
of California, Hollister area—		
analyses	746	22–39
source, and origin of boron	746	39–44
pollution by sewage irrigation, possibility	675	34–36
relations, effect of accelerated erosion	633	91–94
impounding upon land surface, methods, degree, and value of treatments	558	58–60
infiltration—		
rates, prediction	729	29–30
relative, and related physical characteristics of certain soils	729	1–51
irrigation. *See* Irrigation water.		
movement, rate through soils of various types, experiments	579	16–19, 22–25
ocean, selenium content	601	49
of California central coast area, analyses	746	12–17
percolation for storage underground, studies	578	68–79
quantities used in production of wheat and corn, determination	617	20–25
run-off, accelerated, destructive effects in upper Rio Grande watershed	567	14–22
sewage, rights, discussion	675	43–44, 46
soil. *See* Soil(s) water.		
spreading—		
experiments in California	578	63–80
for storage underground, methods	578	6–10
natural, in river beds, California	578	56–63
projects in central California	578	50–55
systems in California, description	578	15–55
storage underground, spreading for. A. T. Mitchelson and Dean C. Muckel	578	1–80
subsoil—		
elevation at Newlands Field Station	533	4–6, 11, 17–19, 22–23, 25–27
of Newlands (Nev.) Field Station. Carl S. Scofield, C. Lloyd Moon, and Elmer W. Knight	533	1–31
quality at Newlands Field Station	533	6–10, 11–17, 19–21, 23–25
subsurface, lateral movement	729	9–12
supply(ies)—		
quality in Hollister area, California	746	8–12
sources, diversion, and storage	578	2–3
surface, of California, Hollister area, analyses	746	17–22
temperature, effect on infiltration of soils	729	27–28
Water-elm, value as food of game ducks, and propagation	634	72
Waterfowl—		
feeding grounds—		
damage, causes and control	634	116–142
development, recommendations	634	103–142
pollution, causes and control	634	141–142
food plants, propagation, recommendations	634	103–142
Waterhemps, food of game ducks, environment, and propagation	634	11, 81–82
Waterhyssop, food of game ducks, environment, and propagation	634	13, 95

	Technical Bulletins No.	Page
Waterlilies, food of game ducks, value, environment, and propagation	634	83–84
Watermeal, food of game ducks, description and value	634	70
Watermilfoils, food of game ducks, environment, and propagation	634	17, 89–91
Waterprimroses, food of game ducks, environment, and propagation	634	88–89
Watershed protection, ponderosa pine forests	511	55–56, 91
Watershield, food of game ducks, value, environment, and propagation	634	9, 14, 84–85
Waterstargrass, food of game ducks	634	71
Waterweeds, value as game duck food, and propagation	634	42
WATSON, LEONARD J.:		
Cotton Prices in Relation to Cotton Classification Service and to Quality Improvement. With L. D. Howell	699	1–55
Relation of Spot Cotton Prices to Prices of Futures Contracts and Protection Afforded by Trading in Futures. With L. D. Howell	602	1–100
WATT, A. L.: Feeding Dairy Cows on Alfalfa Hay Alone. With R. R. Graves, J. R. Dawson, D. V. Kopland, and A. G. Van Horn	610	1–47
Wax—		
bloom, occurrence in beeswax, description and cause	716	22
See also Beeswax.		
Waxmyrtle, food of game ducks, and propagation	634	71
Weather—		
association with variations in naval-stores yields. V. L. Harper and Lenthall Wyman	510	1–35
conditions in Montana, 1926–29	529	5
determinant of grazing periods on mountain range. David F. Costello and Raymond Price	686	1–31
effect on—		
pine gum yields, studies	510	6–18, 22–24, 28–34
pythium root rot of sugarcane	666	49–52
sugarcane at Houma, Louisiana	736	1–43
forest-fire hazard in Northeastern States	651	15–16
in potato-growing regions, effect on yields	669	21–24
records for—		
Ardmore Field Station, Ardmore, S. Dak., 1912–36	628	2
McNeill, Miss	683	51
Miles City, Mont	603	8–9
	635	4
	667	7
See also Climate; and under specific localities.		
Weed(s)—		
abundance in Idaho and importance as hosts of insect species	607	12–16
annual, insect populations in Idaho	607	32–36
as plant cover on cleared sagebrush land, changes and their probable causes. R. L. Piemeisel	654	1–44
competitive equipment of species in southern Idaho	654	29–33
crowding, effect on plant cover in Idaho	654	36–38
following barley and alfalfa crops in newly abandoned fields in Idaho, changes	654	7–19
hosts of—		
curly top virus, overwintering studies	624	23–25
insect species in Idaho by seasons	607	12–16
vector *Eutettix tenellus*, relation to epidemiology of curly top in southern Idaho, studies. James M. Wallace and Albert M. Murphy	624	1–47
in—		
bare patches of fields denuded by jack rabbits in Idaho, changes	654	25–26
burned-over abandoned fields in Idaho, changes	654	22–24

Weed(s)—Continued.
in—continued. Technical Bulletins No. Page
eroded bare portions of fields in southern Idaho, changes 654 24–25
old abandoned fields in Idaho, changes 654 19–22
insect populations, successive, in Idaho 607 23–32
occurrence in crop rotations in North Dakota 536 24–27, 72
on abandoned land, insect fauna, comparison with that of sagebrush 607 36–42
seeds, food of English sparrows 711 26–28
susceptible to southern celery mosaic—
removal 548 5–8, 10–12, 15
spraying 548 12–14, 15–16
Wehr, Everett E.: Studies on the Development of the Pigeon Capillarid, *Capillaria columbae* 679 1–20
Weidman, R. H.: Timber Growing and Logging Practice in Ponderosa Pine in the Northwest. With Ferdinand A. Silcox 511 1–92
Weiss, Gertrude Schmidt: Family Living in Knott County, Kentucky. With Faith M. Williams, Hazel K. Stiebeling, and Idella G. Swisher 576 1–69
Wellman, F. L.: Control of Southern Celery Mosaic in Florida by Removing Weeds That Serve as Sources of Mosaic Infection 548 1–16
Wellman, Frederick L.: Differences in Growth Characters and Pathogenicity of Fusarium Wilt Isolations Tested on Three Tomato Varieties. With Dorothy J. Blaisdell 705 1–29
West Indies, mites of subfamily Tarsoneminae, revision. H. E. Ewing 653 1–64
West Virginia—
barley varieties, yields, 1932–36. J. A. Rigney 735 48–49
butt rot in sprout oak stands, comparison with incidence in other areas 684 9–12
Western States—
sewage irrigation practices. Wells A. Hutchins 675 1–60
white pine areas, ribes, eradication, chemical and mechanical methods. H. R. Offord, G. R. Van Atta, and H. E. Swanson 692 1–50
Westover, H. L.: Alfalfa Experiments at Stoneville, Miss., 1935–37. With Paul R. Henson 701 1–24
Wheat—
bunt or stinking smut and its control. R. W. Leukel 582 1–48
European—
demand, factors affecting the future 535 44–45
general characteristics 535 8–10
milling practices, general 535 10–11
See also under specific countries.
exports, 1900–1935, statistics 535 2–6
field water requirement at Mandan, N. Dak., experiments 617 27–31
food of English sparrows 711 25, 45
futures—
abnormal situations 747 65–67
market and prices, 1923–38 747 4–77
trading of large speculators 747 43–60
germination, effect of fungicides on, experiments 582 20–22
growing under semiarid conditions, effect on subsoil moisture, experiments 637 4–70
harvesttime, water remaining in soil, quantitative determination 617 15–20
pot-culture water requirement, experiments at Mandan, N. Dak. 617 31
prices—
and futures market, 1923–38 747 4–77
effect of supplies 747 13–18
farm, 1869–1937 703 143

	Technical Bulletins No.	Page
Wheat—Continued.		
production—		
entering into gross income, 1869–1937	703	127, 129
in Europe	535	32–41, 53–55, 65–66, 73, 83, 104, 116, 123, 131, 139, 142, 146, 152, 164, 171–183
price, and—		
gross income, 1869–1937	703	36
income, estimation methods and sources of data	703	33–35
quantity of water used at Mandan, N. Dak., determination	617	20–25
requirements in Europe—		
economic factors affecting	535	26–31
government regulations affecting	535	41–44
interest of United States	535	2–7
quality and type, and milling and baking practices. J. H. Shollenberger	535	1–191
rotations at Huntley Field Station, Mont., experiments	571	2–7, 12–13, 16–17, 29–33
seed, treated for bunt, stored and sown, experiments	582	25–27
selenium content, effect of different levels in diet	534	8–17, 24
spring—		
average yield, relation to annual precipitation in Great Plains, experiments	636	5–23
continuously cropped, yield, relation to annual precipitation, experiments	636	24–26
seeding time, water storage in soil, Mandan, N. Dak	617	10–12, 14
tillage methods, effects on yields in rotation	536	41–47, 73
water-conservation studies	617	1–40
yield, correlation with annual precipitation in Great Plains. John S. Cole	636	1–40
yields under different cultural treatments, Mandan, N. Dak., 1915–34	617	25–27
stinking smut and its control. R. W. Leukel	582	1–48
supplies, effect upon price	747	13–18
susceptibility to sodium chlorate injury, experiments	648	3–13
trading—		
and prices in 1926	747	50–53
volume, and open commitments, 1923–38	747	8
type and quality required for European trade	535	11–14
winter, tillage methods, effect on yields in rotation	536	63–65, 74
yield(s)—		
effect of—		
seed treatments and bunt infection	582	38–43
time of plowing fallow at Mandan, N. Dak	617	36–37
under irrigated rotations at Scotts Bluff, 1912–34	512	13–14, 16–17, 29–31, 31–36
Wheatgrass—		
bluebunch, growth stages in southern Idaho	600	11–12
western—		
drought survival in Great Plains, 1935	549	7, 11, 12, 17, 28
grazing methods, effects	547	2–18
WHEELER, HELEN G.: Physical and Chemical Changes Produced in Bleached Cotton Duck by *Chaetomium globosum* and *Spirochaeta cytophaga*. With Ruth Elmquist Rogers and Harry Humfeld	726	1–35

	Technical Bulletins No.	Page
WHETSTONE, RICHARD R.: Arsenic Distribution in Soils and Its Presence in Certain Plants. With Kenneth T. Williams	732	1–20
WHITEMAN, ELIZABETH FULLER: The Cooking Quality, Palatability, and Carbohydrate Composition of Potatoes as Influenced by Storage Temperature. With R. C. Wright, Walter M. Peacock, and T. M. Whiteman	507	1–20
WHITEMAN, T. M.: The Cooking Quality, Palatability, and Carbohydrate Composition of Potatoes as Influenced by Storage Temperature. With R. C. Wright, Walter M. Peacock, and Elizabeth Fuller Whiteman	507	1–20
Whitetop, value as game duck food	634	45
WIANT, JAMES S.:		
Investigations of the Market Diseases of Cantaloups and Honey Dew and Honey Ball Melons	573	1–48
Market Quality and Condition of California Cantaloups as Influenced by Maturity, Handling, and Precooling. With W. T. Pentzer and John H. MacGillivray	730	1–74
Market-Storage Studies of Honey Dew Melons and Cantaloups	613	1–19
WIEBE, G. A.: Yields of Barley Varieties in the United States and Canada, 1932–36. With P. R. Cowan and Lucille Reinbach-Welch	735	1–78
Wigeongrass, food of game ducks, value, environment, and propagation	634	9, 11–12 14–18, 33–34
WIGINGTON, JOHN T.: Manufacturing and Serviceability Tests on Sheetings Made From Two Selected Mill Types of Cotton. With Ruth Elmquist Rogers and Margaret B. Hays	645	1–32
WILCOX, L. V.: The Behavior of Boron in Soils. With Frank M. Eaton	696	1–58
Wildcelery, food of game ducks, value, environment, and propagation	634	9, 11, 12, 14, 43
Wildrice, food of game ducks, value, environment, and propagation	634	9, 11, 12, 18, 47–48
WILLIAMS, FAITH M.: Family Living in Knott County, Kentucky. With Hazel K. Stiebeling, Idella G. Swisher, and Gertrude Schmidt Weiss	576	1–69
WILLIAMS, KENNETH T.:		
Arsenic Distribution in Soils and Its Presence in Certain Plants. With Richard R. Whetstone	732	1–20
Selenium Occurrence in Certain Soils in the United States With a Discussion of Related Topics. Third Report. With Horace G. Byers, John T. Miller, and H. W. Lakin	601	1–75
Selenium Occurrence in Certain Soils in the United States, With a Discussion of Related Topics. Fourth Report. With H. W. Lakin and Horace G. Byers	702	1–60
WILSON, C. V.:		
Beef Production and Quality as Affected by Method of Feeding Supplements to Steers on Grass in the Appalachian Region. With W. H. Black, R. L. Hiner, L. B. Burke, and Lucy M. Alexander	717	1–32
Relative Merits of Producing Creep-Fed, Feeder, and Lot-Fattened Calves in the Appalachian Region. With E. W. McComas	664	1–12
WILSON, T. R. C.: The Glued Laminated Wooden Arch	691	1–123
Wilt, bacterial, of lespedeza. T. T. Ayers, C. L. Lefebvre, and H. W. Johnson	704	1–23
Wind—		
damage to timber, volume losses resulting on Olympic Peninsula, Wash	733	1–29
direction, effect on course of insect migrations	673	112–115
erosion. *See* Erosion, wind.		
velocity, relation to insect population of upper air in Louisiana	673	110–112

	Technical Bulletins No.	Page
Winterfat, occurrence in Escalante Valley, Utah	713	22–25
Wintering beef cows on range with and without supplement of cottonseed cake. W. H. Black, J. R. Quesenberry, and A. L. Baker	603	1–22
Wireworm—		
Pacific coast, larva—		
external anatomy. H. P. Lanchester	693	1–40
habits and description	693	4
rearing technique	659	4–10
sand—		
and its control in South Carolina Coastal Plain. J. N. Tenhet and E. W. Howe	659	1–39
historical review, systematic history, and synonymy	659	2
occurrence and damage	659	1
sugar beet, in southern California, life history. M. W. Stone	744	1–88
Wisconsin—		
barley varieties, yields, 1932–36. B. D. Leith and E. J. Delwiche	735	49–52
Barron County—		
agriculture	750	52–58
milk production—		
comparison with Dodge County	750	80–82
past trends	750	58–68
prospective trends	750	68–79
supply responses. Raymond P. Christensen and Ronald L. Mighell	750	1–94
cabbage production	646	17, 24–25
dairying, importance, trends, and technological changes	750	6–8
Dodge County—		
agriculture	750	8–15
milk production—		
comparison with Barron County	750	80–82
past trends	750	15–24
prospective trends	750	24–52
supply responses. Raymond P. Christensen and Ronald L. Mighell	750	1–94
Forest County—		
agricultural history	687	1–2
land problems, development	687	4–49
land program. V. Webster Johnson, Sidney Henderson, and James H. Marshall	687	1–112
local government—		
problems	687	33–49
reorganization	687	92–98, 104–105
onion production	555	2–4, 8, 12
Wisconsin County Zoning Enabling Act, administration and provisions	687	64–65
Woke, P. A.: The Field Cricket in Relation to the Cotton Plant in Louisiana. With J. W. Folsom	642	1–28
Wolfiella floridana, food of game ducks, and description	634	70
Wood(s)—		
chemical changes, cause of stains	714	3–12
compression—		
appearance and structure	546	2–5
formation, factors affecting	546	5–11
influence in softwood timbers and lumber	546	26–29
occurrence at different heights in tree	546	11–14
occurrence in cross section of stems	546	14–15
properties, comparison with those of normal wood	546	15–26
reduction of formation by forest management	546	29–30
structure, occurrence, and properties. M. Y. Pillow and R. F. Luxford	546	1–32
discolorations, economic aspects	714	2–3

	Technical Bulletins No.	Page
Wood(s)—Continued.		
joints, lag screws, in—		
direct withdrawal, tests	597	3–14, 26
lateral resistance, tests	597	14–25, 26
moisture content, relation to use for glued laminated construction	691	60–61
products, stains and their control	714	2–123
properties affected by sap stain	714	28–33
sap stain—		
chemical control—		
experiments	714	39–67, 116–121
recommendations	714	67–84, 87–93
control in South, commercial aspects	714	34–40
shipmast locust, superiority to common forms of black locust	742	2
species, commercially important, specific gravity	597	14
specific gravity, effect on resistance to displacement of lag-screw joints	597	16
stained—		
decay resistance	714	30–31
drying characteristics	714	32–33
gluing properties and paintability	714	33
impregnation with preservatives	714	31–32
paper produced from, quality	714	33
strength studies	714	28–30
stains and their control	714	2–123
treatment for stain control, commercial trends	714	107–108
types, susceptibility to sap stain, factors affecting	714	20–22
Woodlands of New Mexico, vegetation-erosion conditions, comparison	567	60–62
WOODWARD, R. W.: Yields of Barley Varieties, 1932–36: Utah. With D. C. Tingey	735	44–45
WOODWARD, SHERMAN M.: Flow of Water Around 180-Degree Bends. With David L. Yarnell	526	1–64
WOODWARD, T. E.:		
Incomplete Milking in Relation to Milk Production and Udder Troubles in Dairy Cows. With R. P. Hotis and R. R. Graves	522	1–27
Methods of Making Silage From Grasses and Legumes. With J. B. Shepherd	611	1–34
The Hohenheim System in the Management of Permanent Pastures for Dairy Cattle. With J. B. Shepherd and M. A. Hein	660	1–34
Wool—		
blankets made from four blends of, serviceability test. Margaret B. Hays, Ruth E. Elmquist, and J. I. Hardy	572	1–24
fabric(s)—		
for blankets—		
chemical properties, tests	572	6–7, 14–21
physical properties, tests	572	5–6, 7–14
physical and chemical properties, effect of sterilization of wool upon. Harry Humfeld, Ruth E. Elmquist, and James H. Kettering	588	1–27
sterilization, bacteriological, effectiveness	588	4–12
sterilization, physical and chemical, effectiveness	588	12–21
manufacture into blanket fabrics, experiments	572	2–4
production, price, and—		
gross income, 1869–1937	703	105
income, estimation methods and source of data	703	103
sterilization—		
and effect on physical and chemical properties of a wool fabric. Harry Humfeld, Ruth E. Elmquist, and James H. Kettering	588	1–27
for bacteriological studies, method for testing and results	588	4–12
for physical and chemical study, testing and results	588	12–21

	Technical Bulletins No.	Page
WORTHINGTON, ROBERT E.: Costs of Tractor Logging in Southern Pine	700	1–64
WRIGHT, R. C.:		
Bruising, Freezing, and Chemical Injury of Potatoes in Transit	668	1–23
Prevention of Damage by the Seed-Corn Maggot to Potato Seed Pieces. With W. J. Reid, Jr., and W. M. Peacock	719	1–38
The Cooking Quality, Palatability, and Carbohydrate Composition of Potatoes as Influenced by Storage Temperature. With Walter M. Peacock, T. M. Whiteman, and Elizabeth Fuller Whiteman	507	1–20
WYMAN, LENTHALL: Variations in Naval-Stores Yields Associated With Weather and Specific Days Between Chippings. With V. L. Harper	510	1–35
Wyoming—		
barley varieties, yield, 1932–36. Glenn Hartman, A. L. Nelson, and R. S. Towle	735	52–53
soils, selenium content	530	14–15, 18, 72–73
vegetation, selenium content	530	14–15
Yarns—		
cotton—		
in sheetings, effects of bleaching and laundering	645	12
strength tests	645	10
wool, fineness of fiber, studies	572	4–5
YARNELL, DAVID L.:		
Flow of Water Around 180-Degree Bends. With Sherman M. Woodward	526	1–64
Flow of Water Through 6-Inch Pipe Bends	577	1–118
Yazoo-Mississippi Delta area—		
description	682	6–18
historical development	682	12–15
plantation—		
management problem	682	1–4
organization—		
and operation. E. L. Langsford and B. H. Thibodeaux	682	1–92
and operation, planning	682	54–91
operation, and earnings	682	18–40
Yugoslavia, tobacco statistics, specified years	587	11, 23–25, 100–103, 113–114
ZELENY, LAWRENCE:		
Rapid Determination of Oil Content and Oil Quality in Flaxseed. With D. A. Coleman	554	1–40
Rapid Determination of Soybean Oil Content and of Iodine Number of Soybean Oil. With M. H. Neustadt	748	1–23
The Chemical Determination of Soundness in Corn. With D. A. Coleman	644	1–24
Zeolite, artificial, boron fixation, experiments	696	39–40, 42
Zinc, occurrence in soils of erosion experiment stations, determination	552	4, 8, 10, 13–16, 17–18, 19–20
Zoning, rural, advantages and regulations in Forest County, Wis	687	60–71, 101–102
ZOOK, L. L.: Yields of Barley Varieties, 1932–36: Nebraska. With T. A. Kiesselbach, W. E. Lyness, and Lionel Harris	735	25–27

○